A Project Report on

HOSPITAL MANAGEMENT SYSTEM

Submitted in partial fulfilment

for the award of the Degree in

BACHELOR OF COMPUTER APPLICATION

By

Sushmita Kumari

AJU/191178

Under the guidance of

Dr. ARUN KUMAR MARANDI

ARKA JAIN UNIVERSITY

JAMSHEDPUR, JHARKHAND

DEPARTMENT OF COMPUTER SCIENCE & INFORMATION TECHNOLOGY

2019-22

ARKA JAIN UNIVERSITY

A Project Report on

"HOSPITAL MANAGEMENT SYSTEM"

Submitted in partial fulfillment

for the award of the Degree in

BACHELOR OF COMPUTER APPLICATION

GUIDED BY-

Dr.Arun Kumar Marandi

PRESENTED BY-

SUSHMITA KUMARI(AJU/191178)

ARKA JAIN UNIVERSITY

JAMSHEDPUR, JHARKHAND

DEPT. OF COMPOUTER SCIENCE & INFORMATION TECHNOLOGY

2019-22

A Project Report on

"HOSPTAL MANAGEMENT SYSTEM"

Submitted in partially fulfilment

for the award of the Degree in

BACHELOR OF COMPUTER APPLICATION

By

"Sushmita Kumari"

AJU/191178

Under the guidance of

Dr. ARUN KUMAR MARANDI

ARKA JAIN UNIVERSITY

JAMSHEDPUR, JHARKHAND

DEPARTMENT OF COMPUTER SCIENCE & INFORMATION TECHNOLOGY

2019-22

4

ARKA JAIN UNIVERSITY

JAMSHEDPUR, JHARKHAND

DEPARTMENT OF COMPUTER SCIENCE & INFORMATION TECHNOLOGY

CERTIFICATE

This is to certify that the project entitled **HOSPITAL MANAGEMENT SYSTEM**, is bona-fide work of **SUSHMITA KUMARI** bearing Registration Number: **AJU/191178** submitted in partial fulfilment of the requirement for the award of degree in BACHELOR OF COMPUTER APPLICATION from ARKA JAIN UNIVERSITY, JHARKHAND.

Dr. Arun Kumar Marandi

Internal Guide

Dr. Arvind Kumar Pandey

Head of the Department

Date: 28/5/22

ARKA JAIN University JHARKHAND

University Seal

TECHWON LABS PVT. LTD.

JAMSHEDPUR, **INDIA**

INTERNSHIP APPRECIATION LETTER

Certificate No: WON-STP-0521-008

Date: 31/07/2021

TO WHOMSOEVER IT MAY CONCERN

This is to certify that **Miss Sushmita Kumari** has successfully completed his/her internship of 45 Days (from **07/06/2021** to **21/07/2021**) at **Techwon Labs Pvt Ltd** as a **Full Stack Web Developer** (Intern)**.** During the span of internship, the candidate has been actively and diligently involved in the projects and tasks assigned to him/her. The candidate has exclusively worked on the projects which implicated the practical execution of his/her skills, versatility and capability in during the internship with us as a part of our organisation.

So, hereby with this letter, we acknowledge that he/she has worked on the following project(s):

Hospital Management System Using PHP and MySQL

We found him/her sincere, hardworking, technically sound, and result-oriented. He/She has also shown an impressive skill towards being a diligent task handler as well as collaborating with the team and being a seamless part of the team during his/her tenure. He/She has shown the ability to incorporate the ideologies and concepts of the company and being a strong team player and contributing towards successful result- oriented goals.

We take this opportunity to thank him/her for being part of our organisation and wish him/her all the best for his/her future endeavours.

Best Regards,

TECHWON LABS PVT. LTD. DIRECTOR

Mr. Dharmendra Tiwari
Director, DIN 09246861
Techwon Labs Pvt. Ltd.

WORLD ON NETWORKS

ABSTRACT

Hospital Management System is an organized computerized system designed and programmed to deal with day-to-day operations and management of the hospital activities. The program can look after inpatients, outpatients, records, database treatments, status illness, billings in the pharmacy and labs. It also maintains hospital information such as ward id, doctors in charge and department administering. The major problem for the patient nowadays to get report after consultation , many hospital managing reports in their system but it's not available to the patient when he / she is outside. In this project we are going to provide the extra facility to store the report in the database and make available from anywhere in the world.

ACKNOWLEDGEMENT

I would like to express my sincere gratitude to several individuals and organization for supporting me throughout the completion of my project.

First, I wish to express my sincere gratitude to my mentor (Dr. Arun Kumar Marandi) for his enthusiasm patience, insightful comments, helpful information, practical advices and unceasing ideas that have helped me tremendously at all times in my Project and writing of these thesis. his immense knowledge, profound experience and professional expertise in Backend has enabled me to complete this project successfully. Without his support and guidance, this project would not have been possible.

I am also thankful to our respected H.O.D, Dr. Arvind Kumar Pandey and all faculty members for loving inspiration and timely guidance. I also wish to express my sincere thanks to the Department of Computer science & Information technology of ARKA JAIN UNIVERSITY for accepting this project.

Thanks for all your encouragement!

DECLARATION

I hereby declare that the Project entitled **HOSPITAL MANAGEMENT SYSTEM** done at ARKA JAIN UNIVERSITY has not been in any case duplicated to submit to any other university for the award of any degree. To the best of my knowledge other than me, no one has submitted to any other university.

This project is done in partial fulfilment of the requirement for the award of degree of BACHELOR OF COMPUTER APPLICATION to be submitted as final semester project as part of our curriculum.

Sushmita kumari

Signature

Sushmita Kumari

TABLE OF CONTENT

Chapter 1

Introduction

1.1 Overview……11

1.2 Objective……11

Chapter 2

Requirements and Analysis

2.1 Software Requirements Specification (SRS)……12

2.1.1 Data Gathering……...12

2.1.2 Feasibility Study……...…12-13

2.1.3 Software Process Model…….....13

2.2 Hardware Requirements……...14

2.3 Software Requirements…….....14

2.4 Justification of Selection of Technology…….14

2.4.1 XAMPP……14

2.4.2 Language……..…….…….14-15

HTML

CSS

JavaScript

Bootstrap

PHP

2.4.3 Why Using MYSQL……...15

2.5 Data Flow (DFD)……...16

DFD 0 Level

DFD 1 level

DFD 2 level

2.6 Entity Relationship Diagram (ER –Diagram)……21

2.6.1 entity……22

2.6.2 relationship……..22

2.6.3 attribute……...22

2.7 Flow Chart……23

2.8 Database Normalization…….....25

Chapter 3

System Design

3.1 Data Dictionary……...26

Chapter 4

Program code and Testing ……..…….29-99

4.1 coding

4.2 Testing Approach

4.2.1 Types of Testing

4.2.2 Use Case

4.2.3 Test Case

Chapter 5

Results and Discussion..……..……...100

5.1Output Screen……..……...……...100

5.2 Future Scope……..……...……111

Chapter 6

Conclusion….……..……...112

Chapter – 1

INTRODUCTION

1.1 Overview

The project Hospital Management system includes registration of patients, storing their details into the system, and also computerized billing in the pharmacy, and labs. The software has the facility to give a unique id for every patient and stores the details of every patient and the staff automatically. It includes a search facility to know the current status of each room. User can search availability of a doctor and the details of a patient using the id. The Hospital Management System can be entered using a username and password. It is accessible either by an administrator or receptionist. Only they can add data into the database. The data can be retrieved easily. The interface is very user-friendly. The data are well protected for personal use and makes the data processing very fast. Hospital Management System is powerful, flexible, and easy to use and is designed and developed to deliver real conceivable benefits to hospitals. Hospital Management System is designed for multispeciality hospitals, to cover a wide range of hospital administration and management processes. It is an integrated end-to-end Hospital Management System is a software product suite designed to improve the quality and management of hospital management in the areas of clinical process analysis and activity-based costing. Hospital Management System enables you to develop your organization and improve its effectiveness and quality of work. Managing the key processes efficiently is critical to the success of the hospital helps you manage your processes

1.2 Objective

1) Define hospital
2) Recording information about the Patients that come.
3) Generating bills.
4) Recording information related to diagnosis given to Patients.
5) Keeping record of the Immunization provided to children/patients.

Chapter 2

REQUIREMENTS AND ANALYSIS

2.1 Software Requirements specification

A software requirements specification (SRS) is a detailed description of a software system to be developed with its functional and non-functional requirements. The SRS is developed based the agreement between customer and contractors. It may include the use cases of how user is going to interact with software system.The software requirements specification document consists of all necessary requirements required for project development. To develop the software system we should have clear understanding of software system. To achieve this we need to continuous communication with customer to gather all requirements.

2.1.1 Data gathering

Data gathering is the process of gathering and measuring information on variables of interest, in an established systematic fashion that enables one to answer stated research question, test hypotheses, and evaluate outcomes. The data collection component of research is common to all fields of study including physical and social science, humanities, business, etc. data gathering techniques used in the (Software Developed Lifecycle) SDLC.

2.1.2 Feasibility Study

The measure of how beneficial or practical the development of information system will be to an organization. Along this topic feasibility is measured. So far taking the feasibility study and feasibility analysis during the development of the project E-commerce website we have studied on the following four major categories of feasibility study.

• **Operational feasibility**: operational feasibility is the measure of how well a proposed system solve the problems. And takes advantage of the opportunity identified during scope definition and how it satisfies the requirements identified in the requirements analysis phase of system development.

• **Technical feasibility** : A technical feasibility study assesses the details of how you intend to deliver a product or services to customer. Think materials labour, transportation, where your business will be located and the technology that will be necessary to bring all this together.

• **Economic feasibility**: the degree to which the economic advantage of something to be made, done, or feasibility of a single-payer health system. During the development of Hospital management system website. We have tried to address all these feasibility analysis phases seriously. That's why we think , our project will succeed properly.

2.1.3 Software Process Model

A waterfall under the software development life cycle (SDLC) is the methodology used to produce Ecommerce website and the customer self self shopping system. It is used by system developers to produce or alter information systems or software. It divides the development process into several stages or process. After the completion of one stage. It will logically move to another stage. Sometimes moving back to the previous stage is necessary due to failure that occurs in current stage.



2.2 Hardware Requirement

- Processor : 2.00 GHz or Faster
- Disk Space : 4GB of Available Hard Disk
- RAM : 2GB
- Display – 1028 x 720 or Higher Resolution

2.3 Software Requirement

- Operating System : Windows 10 Pro
- Web Browser : Monzilla FF and above or Google Chrome Microsoft edge
- Xampp

2.4 Justification of Selection of Technology

XAMPP is a free and open-source cross- platform web server solution stack package developed by Apache friends, Consisting mainly of the Apache HTTP Server, MariaDB database, and interpreters for scripts written in the PHP and Perl programming languages.
In this proposed system we are maintaining all the basic features required in this project.

2.4.2 Language

• **HTML** : Hypertext Markup Language is the standard markup language for documents designed to be displayed in a web browser. It can be assisted technologies such as Cascading style sheets and Scripting languages such as javascript .

• **CSS**: Cascading style sheets (CSS) is style sheet language used for describing the presentation of a document written in a markup language like HTML. CSS is a cornerstone technology of the world wide web , alongside HTML and Javascript.

• **Bootstrap** : Bootstrap is a free and open-source CSS framework directed at responsive, mobile- first front-end web development. It contains CSS and javascript based design templates for typography , forms , buttons, modals navigation, and other interface components.

• **Javascript** : Javascript is a programming language that conforms to the ECMAScript

specification. Javascript is high-level, often just- in- time compiled, and multi- paradigm. It has curly- bracket syntax, dynamic typing , prototype –based object- orientation, and first- class functions.

• **PHP :** php is a server side scripting language. That is used to develop static websites or dynamic websites or Web application. PHP scripts can only be interpreted on a server that has PHP installed.

2.4.3 Database – MySQL

MySQL is an open-source relational database management system (RDBMS). Its name is a combination of "My", the name of co-founder Michael Widenius's daughter, and "SQL", the abbreviation for Structured Query Language. A relational database organizes data into one or more data tables in which data types may be related to each other; these relations help structure the data. SQL is a language programmer use to create, modify and extract data from the relational database, as well as control user access to the database. In addition to relational databases and SQL, an RDBMS like MySQL works with an operating system to implement a relational database in a computer's storage system, manages users, allows for network access and facilitates testing database integrity and creation Ofbackups.

2.5 DATA FLOW DIAGRAM (DFD)

DFD is an important tool used by system analysis. A data flow diagram model, a system using external entities from which data flows to a process which transforms the data and create output data transforms which go to other processes or external entities such as files. The main merit of DFD is that it can provide an overview of what data a system would **process.**

SYMBOLS



A Circle represents a process that transforms incoming data flow into outgoing data flows.

A Square defines a source or destination of system data.



An Arrow identifies data flow direction. It is the pipeline through which the information flows.



An Open Rectangle is a data store, data at rest or a temporary repository of data.

0-level DFD:

It is also known as a context diagram. It's designed to be an abstraction view, showing the system as a single process with its relationship to external entities. It represents the entire system as a single bubble with input and output data indicated by incoming/outgoing arrows.

1-level DFD:

In 1-level DFD, the context diagram is decomposed into multiple bubbles/processes. In this level, we highlight the main functions of the system and breakdown the high-level process of 0-level DFD into sub processes.

2-level DFD:

2-level DFD goes one step deeper into parts of 1-level DFD. It can be used to plan or

record the specific/necessary detail about the system's functioning.

2.5.1 Context level DFD-0 level



Admin Side DFD – Level 1



Activate Windows

PATIENT LEVEL 1



DOCTOR LEVEL 1





Level 2-ADMIN




PATIENT LEVEL 2
Patient
Request for registration
Response
3.1.1
Register
Check for registration
Response
D1
Patient
Request for login
Response
3.1.2
Login
Check for login
Response
D2
Patient
Book Appointment
Response
3.1.3
Book Appointment
Check Appointment
Response
D3
Appointment
Cancel Appointment
Response
3.1.4
Cancel Appointment
Check Appointment
Response
D4
Appointment
Request for Payment
Response
3.1.5
Pay Bill
view Payment
Response
D5
Payment

2.6 Entity Relationship Diagram

An Entity Relationship Diagram (ERD) is a type of diagram that lets you see how different entities (e.g., people, customers, or other objects) relate to each other in an application or a database. They are created when a new system is being designed so that the development team can understand how to structure the database. They can also be created on an existing system to help the team understand how the system works and to find and resolve any issues. Entity Relationship Diagrams use a specific set of symbols, such as shapes and arrows, to depict the system and database.

An Entity Relationship Diagram is made up of many different components:

- Entity
- Relationship
- Attribute

2.6.1 Entity

An entity is a thing that can have data stored about it. It can be a physical object (e.g., car, person), a concept (e.g., address) or an event (e.g. student enrolment in a course). They represent nouns. They are usually represented as rectangles on an ERD with the entity name inside the rectangle.

2.6.2 Relationship

A relationship in an ERD defines how two entities are related to each other. They can be derived from verbs when speaking about a database or a set of entities. Relationships in ERDs are represented as lines between two entities, and often have a label on the line to further describe the relationship (such as “enrols”, “registers”, “completes”).

2.6.3 Attribute

An attribute is a property of an entity or something that can be used to describe an entity. They are often represented as ovals, or as entries inside an entity. There are several different types of attributes represented on an ERD:

- Simple: an attribute that cannot be split into other attributes, such as a first name.

● Composite: an attribute that can be split into other attributes, such as name being split into first, middle, and last name.

● Derived: an attribute that is calculated or determined from another attribute, such as the age of record being calculated from the created date.



2.7 Flow Chart

A flowchart is a type of diagram that represents a workflow or process. A flowchart can also be defined as a diagrammatic representation of an algorithm, a step-by-step approach to solving a task. The flowchart shows the steps as boxes of various kinds, and their order by connecting the boxes with arrows.

Flow Chart Symbol	Meaning	Explanation
	Start and end	The symbol denoting the beginning and end of the flow chart.
	Step	This symbol shows that the user performs a task. (Note: In many flow charts steps and actions are interchangeable.)
	Decision	This symbol represents a point where a decision is made.
	Action	This symbol means that the user performs an action. (Note: In many flow charts steps and actions are interchangeable.)
	Flow line	A line that connects the various symbols in an ordered way.



Activate Windows
Go to Settings to activate Windows.

2.8 Database Normalisation

Normalization is a database design technique that reduces data redundancy and eliminates undesirable characteristics like Insertion, Update and Deletion Anomalies. Normalization rules divides larger tables into smaller tables and links them using relationships. The purpose of Normalisation in SQL is to eliminate redundant (repetitive) data and ensure data is stored logically.



Activate Windows
Go to Settings to activate Windows.

Chapter 3

SYSTEM DESIGN

A data dictionary, or metadata repository, as defined in the IBM Dictionary of computing, is a “centralized repository of information about data such as meaning relationship to other data, origin, usage , and format “ . Oracle defines it as a collection of tables with me.






Server: 127.0.0.1 » Database: hospitalms » Table: appointmenttb
Browse Structure SQL Search Insert Export Import Privileges Operations Tracking Mor
1 pid int(11) No None Change Drop More
2 ID int(11) No None AUTO_INCREMENT Change Drop More
3 fname varchar(20) latin1_swedish_ci No None Change Drop More
4 lname varchar(20) latin1_swedish_ci No None Change Drop More
5 gender varchar(10) latin1_swedish_ci No None Change Drop More
6 email varchar(30) latin1_swedish_ci No None Change Drop More
7 contact varchar(10) latin1_swedish_ci No None Change Drop More
8 doctor varchar(30) latin1_swedish_ci No None Change Drop More
9 docFees int(5) No None Change Drop More
10 appdate date No None Change Drop More
11 apptime time No None Change Drop More
12 userStatus int(5) No None Change Drop More
13 doctorStatus int(5) No None Change Drop More
Console
Bookmarks Options History Clear


Server: 127.0.0.1 » Database: hospitalms » Table: patreg
Browse Structure SQL Search Insert Export Import Privileges Operations Tracking Mor
Table structure Relation view
Name Type Collation Attributes Null Default Comments Extra Action
1 pid int(11) No None AUTO_INCREMENT Change Drop More
2 fname varchar(20) latin1_swedish_ci No None Change Drop More
3 lname varchar(20) latin1_swedish_ci No None Change Drop More
4 gender varchar(10) latin1_swedish_ci No None Change Drop More
5 email varchar(30) latin1_swedish_ci No None Change Drop More
6 contact varchar(10) latin1_swedish_ci No None Change Drop More
7 password varchar(30) latin1_swedish_ci No None Change Drop More
8 cpassword varchar(30) latin1_swedish_ci No None Change Drop More



#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	name	varchar(30)	latin1_swedish_ci		No	None			Change Drop More
2	email	text	latin1_swedish_ci		No	None			Change Drop More
3	contact	varchar(10)	latin1_swedish_ci		No	None			Change Drop More
4	message	varchar(200)	latin1_swedish_ci		No	None			Change Drop More



#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	doctor	varchar(50)	latin1_swedish_ci		No	None			Change Drop More
2	pid	int(11)			No	None			Change Drop More
3	ID	int(11)			No	None			Change Drop More
4	fname	varchar(50)	latin1_swedish_ci		No	None			Change Drop More
5	lname	varchar(50)	latin1_swedish_ci		No	None			Change Drop More
6	appdate	date			No	None			Change Drop More
7	apptime	time			No	None			Change Drop More
8	disease	varchar(250)	latin1_swedish_ci		No	None			Change Drop More
9	allergy	varchar(250)	latin1_swedish_ci		No	None			Change Drop More
10	prescription	varchar(1000)	latin1_swedish_ci		No	None			Change Drop More



#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	username	varchar(50)	latin1_swedish_ci		No	None			Change Drop More
2	password	varchar(50)	latin1_swedish_ci		No	None			Change Drop More
3	doctorname	varchar(255)	latin1_swedish_ci		Yes	NULL			Change Drop More
4	email	varchar(50)	latin1_swedish_ci		No	None			Change Drop More
5	spec	varchar(50)	latin1_swedish_ci		No	None			Change Drop More
6	docFees	int(10)			No	None			Change Drop More

Chapter 4

4.1 PROGRAM CODE AND TESTING

ADMIN PANEL

```
<!DOCTYPE html>
<?php
include('func.php');
include('newfunc.php');
$con=mysqli_connect("localhost","root","","hospitalms");


$pid = $_SESSION['pid'];
$username = $_SESSION['username'];
$email = $_SESSION['email'];
$fname = $_SESSION['fname'];
$gender = $_SESSION['gender'];
$lname = $_SESSION['lname'];
$contact = $_SESSION['contact'];



if(isset($_POST['app-submit']))
{
$pid = $_SESSION['pid'];
$username = $_SESSION['username'];
$email = $_SESSION['email'];
$fname = $_SESSION['fname'];
$lname = $_SESSION['lname'];
$gender = $_SESSION['gender'];
$contact = $_SESSION['contact'];
$doctor=$_POST['doctor'];
$email=$_SESSION['email'];
# $fees=$_POST['fees'];
$docFees=$_POST['docFees'];




$appdate=$_POST['appdate'];
$apptime=$_POST['apptime'];
$cur_date = date("Y-m-d");
```

```
date_default_timezone_set('Asia/Kolkata');
$cur_time = date("H:i:s");
$apptime1 = strtotime($apptime);
$appdate1 = strtotime($appdate);

if(date("Y-m-d",$appdate1)>=$cur_date){
if((date("Y-m-d",$appdate1)==$cur_date and date("H:i:s",$apptime1)>$cur_time) or date("Y-m-d",$appdate1)>$cur_date) {
$check_query = mysqli_query($con,"select apptime from appointmenttb where doctor='$doctor' and appdate='$appdate' and apptime='$apptime'");

if(mysqli_num_rows($check_query)==0){
$query=mysqli_query($con,"insert into appointmenttb(pid,fname,lname,gender,email,contact,doctor,docFees,appdate,apptime,userStatus,doctorStatus)
values($pid,'$fname','$lname','$gender','$email','$contact','$doctor','$docFees','$appdate','$apptime','1','1')");

if($query)
{
echo "<script>alert('Your appointment successfully booked');</script>";
}
else{
echo "<script>alert('Unable to process your request. Please try again!');</script>";
}
}
else{
echo "<script>alert('We are sorry to inform that the doctor is not available in this time or date. Please choose different time or date!');</script>";
}
}
else{
echo "<script>alert('Select a time or date in the future!');</script>";


}
}
else{
echo "<script>alert('Select a time or date in the future!');</script>";
}

}

if(isset($_GET['cancel']))
{
$query=mysqli_query($con,"update appointmenttb set userStatus='0' where ID = '".$_GET['ID']."'");
```

```
if($query)
{
echo "<script>alert('Your appointment successfully cancelled');</script>";
}
}


function generate_bill(){
$con=mysqli_connect("localhost","root","","hospitalms");
$pid = $_SESSION['pid'];
$output='';
$query=mysqli_query($con,"select
p.pid,p.ID,p.fname,p.lname,p.doctor,p.appdate,p.apptime,p.disease,p.allergy,p.prescription,a.docFees
from prestb p inner join appointmenttb a on p.ID=a.ID and p.pid = '$pid' and p.ID = '".$_GET['ID']."'");
while($row = mysqli_fetch_array($query)){
$output .= '
<label> Bill No : </label>HMS_'.$row["pid"].$row["ID"].'<br/><br/>

<label> Patient : </label>'.$row["fname"].' '.$row["lname"].'<br/><br/>
<label> Doctor : </label>'.$row["doctor"].'<br/><br/>
<label> Appointment Date : </label>'.$row["appdate"].'<br/><br/>
<label> Appointment Time : </label>'.$row["apptime"].'<br/><br/>
<label> Disease : </label>'.$row["disease"].'<br/><br/>
<label> Allergies : </label>'.$row["allergy"].'<br/><br/>
<label> Prescription : </label>'.$row["prescription"].'<br/><br/>
<label> Fees Paid : </label>$'.$row["docFees"].'<br/>
';
}
return $output;
}

if(isset($_GET["generate_bill"])){
require_once("TCPDF/tcpdf.php");
$obj_pdf = new TCPDF('P',PDF_UNIT,PDF_PAGE_FORMAT,true,'UTF-8',false);
$obj_pdf -> SetCreator(PDF_CREATOR);
$obj_pdf -> SetTitle("Generate Bill");
$obj_pdf -> SetHeaderData('',',PDF_HEADER_TITLE,PDF_HEADER_STRING);
$obj_pdf -> SetHeaderFont(Array(PDF_FONT_NAME_MAIN,'',PDF_FONT_SIZE_MAIN));
$obj_pdf -> SetFooterFont(Array(PDF_FONT_NAME_MAIN,'',PDF_FONT_SIZE_MAIN));
$obj_pdf -> SetDefaultMonospacedFont('helvetica');
$obj_pdf -> SetFooterMargin(PDF_MARGIN_FOOTER);
$obj_pdf -> SetMargins(PDF_MARGIN_LEFT,'5',PDF_MARGIN_RIGHT);

$obj_pdf -> SetPrintHeader(false);
$obj_pdf -> SetPrintFooter(false);
$obj_pdf -> SetAutoPageBreak(TRUE, 10);
```

```
$obj_pdf -> SetFont('helvetica','',12);
$obj_pdf -> AddPage();

$content = '';

$content .= '
<br/>
<h2 align ="center"> Hospital Management System</h2></br>
<h3 align ="center"> Bill</h3>
';

$content .= generate_bill();
$obj_pdf -> writeHTML($content);
ob_end_clean();
$obj_pdf -> Output("hmsbill.pdf",'I');

}

function get_specs(){
$con=mysqli_connect("localhost","root","","hospitalms");
$query=mysqli_query($con,"select username,spec from doctb");
$docarray = array();
while($row =mysqli_fetch_assoc($query))
{
$docarray[] = $row;

}
return json_encode($docarray);
}

?>
<html lang="en">
<head>


<!-- Required meta tags -->
<meta charset="utf-8">
<link rel="shortcut icon" type="image/x-icon" href="images/favicon.png" />
<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
<link rel="stylesheet" type="text/css" href="font-awesome-4.7.0/css/font-awesome.min.css">
<link rel="stylesheet" href="style.css">
<!-- Bootstrap CSS -->

<link rel="stylesheet" href="vendor/fontawesome/css/font-awesome.min.css">
<link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0-
beta/css/bootstrap.min.css" integrity="sha384-
```

```
/Y6pD6FV/Vv2HJnA6t+vslU6fwYXjCFtcEpHbNJ0lyAFsXTsjBbfaDjzALeQsN6M"
crossorigin="anonymous">

<link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/css/bootstrap.min.css" integrity="sha384-
ggOyR0iXCbMQv3Xipma34MD+dH/1fQ784/j6cY/iJTQUOhcWr7x9JvoRxT2MZw1T"
crossorigin="anonymous">

<link href="https://fonts.googleapis.com/css?family=IBM+Plex+Sans&display=swap"
rel="stylesheet">
<nav class="navbar navbar-expand-lg navbar-dark bg-primary fixed-top">
<a class="navbar-brand" href="#"><i class="fa fa-hospital-o" aria-hidden="true"></i> Hospital
Management System</a>
<button class="navbar-toggler" type="button" data-toggle="collapse" data-
target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false"
aria-label="Toggle navigation">


<span class="navbar-toggler-icon"></span>
</button>

<style >
.bg-primary {
/* background: -webkit-linear-gradient(left, #3931af, #00c6ff); */
background: #F0F2F0;  /* fallback for old browsers */
background: -webkit-linear-gradient(to right, #000C40, #F0F2F0);  /* Chrome 10-25, Safari 5.1-6 */
background: linear-gradient(to right, #000C40, #F0F2F0); /* W3C, IE 10+/ Edge, Firefox 16+,
Chrome 26+, Opera 12+, Safari 7+ */

}
.list-group-item.active {
z-index: 2;
color: #fff;
background: #F0F2F0;
background: -webkit-linear-gradient(to right, #000C40, #F0F2F0);
background: linear-gradient(to right, #000C40, #F0F2F0);
border-color: #c3c3c3;
}
.text-primary {
color: #342ac1!important;
}

.btn-primary{
background-color: #3c50c1;
border-color: #3c50c1;
}
```

```
</style>

<div class="collapse navbar-collapse" id="navbarSupportedContent">




<ul class="navbar-nav mr-auto">
<li class="nav-item">
<a class="nav-link" href="logout.php"><i class="fa fa-power-off" aria-hidden="true"></i> Logout</a>
</li>
<li class="nav-item">
<a class="nav-link" href="#"></a>
</li>
</ul>
</div>
</nav>
</head>
<style type="text/css">
button:hover{cursor:pointer;}
#inputbtn:hover{cursor:pointer;}
</style>
<body style="padding-top:50px;">

<div class="container-fluid" style="margin-top:50px;">
<h3 style = "margin-left: 40%;  padding-bottom: 20px; font-family: 'IBM Plex Sans', sans-serif;"> Welcome  <?php echo $username ?>
</h3>
<div class="row">
<div class="col-md-4" style="max-width:25%; margin-top: 3%">
<div class="list-group" id="list-tab" role="tablist">
<a class="list-group-item list-group-item-action active" id="list-dash-list" data-toggle="list" href="#list-dash" role="tab" aria-controls="home">Dashboard</a>
<a class="list-group-item list-group-item-action" id="list-home-list" data-toggle="list" href="#list-home" role="tab" aria-controls="home">Book Appointment</a>
<a class="list-group-item list-group-item-action" href="#app-hist" id="list-pat-list" role="tab" data-toggle="list" aria-controls="home">Appointment History</a>
<a class="list-group-item list-group-item-action" href="#list-pres" id="list-pres-list" role="tab" data-toggle="list" aria-controls="home">Prescriptions</a>

</div><br>
</div>
<div class="col-md-8" style="margin-top: 3%;">
```

```
<div class="tab-content" id="nav-tabContent" style="width: 950px;">


<div class="tab-pane fade  show active" id="list-dash" role="tabpanel" aria-labelledby="list-dash-list">
<div class="container-fluid container-fullw bg-white" >
<div class="row">
<div class="col-sm-4" style="left: 5%">
<div class="panel panel-white no-radius text-center">
<div class="panel-body">
<span class="fa-stack fa-2x"> <i class="fa fa-square fa-stack-2x text-primary"></i> <i class="fa fa-bookmark fa-stack-1x fa-inverse"></i> </span>
<h4 class="StepTitle" style="margin-top: 5%;"> Book My Appointment</h4>
<script>
function clickDiv(id) {
document.querySelector(id).click();
}
</script>
<p class="links cl-effect-1">
<a href="#list-home" onclick="clickDiv('#list-home-list')">
Book Appointment
</a>
</p>
</div>
</div>
</div>

<div class="col-sm-4" style="left: 10%">
<div class="panel panel-white no-radius text-center">
<div class="panel-body" >
<span class="fa-stack fa-2x"> <i class="fa fa-square fa-stack-2x text-primary"></i> <i class="fa fa-paperclip fa-stack-1x fa-inverse"></i> </span>
<h4 class="StepTitle" style="margin-top: 5%;">My Appointments</h2>

<p class="cl-effect-1">
<a href="#app-hist" onclick="clickDiv('#list-pat-list')">
View Appointment History
</a>
</p>
</div>
</div>
</div>
</div>
```

```
<div class="col-sm-4" style="left: 20%;margin-top:5%">
<div class="panel panel-white no-radius text-center">
<div class="panel-body" >
<span class="fa-stack fa-2x"> <i class="fa fa-square fa-stack-2x text-primary"></i> <i class="fa fa-file-powerpoint-o fa-stack-1x fa-inverse"></i> </span>
<h4 class="StepTitle" style="margin-top: 5%;">Prescriptions</h2>

<p class="cl-effect-1">
<a href="#list-pres" onclick="clickDiv('#list-pres-list')">
View Prescription List
</a>
</p>
</div>
</div>
</div>
</div>
</div>

<div class="tab-pane fade" id="list-home" role="tabpanel" aria-labelledby="list-home-list">
<div class="container-fluid">
<div class="card">
<div class="card-body">
<center><h4>Book Appointment</h4></center><br>
<form class="form-group" method="post" action="admin-panel.php">
<div class="row">

<!-- <?php

$con=mysqli_connect("localhost","root","","hospitalms");
$query=mysqli_query($con,"select username,spec from doctb");
$docarray = array();
while($row =mysqli_fetch_assoc($query))
{
$docarray[] = $row;
}
echo json_encode($docarray);

?> -->

<div class="col-md-4">
<label for="spec">Specialization:</label>
</div>
<div class="col-md-8">
<select name="spec" class="form-control" id="spec">
<option value="" disabled selected>Select Specialization</option>
```

```
<?php
display_specs();

?>
</select>
</div>

<br><br>

<script>
document.getElementById('spec').onchange = function foo() {
let spec = this.value;
console.log(spec)
let docs = [...document.getElementById('doctor').options];

docs.forEach((el, ind, arr)=>{
arr[ind].setAttribute("style","");
if (el.getAttribute("data-spec") != spec ) {
arr[ind].setAttribute("style","display: none");
}
});
};

</script>

<div class="col-md-4"><label for="doctor">Doctors:</label></div>
<div class="col-md-8">
<select name="doctor" class="form-control" id="doctor" required="required">
<option value="" disabled selected>Select Doctor</option>

<?php display_docs(); ?>
</select>
</div><br/><br/>

<script>
document.getElementById('doctor').onchange = function updateFees(e) {
var selection = document.querySelector(`[value=${this.value}]`).getAttribute('data-value');
document.getElementById('docFees').value = selection;
};
</script>

<!-- <div class="col-md-4"><label for="doctor">Doctors:</label></div>
<div class="col-md-8">
<select name="doctor" class="form-control" id="doctor1" required="required">
<option value="" disabled selected>Select Doctor</option>
```

```
</select>
</div>
<br><br> -->

<!-- <script>
document.getElementById("spec").onchange = function updateSpecs(event) {
var selected = document.querySelector(`[data-value=${this.value}]`).getAttribute("value");
console.log(selected);

var options = document.getElementById("doctor1").querySelectorAll("option");

for (i = 0; i < options.length; i++) {
var currentOption = options[i];
var category = options[i].getAttribute("data-spec");

if (category == selected) {
currentOption.style.display = "block";


} else {


currentOption.style.display = "none";
}
}
}
</script> -->


<!-- <script>
let data =

document.getElementById('spec').onchange = function updateSpecs(e) {
let values = data.filter(obj => obj.spec == this.value).map(o => o.username);
document.getElementById('doctor1').value                                                    =
document.querySelector(`[value=${values}]`).getAttribute('data-value');
};
</script> -->



<div class="col-md-4"><label for="consultancyfees">
Consultancy Fees
</label></div>
<div class="col-md-8">
<!-- <div id="docFees">Select a doctor</div> -->
```

```
<input class="form-control" type="text" name="docFees" id="docFees" readonly="readonly"/>
</div><br><br>

<div class="col-md-4"><label>Appointment Date</label></div>
<div class="col-md-8"><input type="date" class="form-control datepicker" name="appdate"></div><br><br>

<div class="col-md-4"><label>Appointment Time</label></div>
<div class="col-md-8">
<!-- <input type="time" class="form-control" name="apptime"> -->
<select name="apptime" class="form-control" id="apptime" required="required">

<option value="" disabled selected>Select Time</option>
<option value="08:00:00">8:00 AM</option>
<option value="10:00:00">10:00 AM</option>
<option value="12:00:00">12:00 PM</option>
<option value="14:00:00">2:00 PM</option>
<option value="16:00:00">4:00 PM</option>
</select>

</div><br><br>

<div class="col-md-4">
<input type="submit" name="app-submit" value="Create new entry" class="btn btn-primary" id="inputbtn">
</div>
<div class="col-md-8"></div>
</div>
</form>
</div>
</div>
</div><br>
</div>

<div class="tab-pane fade" id="app-hist" role="tabpanel" aria-labelledby="list-pat-list">

<table class="table table-hover">
<thead>

<tr>
<th scope="col">#</th>
<th scope="col">Doctor</th>
<th scope="col">Fees</th>
<th scope="col">Date</th>
<th scope="col">Time</th>
<th scope="col">Status</th>
```

```
<th scope="col">Action</th>

</tr>
</thead>
<tbody>
<?php

$con=mysqli_connect("localhost","root","","hospitalms");
global $con;

$query = "select ID,doctor,docFees,appdate,apptime,userStatus,doctorStatus from appointmenttb
where fname ='$fname' and lname='$lname';";
$result = mysqli_query($con,$query);
$cnt=1;
while ($row = mysqli_fetch_array($result)){

#$fname = $row['fname'];
#$lname = $row['lname'];
#$email = $row['email'];
#$contact = $row['contact'];
?>
<tr>
<td><?php echo $cnt;?></td>
<td><?php echo $row['doctor'];?></td>

<td><?php echo '$'.$row['docFees'];?></td>
<td><?php echo $row['appdate'];?></td>
<td><?php echo $row['apptime'];?></td>

<td>
<?php if(($row['userStatus']==1) && ($row['doctorStatus']==1))
{
echo "Active";
}
if(($row['userStatus']==0) && ($row['doctorStatus']==1))
{
echo "Cancelled by You";



} (($row['userStatus']==1) && ($row['doctorStatus']==0))
{
echo "Cancelled by Doctor";
}
?></td>
```

```
<td>
<?php if(($row['userStatus']==1) && ($row['doctorStatus']==1))
{ ?>


<a href="admin-panel.php?ID=<?php echo $row['ID']?>&cancel=update"
onClick="return confirm('Are you sure you want to cancel this appointment ?')"
title="Cancel Appointment" tooltip-placement="top" tooltip="Remove"><button class="btn btn-danger">Cancel</button></a>
<?php } else {

echo "Cancelled";
} ?>

</td>
</tr>
<?php $cnt++; } ?>
</tbody>
</table>
<br>
</div>


<div class="tab-pane fade" id="list-pres" role="tabpanel" aria-labelledby="list-pres-list">

<table class="table table-hover">
<thead>
<tr>

<th scope="col">Doctor</th>
<th scope="col">Appointment Date</th>
<th scope="col">Appointment Time</th>
<th scope="col">Diseases</th>
<th scope="col">Allergies</th>
<th scope="col">Prescriptions</th>
<th scope="col">Payment</th>
</tr>
</thead>
<tbody>
<?php
$con=mysqli_connect("localhost","root","","hospitalms");
global $con;

$query = "select doctor,ID,appdate,apptime,disease,allergy,prescription from prestb where pid='$pid';";
```

```
$result = mysqli_query($con,$query);
if(!$result){
echo mysqli_error($con);
}


while ($row = mysqli_fetch_array($result)){
?>
<tr>
<td><?php echo $row['doctor'];?></td>
<td><?php echo $row['appdate'];?></td>
<td><?php echo $row['apptime'];?></td>
<td><?php echo $row['disease'];?></td>
<td><?php echo $row['allergy'];?></td>
<td><?php echo $row['prescription'];?></td>
<td>
<form action="admin-panel.php" method="get">
<a href="admin-panel.php">
<!--<input type ="hidden" name="ID" value="<?php echo $row['ID']?>"/>-->
<input type = "submit" onclick="alert('Bill Paid Successfully,you will get the bill in your email id thank you :)');" name ="" class = "btn btn-success" value="Pay Bill"/>
</a>
</td>
</form>
</tr>
<?php }
?>
</tbody>
</table>
<br>
</div>
<div class="tab-pane fade" id="list-messages" role="tabpanel" aria-labelledby="list-messages-list">...</div>
<div class="tab-pane fade" id="list-settings" role="tabpanel" aria-labelledby="list-settings-list">
<form class="form-group" method="post" action="func.php">
<label>Doctors name: </label>
<input type="text" name="name" placeholder="Enter doctors name" class="form-control">
<br>
<input type="submit" name="doc_sub" value="Add Doctor" class="btn btn-primary">
</form>
</div>
<div class="tab-pane fade" id="list-attend" role="tabpanel" aria-labelledby="list-attend-list">...</div>
</div>
</div>
</div>
</div>
```

```
<!-- Optional JavaScript -->
<!-- jQuery first, then Popper.js, then Bootstrap JS -->
<script src="https://code.jquery.com/jquery-3.2.1.slim.min.js" integrity="sha384-KJ3o2DKtIkvYIK3UENzmM7KCkRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN" crossorigin="anonymous"></script>
<script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.11.0/umd/popper.min.js" integrity="sha384-b/U6ypiBEHpOf/4+1nzFpr53nxSS+GLCkfwBdFNTxtclqqenISfwAzpKaMNFNmj4" crossorigin="anonymous"></script>
<script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0-beta/js/bootstrap.min.js" integrity="sha384-h0AbiXch4ZDo7tp9hKZ4TsHbi047NrKGLO3SEJAg45jXxnGIfYzk4Si90RDIqNm1" crossorigin="anonymous"></script>
<script src="https://cdnjs.cloudflare.com/ajax/libs/limonte-sweetalert2/6.10.1/sweetalert2.all.min.js">
</script>

</body>
</html>
```

ADMIN PANEL 1

```
<!DOCTYPE html>
<?php
$con=mysqli_connect("localhost","root","","hospitalms");

include('newfunc.php');

if(isset($_POST['docsub']))
{
$doctorname=$_POST['doctorname'];
$doctor=$_POST['doctor'];
$dpassword=$_POST['dpassword'];
$demail=$_POST['demail'];
$spec=$_POST['special'];
$docFees=$_POST['docFees'];
$query="insert into doctb(doctorname,username,password,email,spec,docFees)values('$doctorname','$doctor','$dpassword','$demail','$spec','$docFees')";
$result=mysqli_query($con,$query);
if($result)
{
echo "<script>alert('Doctor added successfully!');</script>";
```

```
}
}


if(isset($_POST['docsub1']))
{
$demail=$_POST['demail'];
$query="delete from doctb where email='$demail';";
$result=mysqli_query($con,$query);
if($result)
{

echo "<script>alert('Doctor removed successfully!');</script>";
}
else{

echo "<script>alert('Unable to delete!');</script>";
}
}
?>
<html lang="en">
<head>
<!-- Required meta tags -->
<meta charset="utf-8">
<link rel="shortcut icon" type="image/x-icon" href="images/favicon.png" />
<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
<link rel="stylesheet" type="text/css" href="font-awesome-4.7.0/css/font-awesome.min.css">
<link rel="stylesheet" href="style.css">
<!-- Bootstrap CSS -->
<link rel="stylesheet" href="vendor/fontawesome/css/font-awesome.min.css">
<link href="https://fonts.googleapis.com/css?family=IBM+Plex+Sans&display=swap"
rel="stylesheet">
<link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0-
beta/css/bootstrap.min.css" integrity="sha384-

<link rel="stylesheet" href=https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/css/bootstrap.min.css
integrity="sha384ggOyR0iXCbMQv3Xipma34MD+dH/1fQ784/j6cY/iJTQUOhcWr7x9JvoRxT2MZ
w1T" crossorigin="anonymous">
<a class="navbar-brand" href="#"><i class="fa fa-hospital-o" aria-hidden="true"></i> Hospital
Management System</a>
<button class="navbar-toggler" type="button" data-toggle="collapse" data-
target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false"
aria-label="Toggle navigation">
<span class="navbar-toggler-icon"></span>
</button>
```

```
<script >
var check = function() {
if (document.getElementById('dpassword').value ==
document.getElementById('cdpassword').value) {
document.getElementById('message').style.color = '#5dd05d';
document.getElementById('message').innerHTML = 'Matched';
} else {
document.getElementById('message').style.color = '#f55252';
document.getElementById('message').innerHTML = 'Password fields doesnot match';
}
}

function alphaOnly(event) {
var key = event.keyCode;
return ((key >= 65 && key <= 90) || key == 8 || key == 32);
};
</script>
<style >
.bg-primary {
background: #F0F2F0;  /* fallback for old browsers */
background: -webkit-linear-gradient(to right, #000C40, #F0F2F0);  /* Chrome 10-25, Safari 5.1-6 */
background: linear-gradient(to right, #000C40, #F0F2F0); /* W3C, IE 10+/ Edge, Firefox 16+, Chrome 26+, Opera 12+, Safari 7+ */
}
.col-md-4{
max-width:20% !important;
}
.list-group-item.active {
z-index: 2;
color: #fff;
background: #F0F2F0;
background: -webkit-linear-gradient(to right, #000C40, #F0F2F0);
background: linear-gradient(to right, #000C40, #F0F2F0);

border-color: #c3c3c3;
}
.text-primary {
color: #342ac1!important;
}
#cpass {
display: -webkit-box;
}
#list-app{
font-size:15px;
}
```

```
.btn-primary{
background-color: #3c50c1;
border-color: #3c50c1;
}
</style>

<div class="collapse navbar-collapse" id="navbarSupportedContent">
<ul class="navbar-nav mr-auto">
<li class="nav-item">
<a class="nav-link" href="logout1.php"><i class="fa fa-power-off" aria-hidden="true"></i> Logout</a>
</li>
<li class="nav-item">
<a class="nav-link" href="#"></a>
</li>
</ul>
</div>
</nav>
</head>
<style type="text/css">
button:hover{cursor:pointer;}
#inputbtn:hover{cursor:pointer;}
</style>
<body style="padding-top:50px;">
<div class="container-fluid" style="margin-top:50px;">
<h3 style = "margin-left: 40%; padding-bottom: 20px;font-family: 'IBM Plex Sans', sans-serif;"> WELCOME ADMINISTRATOR </h3>
<div class="row">
<div class="col-md-4" style="max-width:25%;margin-top: 3%;">
<div class="list-group" id="list-tab" role="tablist">
<a class="list-group-item list-group-item-action active" id="list-dash-list" data-toggle="list" href="#list-dash" role="tab" aria-controls="home">Dashboard</a>
<a class="list-group-item list-group-item-action" href="#list-doc" id="list-doc-list" role="tab" aria-controls="home" data-toggle="list">View Doctors</a>
<a class="list-group-item list-group-item-action" href="#list-pat" id="list-pat-list" role="tab" data-toggle="list" aria-controls="home">View Patients</a>
<a class="list-group-item list-group-item-action" href="#list-app" id="list-app-list" role="tab" data-toggle="list" aria-controls="home">Appointment Details</a>
<a class="list-group-item list-group-item-action" href="#list-pres" id="list-pres-list" role="tab" data-toggle="list" aria-controls="home">Prescription List</a>
<a class="list-group-item list-group-item-action" href="#list-settings" id="list-adoc-list" role="tab" data-toggle="list" aria-controls="home">Add Doctor</a>
<a class="list-group-item list-group-item-action" href="#list-settings1" id="list-ddoc-list" role="tab" data-toggle="list" aria-controls="home">Delete Doctor</a>
<a class="list-group-item list-group-item-action" href="#list-mes" id="list-mes-list" role="tab" data-toggle="list" aria-controls="home">Queries</a>
```

```
</div><br>
</div>
<div class="col-md-8" style="margin-top: 3%;">
<div class="tab-content" id="nav-tabContent" style="width: 980px;">

<div class="tab-pane fade show active" id="list-dash" role="tabpanel" aria-labelledby="list-dash-list">
<div class="container-fluid container-fullw bg-white" >
<div class="row">
<div class="col-sm-4">
<div class="panel panel-white no-radius text-center">
<div class="panel-body">
<span class="fa-stack fa-2x"> <i class="fa fa-square fa-stack-2x text-primary"></i> <i class="fa fa-user-md fa-stack-1x fa-inverse"></i> </span>
<h4 class="StepTitle" style="margin-top: 5%;">Doctor List</h4>

<script>
function clickDiv(id) {
document.querySelector(id).click();
}
</script>
<p class="links cl-effect-1">
<a href="#list-doc" onclick="clickDiv('#list-doc-list')">
View Doctors
</a>
</p>
</div>
</div>
</div>

<div class="col-sm-4" style="left: -3%">
<div class="panel panel-white no-radius text-center">
<div class="panel-body" >
<span class="fa-stack fa-2x"> <i class="fa fa-square fa-stack-2x text-primary"></i> <i class="fa fa-users fa-stack-1x fa-inverse"></i> </span>
<h4 class="StepTitle" style="margin-top: 5%;">Patient List</h4>
<p class="cl-effect-1">
<a href="#app-hist" onclick="clickDiv('#list-pat-list')">
View Patients
</a>
</p>
</div>
</div>
</div>
<div class="col-sm-4">
```

```
<div class="panel panel-white no-radius text-center">
<div class="panel-body" >
<span class="fa-stack fa-2x"> <i class="fa fa-square fa-stack-2x text-primary"></i> <i class="fa fa-paperclip fa-stack-1x fa-inverse"></i> </span>
<h4 class="StepTitle" style="margin-top: 5%;">Appointment Details</h4>
<p class="cl-effect-1">
<a href="#app-hist" onclick="clickDiv('#list-app-list')">
View Appointments
</a>
</p>
</div>
</div>
</div>
</div>

<div class="row">
<div class="col-sm-4" style="left: 13%;margin-top: 5%;">
<div class="panel panel-white no-radius text-center">
<div class="panel-body" >
<span class="fa-stack fa-2x"> <i class="fa fa-square fa-stack-2x text-primary"></i> <i class="fa fa-file-powerpoint-o fa-stack-1x fa-inverse"></i> </span>
<h4 class="StepTitle" style="margin-top: 5%;">Prescription List</h4>

<p class="cl-effect-1">
<a href="#list-pres" onclick="clickDiv('#list-pres-list')">
View Prescriptions
</a>
</p>

</div>
</div>
</div>

<div class="col-sm-4" style="left: 18%;margin-top: 5%">
<div class="panel panel-white no-radius text-center">
<div class="panel-body" >
<span class="fa-stack fa-2x"> <i class="fa fa-square fa-stack-2x text-primary"></i> <i class="fa fa-plus-circle fa-stack-1x fa-inverse"></i> </span>
<h4 class="StepTitle" style="margin-top: 5%;">Manage Doctors</h4>
<p class="cl-effect-1">
<a href="#app-hist" onclick="clickDiv('#list-adoc-list')">Add Doctors</a>
 |
<a href="#app-hist" onclick="clickDiv('#list-ddoc-list')">
Delete Doctors
</a>
</p>
```

```
</div>
</div>
</div>
</div>
</div>
</div>
<div class="tab-pane fade" id="list-doc" role="tabpanel" aria-labelledby="list-home-list">
<div class="col-md-8">

<form class="form-group" action="doctorsearch.php" method="post">
<div class="row">
<div class="col-md-10"><input type="text" name="doctor_contact" placeholder="Enter Email ID" class = "form-control"></div>
<div class="col-md-2"><input type="submit" name="doctor_search_submit" class="btn btn-primary" value="Search"></div></div>
</form>
</div>
<table class="table table-hover">
<thead>
<tr>
<th scope="col">#</th>
<th scope="col">Doctor Name</th>
<th scope="col">Specialization</th>
<th scope="col">Email</th>
<th scope="col">Username</th>
<th scope="col">Fees</th>
</tr>
</thead>
<tbody>
<?php
$con=mysqli_connect("localhost","root","","hospitalms");
global $con;
$query = "select * from doctb";
$result = mysqli_query($con,$query);
$cnt=1;
while ($row = mysqli_fetch_array($result)){
$doctorname = $row['doctorname'];
$spec = $row['spec'];
$email = $row['email'];
$username = $row['username'];
$password = $row['password'];
$docFees = $row['docFees'];
echo "<tr>
<td>$cnt</td>
<td>$doctorname</td>
<td>$spec</td>
```

```
<td>$email</td>
<td>$username</td>
<td>$$docFees</td>
</tr>";
$cnt++; }
?>
</tbody>
</table>

<br>
</div>
<div class="tab-pane fade" id="list-pat" role="tabpanel" aria-labelledby="list-pat-list">

<div class="col-md-8">
<form class="form-group" action="patientsearch.php" method="post">
<div class="row">
<div class="col-md-10"><input type="text" name="patient_contact" placeholder="Enter Contact" class = "form-control"></div>
<div class="col-md-2"><input type="submit" name="patient_search_submit" class="btn btn-primary" value="Search"></div></div>
</form>
</div>

<table class="table table-hover">
<thead>
<tr>
<th scope="col">#</th>
<th scope="col">Fullname</th>
<th scope="col">Gender</th>
<th scope="col">Email</th>
<th scope="col">Contact</th>
</tr>
</thead>
<tbody>
<?php
$con=mysqli_connect("localhost","root","","hospitalms");
global $con;
$query = "select * from patreg";
$result = mysqli_query($con,$query);
$cnt=1;
while ($row = mysqli_fetch_array($result)){
$pid = $row['pid'];
$fname = $row['fname'];
```

```
$lname = $row['lname'];
$gender = $row['gender'];
$email = $row['email'];
$contact = $row['contact'];
echo "<tr>
<td>$cnt</td>
<td>$fname $lname</td>
<td>$gender</td>
<td>$email</td>
<td>$contact</td>
</tr>";
$cnt++;  }
?>
</tbody>
</table>
<br>
</div>
<div class="tab-pane fade" id="list-pres" role="tabpanel" aria-labelledby="list-pres-list">
<div class="col-md-12">
<div class="row">
<table class="table table-hover">
<thead>
<tr>
<th scope="col">#</th>
<th scope="col">Doctor</th>
<th scope="col">Fullname</th>
<th scope="col">Appointment Date</th>
<th scope="col">Appointment Time</th>
<th scope="col">Disease</th>
<th scope="col">Allergy</th>
<th scope="col">Prescription</th>
</tr>

</thead>
<tbody>
<?php
$con=mysqli_connect("localhost","root","","hospitalms");
global $con;
$query = "select * from prestb";
$result = mysqli_query($con,$query);
$cnt=1;
while ($row = mysqli_fetch_array($result)){
$doctor = $row['doctor'];
$pid = $row['pid'];
$ID = $row['ID'];
$fname = $row['fname'];
```

```
$lname = $row['lname'];
$appdate = $row['appdate'];
$apptime = $row['apptime'];
$disease = $row['disease'];
$allergy = $row['allergy'];
$pres = $row['prescription'];
echo "<tr>
<td>$cnt</td>
<td>$doctor</td>
<td>$fname $lname</td>
<td>$appdate</td>
<td>$apptime</td>
<td>$disease</td>
<td>$allergy</td>
<td>$pres</td>
</tr>";
$cnt++; }
?>
</tbody>
</table>
<br>
</div>
</div>
</div>
<div class="tab-pane fade" id="list-app" role="tabpanel" aria-labelledby="list-pat-list">
<div class="col-md-8">
<form class="form-group" action="appsearch.php" method="post">
<div class="row">
<div class="col-md-10"><input type="text" name="app_contact" placeholder="Enter Contact" class
= "form-control"></div>
<div class="col-md-2"><input type="submit" name="app_search_submit" class="btn btn-primary"
value="Search"></div></div>
</form>
</div>
<table class="table table-hover">
<thead>
<tr>
<th scope="col">#</th>
<th scope="col">Fullname</th>
<th scope="col">Gender</th>
<th scope="col">Email</th>
<th scope="col">Contact</th>
<th scope="col">Doctor</th>
<th scope="col">Fees</th>
<th scope="col">Date</th>
<th scope="col">Time</th>
```

```
<th scope="col">Status</th>
</tr>
</thead>
<tbody>
<?php

$con=mysqli_connect("localhost","root","","hospitalms");
global $con;

$query = "select * from appointmenttb;";
$result = mysqli_query($con,$query);
$cnt=1;
while ($row = mysqli_fetch_array($result)){
?>
<tr>
<td><?php echo $cnt;?></td>
<td><?php echo $row['fname'];?> <?php echo $row['lname'];?></td>
<td><?php echo $row['gender'];?></td>
<td><?php echo $row['email'];?></td>
<td><?php echo $row['contact'];?></td>
<td><?php echo $row['doctor'];?></td>
<td><?php echo '$'.$row['docFees'];?></td>
<td><?php echo $row['appdate'];?></td>
<td><?php echo $row['apptime'];?></td>
<td>
<?php if(($row['userStatus']==1) && ($row['doctorStatus']==1))
{
echo "Active";
}
if(($row['userStatus']==0) && ($row['doctorStatus']==1))
{
echo "Cancelled by Patient";
}
if(($row['userStatus']==1) && ($row['doctorStatus']==0))
{
echo "Cancelled by Doctor";
}

?></td>
</tr>
<?php $cnt++; } ?>
</tbody>
</table>
<br>
</div>
```

```
<div class="tab-pane fade" id="list-messages" role="tabpanel" aria-labelledby="list-messages-list">...</div>

<div class="tab-pane fade" id="list-settings" role="tabpanel" aria-labelledby="list-settings-list">
<form class="form-group" method="post" action="admin-panel1.php">
<div class="row">
<div class="col-md-4"><label>Doctor Name:</label></div>
<div class="col-md-8"><input type="text" class="form-control" name="doctorname" onkeydown="return alphaOnly(event);" required></div><br><br>
<div class="col-md-4"><label>Username:</label></div>
<div class="col-md-8"><input type="text" class="form-control" name="doctor" onkeydown="return alphaOnly(event);" required></div><br><br>
<div class="col-md-4"><label>Specialization:</label></div>
<div class="col-md-8">
<select name="special" class="form-control" id="special" required="required">
<option value="head" name="spec" disabled selected>Select Specialization</option>
<option value="General" name="spec">General</option>
<option value="Gynecologist" name="spec">Gynecologist</option>
<option value="Oncologist">Oncologist</option>
<option value="Cardiologist" name="spec">Cardiologist</option>
<option value="Gastroenterologist">Gastroenterologist</option>
<option value="Neurologist" name="spec">Neurologist</option>
<option value="Pediatrician" name="spec">Pediatrician</option>
</select>
</div><br><br>
<div class="col-md-4"><label>Email ID:</label></div>
<div class="col-md-8"><input type="email" class="form-control" name="demail" required></div><br><br>
<div class="col-md-4"><label>Password:</label></div>

<div class="col-md-8"><input type="password" class="form-control" onkeyup='check();' name="dpassword" id="dpassword"  required></div><br><br>
<div class="col-md-4"><label>Confirm Password:</label></div>
<div class="col-md-8"  id='cpass'><input type="password" class="form-control" onkeyup='check();' name="cdpassword" id="cdpassword" required>   <span id='message'></span>
</div><br><br>
<div class="col-md-4"><label>Consultancy Fees:</label></div>
<div class="col-md-8"><input type="text" class="form-control" name="docFees" required></div><br><br>
</div>
<input type="submit" name="docsub" value="Add Doctor" class="btn btn-primary">
</form>
</div>

<div class="tab-pane fade" id="list-settings1" role="tabpanel" aria-labelledby="list-settings1-list">
<form class="form-group" method="post" action="admin-panel1.php">
```

```
<div class="row">

<div class="col-md-4"><label>Email ID:</label></div>
<div class="col-md-8"><input type="email" class="form-control" name="demail" required></div><br><br>

</div>
<input type="submit" name="docsub1" value="Delete Doctor" class="btn btn-primary" onclick="confirm('do you really want to delete?')">
</form>
</div>
<div class="tab-pane fade" id="list-attend" role="tabpanel" aria-labelledby="list-attend-list">...</div>
<div class="tab-pane fade" id="list-mes" role="tabpanel" aria-labelledby="list-mes-list">

<div class="col-md-8">
<form class="form-group" action="messearch.php" method="post">
<div class="row">
<div class="col-md-10"><input type="text" name="mes_contact" placeholder="Enter Contact" class = "form-control"></div>
<div class="col-md-2"><input type="submit" name="mes_search_submit" class="btn btn-primary" value="Search"></div></div>
</form>
</div>

<table class="table table-hover">
<thead>
<tr>
<th scope="col">#</th>
<th scope="col">Name</th>
<th scope="col">Email</th>
<th scope="col">Contact</th>
<th scope="col">Message</th>
</tr>
</thead>
<tbody>
<?php

$con=mysqli_connect("localhost","root","","hospitalms");
global $con;

$query = "select * from contact;";
$result = mysqli_query($con,$query);
$cnt=1;
while ($row = mysqli_fetch_array($result)){
#$fname = $row['fname'];
#$lname = $row['lname'];
```

```
#$email = $row['email'];
#$contact = $row['contact'];
?>
<tr>
<td><?php echo $cnt;?></td>
<td><?php echo $row['name'];?></td>
<td><?php echo $row['email'];?></td>
<td><?php echo $row['contact'];?></td>
<td><?php echo $row['message'];?></td>
</tr>

<?php $cnt++; } ?>
</tbody>
</table>
<br>
</div>
</div>
</div>
</div>
</div>
<!-- Optional JavaScript -->
<!-- jQuery first, then Popper.js, then Bootstrap JS -->
<script src="https://code.jquery.com/jquery-3.2.1.slim.min.js" integrity="sha384-
KJ3o2DKtIkvYIK3UENzmM7KCkRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN"
crossorigin="anonymous"></script>
<script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.11.0/umd/popper.min.js"
integrity="sha384-
b/U6ypiBEHpOf/4+1nzFpr53nxSS+GLCkfwBdFNTxtclqqenISfwAzpKaMNFNmj4"
crossorigin="anonymous"></script>
<script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0-beta/js/bootstrap.min.js"
integrity="sha384h0AbiXch4ZDo7tp9hKZ4TsHbi047NrKGLO3SEJAg45jXxnGIfYzk4Si90RDIqN
m1" crossorigin="anonymous"></script>
<script src="https://cdnjs.cloudflare.com/ajax/libs/limonte-
sweetalert2/6.10.1/sweetalert2.all.min.js"></script>
</body>
</html>
```

SEARCH

```
<!DOCTYPE html>
<?php #include("func.php");?>
<html>
<head>
<title>Patient Details</title>
<link rel="shortcut icon" type="image/x-icon" href="images/favicon.png" />
```

```
<link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0-beta/css/bootstrap.min.css" integrity="sha384-/Y6pD6FV/Vv2HJnA6t+vslU6fwYXjCFtcEpHbNJ0lyAFsXTsjBbfaDjzALeQsN6M" crossorigin="anonymous">
</head>
<body>

<?php
include("newfunc.php");
if(isset($_POST['app_search_submit']))
{
$contact=$_POST['app_contact'];
$query = "select * from appointmenttb where contact= '$contact';";
$result = mysqli_query($con,$query);
$row=mysqli_fetch_array($result);
if($row['fname']=="" & $row['lname']=="" & $row['email']=="" & $row['contact']=="" & $row['doctor']=="" & $row['docFees']=="" & $row['appdate']=="" & $row['apptime']==""){
echo "<script> alert('No entries found! Please enter valid details');
window.location.href = 'admin-panel1.php#list-doc';</script>";
}
else {
echo "<div class='container-fluid' style='margin-top:50px;'>
<div class='card'>
<div class='card-body' style='background-color:#342ac1;color:#ffffff;'>
<table class='table table-hover'>
<thead>
<tr>
<th scope='col'>First Name</th>
<th scope='col'>Last Name</th>
<th scope='col'>Email</th>
<th scope='col'>Contact</th>
<th scope='col'>Doctor Name</th>
<th scope='col'>Consultancy Fees</th>
<th scope='col'>Appointment Date</th>
<th scope='col'>Appointment Time</th>
<th scope='col'>Appointment Status</th>
</tr>
</thead>
<tbody>";

$fname = $row['fname'];
$lname = $row['lname'];
$email = $row['email'];
$contact = $row['contact'];
$doctor = $row['doctor'];
$docFees= $row['docFees'];
```

```
$appdate= $row['appdate'];
$apptime = $row['apptime'];
if(($row['userStatus']==1) && ($row['doctorStatus']==1))
{
$appstatus = "Active";
}
if(($row['userStatus']==0) && ($row['doctorStatus']==1))
{
$appstatus = "Cancelled by You";
}

if(($row['userStatus']==1) && ($row['doctorStatus']==0))
{
$appstatus = "Cancelled by Doctor";
}
echo "<tr>
<td>$fname</td>
<td>$lname</td>
<td>$email</td>
<td>$contact</td>
<td>$doctor</td>
<td>$docFees</td>
<td>$appdate</td>
<td>$apptime</td>
<td>$appstatus</td>
</tr>";


echo "</tbody></table><center><a href='admin-panel1.php' class='btn btn-light'>Back to your Dashboard</a></div></center></div></div></div>";
}
}

?>
<script src="https://code.jquery.com/jquery-3.2.1.slim.min.js" integrity="sha384-KJ3o2DKtIkvYIK3UENzmM7KCkRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN" crossorigin="anonymous"></script>
<script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.11.0/umd/popper.min.js" integrity="sha384-b/U6ypiBEHpOf/4+1nzFpr53nxSS+GLCkfwBdFNTxtclqqenISfwAzpKaMNFNmj4" crossorigin="anonymous"></script>
<script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0-beta/js/bootstrap.min.js" integrity="sha384-h0AbiXch4ZDo7tp9hKZ4TsHbi047NrKGLO3SEJAg45jXxnGIfYzk4Si90RDIqNm1" crossorigin="anonymous"></script>
</body>
```

```
</html>
```

CONTACT

```
<?php
$con=mysqli_connect("localhost","root","","hospitalms");
if(isset($_POST['btnSubmit']))
{
$name = $_POST['txtName'];
$email = $_POST['txtEmail'];
$contact = $_POST['txtPhone'];
$message = $_POST['txtMsg'];

$query="insert into contact(name,email,contact,message)
values('$name','$email','$contact','$message');";
$result = mysqli_query($con,$query);

if($result)
{
echo '<script type="text/javascript">';
echo 'alert("Message sent successfully!");';



echo 'window.location.href = "contact.html";';
echo '</script>';
}
}
```

DOCTOR PANEL

```
<!DOCTYPE html>
<?php
include('func1.php');
$con=mysqli_connect("localhost","root","","hospitalms");
$doctor = $_SESSION['dname'];
if(isset($_GET['cancel']))
{
$query=mysqli_query($con,"update appointmenttb set doctorStatus='0' where ID =
'".$_GET['ID']."'");
if($query)
{
echo "<script>alert('Your appointment successfully cancelled');</script>";
}
```

```
}

// if(isset($_GET['prescribe'])){

//   $pid = $_GET['pid'];
//   $ID = $_GET['ID'];
//   $appdate = $_GET['appdate'];
//   $apptime = $_GET['apptime'];
//   $disease = $_GET['disease'];
//   $allergy = $_GET['allergy'];
//   $prescription = $_GET['prescription'];
//                                   $query=mysqli_query($con,"insert into
prestb(doctor,pid,ID,appdate,apptime,disease,allergy,prescription) values
('$doctor',$pid,$ID,'$appdate','$apptime','$disease','$allergy','$prescription');");
//   if($query)
//   {
//     echo "<script>alert('Prescribed successfully!');</script>";
//   }
//   else{
//     echo "<script>alert('Unable to process your request. Try again!');</script>";
//   }
// }
?>
<html lang="en">
<head>
<!-- Required meta tags -->
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
<link rel="stylesheet" type="text/css" href="font-awesome-4.7.0/css/font-awesome.min.css">
<link rel="stylesheet" href="style.css">
<!-- Bootstrap CSS -->
<link rel="stylesheet" href="vendor/fontawesome/css/font-awesome.min.css">
<link rel="shortcut icon" type="image/x-icon" href="images/favicon.png" />
<link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0-
beta/css/bootstrap.min.css" integrity="sha384-
/Y6pD6FV/Vv2HJnA6t+vslU6fwYXjCFtcEpHbNJ0lyAFsXTsjBbfaDjzALeQsN6M"
crossorigin="anonymous">

<link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/css/bootstrap.min.css" integrity="sha384-
ggOyR0iXCbMQv3Xipma34MD+dH/1fQ784/j6cY/iJTQUOhcWr7x9JvoRxT2MZw1T"
crossorigin="anonymous">

<link href="https://fonts.googleapis.com/css?family=IBM+Plex+Sans&display=swap"
rel="stylesheet">
<nav class="navbar navbar-expand-lg navbar-dark bg-primary fixed-top">
```

```
<a class="navbar-brand" href="#"><i class="fa fa-hospital-o" aria-hidden="true"></i> Hospital Management System</a>
<button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="'Toggle navigation">
<span class="navbar-toggler-icon"></span>

</button>
<style >
.btn-outline-light:hover{
color: #25bef7;
background-color: #f8f9fa;
border-color: #f8f9fa;
}
</style>

<style >
.bg-primary {
background: #F0F2F0;  /* fallback for old browsers */
background: -webkit-linear-gradient(to right, #000C40, #F0F2F0);  /* Chrome 10-25, Safari 5.1-6 */
background: linear-gradient(to right, #000C40, #F0F2F0); /* W3C, IE 10+/ Edge, Firefox 16+, Chrome 26+, Opera 12+, Safari 7+ */
}
.list-group-item.active {
z-index: 2;
color: #fff;
background: #F0F2F0;
background: -webkit-linear-gradient(to right, #000C40, #F0F2F0);
background: linear-gradient(to right, #000C40, #F0F2F0);
border-color: #c3c3c3;
}
.text-primary {

color: #342ac1!important;
}
</style>

<div class="collapse navbar-collapse" id="navbarSupportedContent">

<ul class="navbar-nav mr-auto">
<li class="nav-item">
<a class="nav-link" href="logout1.php"><i class="fa fa-power-off" aria-hidden="true"></i> Logout</a>
</li>
```

```
<li class="nav-item">
<a class="nav-link" href="#"></a>
</li>
</ul>
<form class="form-inline my-2 my-lg-0" method="post" action="search.php">
<input class="form-control mr-sm-2" type="text" placeholder="Enter contact number" aria-label="Search" name="contact">
<input type="submit" class="btn btn-primary" id="inputbtn" name="search_submit" value="Search">
</form>
</div>
</nav>
</head>
<style type="text/css">
button:hover{cursor:pointer;}
#inputbtn:hover{cursor:pointer;}
</style>
<body style="padding-top:50px;">
<div class="container-fluid" style="margin-top:50px;">
<h3 style = "margin-left: 40%; padding-bottom: 20px;font-family:'IBM Plex Sans', sans-serif;"> Welcome  <?php echo $_SESSION['dname'] ?>  </h3>
<div class="row">
<div class="col-md-4" style="max-width:18%;margin-top: 3%;">
<div class="list-group" id="list-tab" role="tablist">


<a class="list-group-item list-group-item-action active" href="#list-dash" role="tab" aria-controls="home" data-toggle="list">Dashboard</a>
<a class="list-group-item list-group-item-action" href="#list-app" id="list-app-list" role="tab" data-toggle="list" aria-controls="home">Appointments</a>
<a class="list-group-item list-group-item-action" href="#list-pres" id="list-pres-list" role="tab" data-toggle="list" aria-controls="home"> Prescription List</a>

</div><br>
</div>
<div class="col-md-8" style="margin-top: 3%;">
<div class="tab-content" id="nav-tabContent" style="width: 950px;">
<div class="tab-pane fade show active" id="list-dash" role="tabpanel" aria-labelledby="list-dash-list">

<div class="container-fluid container-fullw bg-white" >
<div class="row">

<div class="col-sm-4" style="left: 10%">
<div class="panel panel-white no-radius text-center">
<div class="panel-body">
```

```
<span class="fa-stack fa-2x"> <i class="fa fa-square fa-stack-2x text-primary"></i> <i class="fa fa-paperclip fa-stack-1x fa-inverse"></i> </span>
<h4 class="StepTitle" style="margin-top: 5%;"> View Appointments</h4>
<script>
function clickDiv(id) {
document.querySelector(id).click();
}
</script>
<p class="links cl-effect-1">
<a href="#list-app" onclick="clickDiv('#list-app-list')">
Appointment List
</a>
</p>
</div>
</div>
</div>
<div class="col-sm-4" style="left: 15%">



<div class="panel panel-white no-radius text-center">
<div class="panel-body">

<span class="fa-stack fa-2x"> <i class="fa fa-square fa-stack-2x text-primary"></i> <i class="fa fa-file-powerpoint-o fa-stack-1x fa-inverse"></i> </span>
<h4 class="StepTitle" style="margin-top: 5%;"> Prescriptions</h4>

<p class="links cl-effect-1">
<a href="#list-pres" onclick="clickDiv('#list-pres-list')">
Prescription List
</a>
</p>
</div>
</div>
</div>
</div>
</div>
</div>
<div class="tab-pane fade" id="list-app" role="tabpanel" aria-labelledby="list-home-list">

<table class="table table-hover">
<thead>
<tr>
<th scope="col">#</th>
<th scope="col">Patient</th>
<th scope="col">Gender</th>
```

```
<th scope="col">Email</th>
<th scope="col">Contact</th>
<th scope="col">Date</th>
<th scope="col">Time</th>
<th scope="col">Status</th>

<th scope="col">Action</th>
<th scope="col">Prescribe</th>

</tr>
</thead>
<tbody>
<?php
$con=mysqli_connect("localhost","root","","hospitalms");
global $con;
$dname = $_SESSION['dname'];
$query = "select pid,ID,fname,lname,gender,email,contact,appdate,apptime,userStatus,doctorStatus
from appointmenttb where doctor='$dname';";
$result = mysqli_query($con,$query);
$cnt=1;
while ($row = mysqli_fetch_array($result)){
?>
<tr>
<td><?php echo $cnt;?></td>
<td><?php echo $row['fname'];?> <?php echo $row['lname'];?></td>
<td><?php echo $row['gender'];?></td>
<td><?php echo $row['email'];?></td>
<td><?php echo $row['contact'];?></td>
<td><?php echo $row['appdate'];?></td>
<td><?php echo $row['apptime'];?></td>
<td>
<?php if(($row['userStatus']==1) && ($row['doctorStatus']==1))
{
echo "Active";
}
if(($row['userStatus']==0) && ($row['doctorStatus']==1))
{
echo "Cancelled by Patient";
}

if(($row['userStatus']==1) && ($row['doctorStatus']==0))
{
echo "Cancelled by You";
}
?></td>
```

```
<td>
<?php if(($row['userStatus']==1) && ($row['doctorStatus']==1))
{ ?>
<a href="doctor-panel.php?ID=<?php echo $row['ID']?>&cancel=update"
onClick="return confirm('Are you sure you want to cancel this appointment ?')"
title="Cancel Appointment" tooltip-placement="top" tooltip="Remove"><button class="btn btn-
danger">Cancel</button></a>
<?php } else {

echo "Cancelled";
} ?>
</td>

<td>

<?php if(($row['userStatus']==1) && ($row['doctorStatus']==1))
{ ?>

<a href="prescribe.php?pid=<?php echo $row['pid']?>&ID=<?php echo $row['ID']?>&fname=<?php
echo $row['fname']?>&lname=<?php echo
$row['lname']?>&appdate=<?php echo $row['appdate']?>&apptime=<?php echo $row['apptime']?>"
tooltip-placement="top" tooltip="Remove" title="prescribe">
<button class="btn btn-success">Prescribe</button></a>
<?php } else {

echo "-";
} ?>
</td>
</tr></a>
<?php $cnt++; } ?>
</tbody>
</table>
<br>
</div>
<div class="tab-pane fade" id="list-pres" role="tabpanel" aria-labelledby="list-pres-list">
<table class="table table-hover">
<thead>
<tr>

<th scope="col">#</th>
<th scope="col">Patient</th>
<th scope="col">Appointment Date</th>
<th scope="col">Appointment Time</th>
<th scope="col">Disease</th>
<th scope="col">Allergy</th>
<th scope="col">Prescribe</th>
```

```
</tr>
</thead>
<tbody>
<?php

$con=mysqli_connect("localhost","root","","hospitalms");
global $con;

$query = "select pid,fname,lname,ID,appdate,apptime,disease,allergy,prescription from prestb where
doctor='$doctor';";

$result = mysqli_query($con,$query);
if(!$result){
echo mysqli_error($con);
}
$cnt=1;
while ($row = mysqli_fetch_array($result)){
?>
<tr>
<td><?php echo $cnt;?></td>
<td><?php echo $row['fname'];?> <?php echo $row['lname'];?></td>
<td><?php echo $row['appdate'];?></td>
<td><?php echo $row['apptime'];?></td>
<td><?php echo $row['disease'];?></td>
<td><?php echo $row['allergy'];?></td>
<td><?php echo $row['prescription'];?></td>
</tr>
<?php $cnt++; }
?>
</tbody>
</table>
</div>
<div class="tab-pane fade" id="list-app" role="tabpanel" aria-labelledby="list-pat-list">
<table class="table table-hover">
<thead>
<tr>
<th scope="col">First Name</th>
<th scope="col">Last Name</th>
<th scope="col">Email</th>
<th scope="col">Contact</th>
<th scope="col">Doctor Name</th>
<th scope="col">Consultancy Fees</th>
<th scope="col">Appointment Date</th>
<th scope="col">Appointment Time</th>
</tr>
</thead>
```

```
<tbody>
<?php
$con=mysqli_connect("localhost","root","","hospitalms");
global $con;
$query = "select * from appointmenttb;";
$result = mysqli_query($con,$query);
while ($row = mysqli_fetch_array($result)){

#$fname = $row['fname'];
#$lname = $row['lname'];
#$email = $row['email'];
#$contact = $row['contact'];
?>
<tr>
<td><?php echo $row['fname'];?></td>
<td><?php echo $row['lname'];?></td>
<td><?php echo $row['email'];?></td>
<td><?php echo $row['contact'];?></td>
<td><?php echo $row['doctor'];?></td>
<td><?php echo $row['docFees'];?></td>
<td><?php echo $row['appdate'];?></td>
<td><?php echo $row['apptime'];?></td>
</tr>
<?php } ?>
</tbody>
</table>
<br>
</div>
<div class="tab-pane fade" id="list-messages" role="tabpanel" aria-labelledby="list-messages-list">...</div>
<div class="tab-pane fade" id="list-settings" role="tabpanel" aria-labelledby="list-settings-list">
<form class="form-group" method="post" action="admin-panel1.php">
<div class="row">

<div class="col-md-4"><label>Doctor Name:</label></div>
<div class="col-md-8"><input type="text" class="form-control" name="doctor" required></div><br><br>
<div class="col-md-4"><label>Password:</label></div>
<div class="col-md-8"><input type="password" class="form-control" name="dpassword" required></div><br><br>
<div class="col-md-4"><label>Email ID:</label></div>
<div class="col-md-8"><input type="email" class="form-control" name="demail" required></div><br><br>
<div class="col-md-4"><label>Consultancy Fees:</label></div>
<div class="col-md-8"><input type="text" class="form-control" name="docFees" required></div><br><br>
```

```
</div>
<input type="submit" name="docsub" value="Add Doctor" class="btn btn-primary">
</form>
</div>
<div class="tab-pane fade" id="list-attend" role="tabpanel" aria-labelledby="list-attend-list">...</div>
</div>
</div>
</div>
</div>
<!-- Optional JavaScript -->
<!-- jQuery first, then Popper.js, then Bootstrap JS -->
<script src="https://code.jquery.com/jquery-3.2.1.slim.min.js" integrity="sha384-
KJ3o2DKtIkvYIK3UENzmM7KCkRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN"
crossorigin="anonymous"></script>
<script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.11.0/umd/popper.min.js"
integrity="sha384-
b/U6ypiBEHpOf/4+1nzFpr53nxSS+GLCkfwBdFNTxtclqqenISfwAzpKaMNFNmj4"
crossorigin="anonymous"></script>
<script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0-beta/js/bootstrap.min.js"
integrity="sha384-
h0AbiXch4ZDo7tp9hKZ4TsHbi047NrKGLO3SEJAg45jXxnGIfYzk4Si90RDIqNm1"
crossorigin="anonymous"></script>
<script src="https://cdnjs.cloudflare.com/ajax/libs/limonte-
sweetalert2/6.10.1/sweetalert2.all.min.js"></script>
</body>
</html>
```

DOCTOR SEARCH

```
<!DOCTYPE html>
<?php #include("func.php");?>
<html>
<head>
<title>Doctor Details</title>
<link rel="shortcut icon" type="image/x-icon" href="images/favicon.png" />
<link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0-
beta/css/bootstrap.min.css" integrity="sha384-
/Y6pD6FV/Vv2HJnA6t+vslU6fwYXjCFtcEpHbNJ0lyAFsXTsjBbfaDjzALeQsN6M"
crossorigin="anonymous">
</head>
<body>
<?php
include("newfunc.php");
if(isset($_POST['doctor_search_submit']))
{
$contact=$_POST['doctor_contact'];
```

```
$query = "select * from doctb where email= '$contact'";
$result = mysqli_query($con,$query);
$row=mysqli_fetch_array($result);
if($row['username']=="" & $row['password']=="" & $row['email']=="" & $row['docFees']==""){
echo "<script> alert('No entries found!');
window.location.href = 'admin-panel1.php#list-doc';</script>";
}
else {
echo "<div class='container-fluid' style='margin-top:50px;'>
<div class ='card'>
<div class='card-body' style='background-color:#342ac1;color:#ffffff;'>
<table class='table table-hover'>
<thead>
<tr>
<th scope='col'>Username</th>
<th scope='col'>Password</th>
<th scope='col'>Email</th>
<th scope='col'>Consultancy Fees</th>
</tr>
</thead>
<tbody>";
// while ($row=mysqli_fetch_array($result)){
$username = $row['username'];
$password = $row['password'];
$email = $row['email'];
$docFees = $row['docFees'];
echo "<tr>
<td>$username</td>
<td>$password</td>
<td>$email</td>
<td>$docFees</td>
</tr>";
// }
echo "</tbody></table><center><a href='admin-panel1.php' class='btn btn-light'>Back to dashboard</a></div></center></div></div></div>";
}
}

?>
<script src="https://code.jquery.com/jquery-3.2.1.slim.min.js" integrity="sha384-KJ3o2DKtIkvYIK3UENzmM7KCkRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN" crossorigin="anonymous"></script>
<script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.11.0/umd/popper.min.js" integrity="sha384-b/U6ypiBEHpOf/4+1nzFpr53nxSS+GLCkfwBdFNTxtclqqenISfwAzpKaMNFNmj4" crossorigin="anonymous"></script>
```

```
<script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0-beta/js/bootstrap.min.js"
integrity="sha384-
h0AbiXch4ZDo7tp9hKZ4TsHbi047NrKGLO3SEJAg45jXxnGIfYzk4Si90RDIqNm1"
crossorigin="anonymous"></script>
</body>
</html>
```

INDEX

```
<html>
<head>
<title>HMS</title>
<link rel="shortcut icon" type="image/x-icon" href="images/favicon.png" />
<link rel="stylesheet" type="text/css" href="style1.css">
<link href="https://fonts.googleapis.com/css?family=IBM+Plex+Sans&display=swap"
rel="stylesheet">
<!-- <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/3.4.1/css/bootstrap.min.css" integrity="sha384-
HSMxcRTRxnN+Bdg0JdbxYKrThecOKuH5zCYotlSAcp1+c8xmyTe9GYg1l9a69psu"
crossorigin="anonymous"> -->
<link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/css/bootstrap.min.css" integrity="sha384-
ggOyR0iXCbMQv3Xipma34MD+dH/1fQ784/j6cY/iJTQUOhcWr7x9JvoRxT2MZw1T"
crossorigin="anonymous">

<link rel="stylesheet" href="vendor/fontawesome/css/font-awesome.min.css">
<link href="//maxcdn.bootstrapcdn.com/bootstrap/4.1.1/css/bootstrap.min.css" rel="stylesheet"
id="bootstrap-css">

<style >
.form-control {
border-radius: 0.75rem;
}
</style>

<script>
var check = function() {
if (document.getElementById('password').value ==
document.getElementById('cpassword').value) {
document.getElementById('message').style.color = '#5dd05d';
document.getElementById('message').innerHTML = 'Matched';
} else {
document.getElementById('message').style.color = '#f55252';
document.getElementById('message').innerHTML = 'Password fields doesnot match';
}
```

```
}

function alphaOnly(event) {
var key = event.keyCode;
return ((key >= 65 && key <= 90) || key == 8 || key == 32);
};

function checklen()
{
var pass1 = document.getElementById("password");
if(pass1.value.length<6){
alert("Password must be at least 6 characters long. Try again!");
return false;
}
}

</script>

</head>
<!------ Include the above in your HEAD tag ---------->
<body>
<nav class="navbar navbar-expand-lg navbar-dark fixed-top" id="mainNav" >
<div class="container">

<a class="navbar-brand js-scroll-trigger" href="#" style="margin-top: 10px;margin-left:-65px;font-family: 'IBM Plex Sans', sans-serif;"><h4><i class="fa fa-hospital-o" aria-hidden="true"></i>  HOSPITAL MANAGEMENT SYSTEM</h4></a>
<button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#navbarResponsive" aria-controls="navbarResponsive" aria-expanded="false" aria-label="Toggle navigation">
<span class="navbar-toggler-icon"></span>
</button>
<div class="collapse navbar-collapse" id="navbarResponsive">
<ul class="navbar-nav ml-auto">
<li class="nav-item" style="margin-right: 40px;">
<a class="nav-link js-scroll-trigger" href="index.php" style="color: white;font-family: 'IBM Plex Sans', sans-serif;"><h6>HOME</h6></a>
</li>
<li class="nav-item">
<a class="nav-link js-scroll-trigger" href="contact.html" style="color: white;font-family: 'IBM Plex Sans', sans-serif;"><h6>CONTACT</h6></a>
</li>
</ul>
</div>
</div>
</nav>
```

```
<div class="container register" style="font-family: 'IBM Plex Sans', sans-serif;">
<div class="row">
<div class="col-md-3 register-left" style="margin-top: 10%;right: 5%">
<img src="https://image.ibb.co/n7oTvU/logo_white.png" alt=""/>
<h3>Welcome</h3>

</div>
<div class="col-md-9 register-right" style="margin-top: 40px;left: 80px;">
<ul class="nav nav-tabs nav-justified" id="myTab" role="tablist" style="width: 40%;">
<li class="nav-item">
<a class="nav-link active" id="home-tab" data-toggle="tab" href="#home" role="tab" aria-controls="home" aria-selected="true">Patient</a>
</li>
<li class="nav-item">
<a class="nav-link" id="profile-tab" data-toggle="tab" href="#profile" role="tab" aria-controls="profile" aria-selected="false">Doctor</a>
</li>
<li class="nav-item">
<a class="nav-link" id="profile-tab" data-toggle="tab" href="#admin" role="tab" aria-controls="admin" aria-selected="false">Admin</a>
</li>
</ul>
<div class="tab-content" id="myTabContent">
<div class="tab-pane fade show active" id="home" role="tabpanel" aria-labelledby="home-tab">
<h3 class="register-heading">Register as Patient</h3>
<form method="post" action="func2.php">
<div class="row register-form">

<div class="col-md-6">
<div class="form-group">
<input type="text" class="form-control" placeholder="First Name *" name="fname" onkeydown="return alphaOnly(event);" required/>
</div>
<div class="form-group">
<input type="email" class="form-control" placeholder="Your Email *" name="email"  />
</div>
<div class="form-group">
<input type="password" class="form-control" placeholder="Password *" id="password" name="password" onkeyup='check();' required/>
</div>

<div class="form-group">
<div class="maxl">
<label class="radio inline">
<input type="radio" name="gender" value="Male" checked>
<span> Male </span>
```

```
</label>
<label class="radio inline">
<input type="radio" name="gender" value="Female">
<span>Female </span>
</label>
</div>
<a href="index1.php">Already have an account? Login Now</a>
</div>
</div>
<div class="col-md-6">
<div class="form-group">
<input type="text" class="form-control" placeholder="Last Name *" name="lname" onkeydown="return alphaOnly(event);" required/>
</div>
<div class="form-group">
<input type="tel" minlength="10" maxlength="10" name="contact" class="form-control" placeholder="Contact *" />
</div>
<div class="form-group">
<input type="password" class="form-control" id="cpassword" placeholder="Confirm Password *" name="cpassword" onkeyup='check();' required/><span id='message'></span>
</div>
<input type="submit" class="btnRegister" name="patsub1" onclick="return checklen();" value="Register"/>
</div>
</div>
</form>
</div>
<div class="tab-pane fade show" id="profile" role="tabpanel" aria-labelledby="profile-tab">
<h3 class="register-heading">Login as Doctor</h3>
<form method="post" action="func1.php">
<div class="row register-form">
<div class="col-md-6">
<div class="form-group">
<input type="text" class="form-control" placeholder="User Name *" name="username3" onkeydown="return alphaOnly(event);" required/>
</div>
</div>
<div class="col-md-6">
<div class="form-group">
<input type="password" class="form-control" placeholder="Password *" name="password3" required/>
</div>
<input type="submit" class="btnRegister" name="docsub1" value="Login"/>
</div>
</div>
```

```
</form>
</div>
<div class="tab-pane fade show" id="admin" role="tabpanel" aria-labelledby="profile-tab">
<h3  class="register-heading">Login as Admin</h3>
<form method="post" action="func3.php">
<div class="row register-form">
<div class="col-md-6">
<div class="form-group">
<input type="text" class="form-control" placeholder="User Name *" name="username1" onkeydown="return alphaOnly(event);" required/>
</div>
</div>
<div class="col-md-6">
<div class="form-group">
<input type="password" class="form-control" placeholder="Password *" name="password2" required/>
</div>
<input type="submit" class="btnRegister" name="adsub" value="Login"/>
</div>
</div>
</form>
</div>
</div>
</div>
</div>
</div>
</body>

<script src="https://code.jquery.com/jquery-3.3.1.slim.min.js" integrity="sha384-q8i/X+965DzO0rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE1Pi6jizo" crossorigin="anonymous"></script>
<script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.14.7/umd/popper.min.js" integrity="sha384-UO2eT0CpHqdSJQ6hJty5KVphtPhzWj9WO1clHTMGa3JDZwrnQq4sF86dIHNDz0W1" crossorigin="anonymous"></script>
<script src="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/js/bootstrap.min.js" integrity="sha384-JjSmVgyd0p3pXB1rRibZUAYoIIy6OrQ6VrjIEaFf/nJGzIxFDsf4x0xIM+B07jRM" crossorigin="anonymous"></script>
<script src="https://stackpath.bootstrapcdn.com/bootstrap/3.4.1/js/bootstrap.min.js" integrity="sha384-aJ21OjlMXNL5UyIl/XNwTMqvzeRMZH2w8c5cRVpzpU8Y5bApTppSuUkhZXN0VxHd" crossorigin="anonymous"></script>
</html>
```

INDEX 1

```
<?php
include("header.php");
?>
<!DOCTYPE html>
<html lang="en">
<head>
<!-- Required meta tags -->
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
<!-- Bootstrap CSS -->
<link href="https://fonts.googleapis.com/css?family=IBM+Plex+Sans&display=swap" rel="stylesheet">
<link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0-beta/css/bootstrap.min.css" integrity="sha384-/Y6pD6FV/Vv2HJnA6t+vslU6fwYXjCFtcEpHbNJ0lyAFsXTsjBbfaDjzALeQsN6M" crossorigin="anonymous">
<link rel="stylesheet" href="vendor/fontawesome/css/font-awesome.min.css">
<link href="font-awesome/css/font-awesome.min.css" rel="stylesheet" type="text/css" />

<link rel="stylesheet" type="text/css" href="style2.css">
</head>
<style type="text/css">
#inputbtn:hover{cursor:pointer;}
.card{
background: #f8f9fa;
border-top-left-radius: 5% 5%;
border-bottom-left-radius: 5% 5%;
border-top-right-radius: 5% 5%;
border-bottom-right-radius: 5% 5%;
}
</style>
```

```
<body style="background: #F0F2F0;background: -webkit-linear-gradient(to bottom, #000C40, #F0F2F0);background: linear-gradient(to bottom, #000C40, #F0F2F0); background-size: cover;">

<nav class="navbar navbar-expand-lg navbar-dark fixed-top" id="mainNav" >

<div class="container">

<a class="navbar-brand js-scroll-trigger" href="index.php" style="margin-top: 10px;margin-left:-65px;font-family: 'IBM Plex Sans', sans-serif;"><h4><i class="fa fa-hospital-o" aria-hidden="true"></i>  HOSPITAL MANAGEMENT SYSTEM</h4></a>

<button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#navbarResponsive" aria-controls="navbarResponsive" aria-expanded="false" aria-label="Toggle navigation">

<span class="navbar-toggler-icon"></span>

</button>

<div class="collapse navbar-collapse" id="navbarResponsive">

<ul class="navbar-nav ml-auto">


<li class="nav-item" style="margin-right: 40px;">

<a class="nav-link js-scroll-trigger" href="index.php" style="color: white;font-family: 'IBM Plex Sans', sans-serif;"><h6>HOME</h6></a>

</li>

<li class="nav-item">

<a class="nav-link js-scroll-trigger" href="contact.html" style="color: white;font-family: 'IBM Plex Sans', sans-serif;"><h6>CONTACT</h6></a>

</li>

</ul>

</div>

</div>

</nav>

<div class="container-fluid" style="margin-top:60px;margin-bottom:60px;color:#34495E;">

<div class="row">

<div class="col-md-7" style="padding-left: 180px; ">

<div style="-webkit-animation: mover 2s infinite alternate;

animation: mover 1s infinite alternate;">
```

```
<img src="images/ambulance1.png" alt="" style="width: 20%;padding-left: 40px;margin-top: 150px;margin-left: 45px;margin-bottom:15px">
</div>
<div style="color: white;">
<h4 style="font-family: 'IBM Plex Sans', sans-serif;"> We are here for you!</h4>
</div>
</div>
<div class="col-md-4" style="margin-top: 5%;right: 8%">
<div class="card" style="font-family: 'IBM Plex Sans', sans-serif;">
<div class="card-body">
<center>
<i class="fa fa-hospital-o fa-3x" aria-hidden="true" style="color:#0062cc"></i>
<br>
<h3 style="margin-top: 10%">Patient Login</h3><br>
<form class="form-group" method="POST" action="func.php">
<div class="row" style="margin-top: 10%">
<div class="col-md-4"><label>Email: </label></div>
<div class="col-md-8"><input type="text" name="email" class="form-control" placeholder="Email" required/></div><br><br>
<div class="col-md-4" style="margin-top: 8%"><label>Password: </label></div>
<div class="col-md-8" style="margin-top: 8%"><input type="password" class="form-control" name="password2" placeholder="Password" required/></div><br><br><br>
</div>
<div class="row">
<div class="col-md-4"  style="padding-left: 160px;margin-top: 10%">
<center><input type="submit" id="inputbtn" name="patsub" value="Login" class="btn btn-success"></center></div>
<!--  <div class="col-md-8" style="margin-top: 10%">
<a href="index.php" class="btn btn-primary">Back</a></div> -->
</div>
</form>
</center>
```

```
</div>

</div>

</div>

</div>

</div>

<!-- Optional JavaScript -->

<!-- jQuery first, then Popper.js, then Bootstrap JS -->

<script src="https://code.jquery.com/jquery-3.2.1.slim.min.js" integrity="sha384-KJ3o2DKtIkvYIK3UENzmM7KCkRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN" crossorigin="anonymous"></script>

<script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.11.0/umd/popper.min.js" integrity="sha384-b/U6ypiBEHpOf/4+1nzFpr53nxSS+GLCkfwBdFNTxtclqqenISfwAzpKaMNFNmj4" crossorigin="anonymous"></script>

<script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0-beta/js/bootstrap.min.js" integrity="sha384-h0AbiXch4ZDo7tp9hKZ4TsHbi047NrKGLO3SEJAg45jXxnGIfYzk4Si90RDIqNm1" crossorigin="anonymous"></script>

</body>

</html>

LOGOUT


<?php
session_start();
session_destroy();
?>
<!DOCTYPE html>
<html lang="en">
<head>
<!-- Required meta tags -->
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">

<!-- Bootstrap CSS -->
<link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0-beta/css/bootstrap.min.css" integrity="sha384-/Y6pD6FV/Vv2HJnA6t+vslU6fwYXjCFtcEpHbNJ0lyAFsXTsjBbfaDjzALeQsN6M" crossorigin="anonymous">

<style >
```

```
.btn-outline-light:hover {
color: #0076d4;
background-color: #f8f9fa;
border-color: #f8f9fa;
}
</style>
</head>
<body style="background: #F0F2F0;background: -webkit-linear-gradient(to right, #000C40, #F0F2F0);background: linear-gradient(to right, #000C40, #F0F2F0); color:white;padding-top:100px;text-align:center;">
<h3>Logged Out Successfully!</h3><br><br>
<a href="index1.php" class="btn btn-outline-light">Back to Login Page</a>
<!-- Optional JavaScript -->
<!-- jQuery first, then Popper.js, then Bootstrap JS -->
<script src="https://code.jquery.com/jquery-3.2.1.slim.min.js" integrity="sha384-KJ3o2DKtIkvYIK3UENzmM7KCkRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN" crossorigin="anonymous"></script>
<script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.11.0/umd/popper.min.js" integrity="sha384-b/U6ypiBEHpOf/4+1nzFpr53nxSS+GLCkfwBdFNTxtclqqenISfwAzpKaMNFNmj4" crossorigin="anonymous"></script>
<script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0-beta/js/bootstrap.min.js" integrity="sha384-h0AbiXch4ZDo7tp9hKZ4TsHbi047NrKGLO3SEJAg45jXxnGIfYzk4Si90RDIqNm1" crossorigin="anonymous"></script>
</body>
</html>
```

LOGOUT 1

```
<?php
session_start();
session_destroy();
?>
<!DOCTYPE html>
<html lang="en">
<head>
<!-- Required meta tags -->
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">

<!-- Bootstrap CSS -->
<link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0-beta/css/bootstrap.min.css" integrity="sha384-/Y6pD6FV/Vv2HJnA6t+vslU6fwYXjCFtcEpHbNJ0lyAFsXTsjBbfaDjzALeQsN6M" crossorigin="anonymous">
```

```
<style >
.btn-outline-light:hover {
color: #0076d4;
background-color: #f8f9fa;
border-color: #f8f9fa;
}
</style>
</head>
<body style="background: #F0F2F0;background: -webkit-linear-gradient(to right, #000C40, #F0F2F0);background: linear-gradient(to right, #000C40, #F0F2F0);color:white;padding-top:100px;text-align:center;">
<h3>Logged Out Successfully!</h3><br><br>
<a href="index.php" class="btn btn-outline-light">Back to Home Page</a>
<!-- Optional JavaScript -->
<!-- jQuery first, then Popper.js, then Bootstrap JS -->
<script src="https://code.jquery.com/jquery-3.2.1.slim.min.js" integrity="sha384-KJ3o2DKtIkvYIK3UENzmM7KCkRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN" crossorigin="anonymous"></script>
<script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.11.0/umd/popper.min.js" integrity="sha384-b/U6ypiBEHpOf/4+1nzFpr53nxSS+GLCkfwBdFNTxtclqqenISfwAzpKaMNFNmj4" crossorigin="anonymous"></script>
<script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0-beta/js/bootstrap.min.js" integrity="sha384-h0AbiXch4ZDo7tp9hKZ4TsHbi047NrKGLO3SEJAg45jXxnGIfYzk4Si90RDIqNm1" crossorigin="anonymous"></script>
</body>
</html>
```

MESSEARCH

```
<!DOCTYPE html>

<?php #include("func.php");?>

<html>

<head>

<title>User Messages</title>

<link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0-beta/css/bootstrap.min.css" integrity="sha384-/Y6pD6FV/Vv2HJnA6t+vslU6fwYXjCFtcEpHbNJ0lyAFsXTsjBbfaDjzALeQsN6M" crossorigin="anonymous">

</head>

<body>
```

```
<?php
include("newfunc.php");
if(isset($_POST['mes_search_submit']))
{
$contact=$_POST['mes_contact'];
$query = "select * from contact where contact= '$contact'";
$result = mysqli_query($con,$query);
$row=mysqli_fetch_array($result);
if($row['name']=="" & $row['email']=="" & $row['contact']=="" & $row['message']==""){
echo "<script> alert('No entries found! Please enter valid details');
window.location.href = 'admin-panel1.php#list-doc';</script>";
}
else {
echo "<div class='container-fluid' style='margin-top:50px;'>
<div class='card'>
<div class='card-body' style='background-color:#342ac1;color:#ffffff;'>
<table class='table table-hover'>
<thead>
<tr>
<th scope='col'>User Name</th>
<th scope='col'>Email</th>
<th scope='col'>Contact</th>
<th scope='col'>Message</th>
</tr>
</thead>
<tbody>";
$name = $row['name'];
$email = $row['email'];
$contact = $row['contact'];
$message = $row['message'];
```

```
echo "<tr>
<td>$name</td>
<td>$email</td>
<td>$contact</td>
<td>$message</td>
</tr>"
echo "</tbody></table><center><a href='admin-panel1.php' class='btn btn-light'>Back to your Dashboard</a></div></center></div></div></div>";
}
}
?>
<script src="https://code.jquery.com/jquery-3.2.1.slim.min.js" integrity="sha384-KJ3o2DKtIkvYIK3UENzmM7KCkRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN" crossorigin="anonymous"></script>
<script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.11.0/umd/popper.min.js" integrity="sha384-b/U6ypiBEHpOf/4+1nzFpr53nxSS+GLCkfwBdFNTxtclqqenISfwAzpKaMNFNmj4" crossorigin="anonymous"></script>
<script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0-beta/js/bootstrap.min.js" integrity="sha384-h0AbiXch4ZDo7tp9hKZ4TsHbi047NrKGLO3SEJAg45jXxnGIfYzk4Si90RDIqNm1" crossorigin="anonymous"></script>
</body>
</html>
```

NEWFUNCTION

```
<?php
// session_start();
$con=mysqli_connect("localhost","root","","hospitalms");
// if(isset($_POST['submit'])){
//  $username=$_POST['username'];
//  $password=$_POST['password'];
//  $query="select * from logintb where username='$username' and password='$password';";
//  $result=mysqli_query($con,$query);
//  if(mysqli_num_rows($result)==1)
//  {
//   $_SESSION['username']=$username;
```

```
//   $_SESSION['pid']=
//   header("Location:admin-panel.php");
//  }
//  else
//   header("Location:error.php");
// }
if(isset($_POST['update_data']))
{
$contact=$_POST['contact'];
$status=$_POST['status'];
$query="update appointmenttb set payment='$status' where contact='$contact';";
$result=mysqli_query($con,$query);
if($result)
header("Location:updated.php");
}
// function display_docs()
// {
//  global $con;
//  $query="select * from doctb";
//  $result=mysqli_query($con,$query);
//  while($row=mysqli_fetch_array($result))
//  {
//   $username=$row['username'];
//   $price=$row['docFees'];
//   echo '<option value="' .$username. '" data-value="'.$price.'">'.$username.'</option>';
//  }
// }
function display_specs() {
global $con;
$query="select distinct(spec) from doctb";
$result=mysqli_query($con,$query);
while($row=mysqli_fetch_array($result))
{
$spec=$row['spec'];
echo '<option data-value="'.$spec.'">'.$spec.'</option>';
}
}

function display_docs()
{
global $con;
$query = "select * from doctb";
$result = mysqli_query($con,$query);
while( $row = mysqli_fetch_array($result) )
{
$username = $row['username'];
```

```
$price = $row['docFees'];
$spec = $row['spec'];
echo '<option value="' .$username. '" data-value="'.$price.'" data-spec="'.$spec.'">'.$username.'</option>';
}
}
// function display_specs() {
//   global $con;
//   $query = "select distinct(spec) from doctb";
//   $result = mysqli_query($con,$query);
//   while($row = mysqli_fetch_array($result))
//   {
//     $spec = $row['spec'];
//     $username = $row['username'];
//     echo '<option value = "' .$spec. '">'.$spec.'</option>';
//   }
// }
if(isset($_POST['doc_sub']))
{
$username=$_POST['username'];
$query="insert into doctb(username)values('$username')";
$result=mysqli_query($con,$query);
if($result)
header("Location:adddoc.php");
}
?>
```

PATIENT SEARCH

```
<!DOCTYPE html>
<?php #include("func.php");?>
<html>
<head>
<title>Patient Details</title>
<link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0-beta/css/bootstrap.min.css" integrity="sha384-/Y6pD6FV/Vv2HJnA6t+vslU6fwYXjCFtcEpHbNJ0lyAFsXTsjBbfaDjzALeQsN6M" crossorigin="anonymous">
</head>
<body>
<?php
include("newfunc.php");
if(isset($_POST['patient_search_submit']))
{
$contact=$_POST['patient_contact'];
$query = "select * from patreg where contact= '$contact'";
```

```
$result = mysqli_query($con,$query);
$row=mysqli_fetch_array($result);
if($row['lname']=="" & $row['email']=="" & $row['contact']=="" & $row['password']==""){
echo "<script> alert('No entries found! Please enter valid details');
window.location.href = 'admin-panel1.php#list-doc';</script>";
}
else {
echo "<div class='container-fluid' style='margin-top:50px;'>
<div class='card'>
<div class='card-body' style='background-color:#342ac1;color:#ffffff;'>
<table class='table table-hover'>
<thead>
<tr>
<th scope='col'>First Name</th>
<th scope='col'>Last Name</th>
<th scope='col'>Email</th>
<th scope='col'>Contact</th>
<th scope='col'>Password</th>
</tr>
</thead>
<tbody>";
$fname = $row['fname'];
$lname = $row['lname'];
$email = $row['email'];
$contact = $row['contact'];
$password = $row['password'];
echo "<tr>
<td>$fname</td>
<td>$lname</td>
<td>$email</td>
<td>$contact</td>
<td>$password</td>
</tr>";
echo "</tbody></table><center><a href='admin-panel1.php' class='btn btn-light'>Back to dashboard</a></div></center></div></div></div>";
}
}

?>
<script src="https://code.jquery.com/jquery-3.2.1.slim.min.js" integrity="sha384-KJ3o2DKtIkvYIK3UENzmM7KCkRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN" crossorigin="anonymous"></script>
<script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.11.0/umd/popper.min.js" integrity="sha384-b/U6ypiBEHpOf/4+1nzFpr53nxSS+GLCkfwBdFNTxtclqqenISfwAzpKaMNFNmj4" crossorigin="anonymous"></script>
```

```
<script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0-beta/js/bootstrap.min.js"
integrity="sha384-
h0AbiXch4ZDo7tp9hKZ4TsHbi047NrKGLO3SEJAg45jXxnGIfYzk4Si90RDIqNm1"
crossorigin="anonymous"></script>
</body>
</html>
```

PRESCRIBE

```
<!DOCTYPE html>
<?php
include('func1.php');
$pid='';
$ID='';
$appdate='';
$apptime='';
$fname = '';
$lname= '';
$doctor = $_SESSION['dname'];
if(isset($_GET['pid']) && isset($_GET['ID']) && ($_GET['appdate']) && isset($_GET['apptime'])
&& isset($_GET['fname']) && isset($_GET['lname'])) {
$pid = $_GET['pid'];
$ID = $_GET['ID'];
$fname = $_GET['fname'];
$lname = $_GET['lname'];
$appdate = $_GET['appdate'];
$apptime = $_GET['apptime'];
}
if(isset($_POST['prescribe']) && isset($_POST['pid']) && isset($_POST['ID']) &&
isset($_POST['appdate']) && isset($_POST['apptime']) && isset($_POST['lname']) &&
isset($_POST['fname'])){
$appdate = $_POST['appdate'];
$apptime = $_POST['apptime'];
$disease = $_POST['disease'];
$allergy = $_POST['allergy'];
$fname = $_POST['fname'];
$lname = $_POST['lname'];
$pid = $_POST['pid'];
$ID = $_POST['ID'];
$prescription = $_POST['prescription'];
$query=mysqli_query($con,"insert into
prestb(doctor,pid,ID,fname,lname,appdate,apptime,disease,allergy,prescription) values
('$doctor','$pid','$ID','$fname','$lname','$appdate','$apptime','$disease','$allergy','$prescription')");
if($query)
{
```

```
echo "<script>alert('Prescribed successfully!');</script>";
}
else{
echo "<script>alert('Unable to process your request. Try again!');</script>";
}
// else{
//   echo "<script>alert('GET is not working!');</script>";
// }initial
// enga error?
}
?>
<html lang="en">
<head>
<!-- Required meta tags -->
<meta charset="utf-8">
<link rel="shortcut icon" type="image/x-icon" href="images/favicon.png" />
<meta name="viewport" content="width=device-width, -scale=1, shrink-to-fit=no">
<link rel="stylesheet" type="text/css" href="font-awesome-4.7.0/css/font-awesome.min.css">
<link rel="stylesheet" href="style.css">
<!-- Bootstrap CSS -->
<link rel="stylesheet" href="vendor/fontawesome/css/font-awesome.min.css">
<link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0-beta/css/bootstrap.min.css" integrity="sha384-/Y6pD6FV/Vv2HJnA6t+vslU6fwYXjCFtcEpHbNJ0lyAFsXTsjBbfaDjzALeQsN6M" crossorigin="anonymous">

<link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/css/bootstrap.min.css" integrity="sha384-ggOyR0iXCbMQv3Xipma34MD+dH/1fQ784/j6cY/iJTQUOhcWr7x9JvoRxT2MZw1T" crossorigin="anonymous">
<link href="https://fonts.googleapis.com/css?family=IBM+Plex+Sans&display=swap" rel="stylesheet">

<nav class="navbar navbar-expand-lg navbar-dark bg-primary fixed-top">
<a class="navbar-brand" href="#"><i class="fa fa-hospital-o" aria-hidden="true"></i> Hospital Management System</a>
<button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle navigation">
<span class="navbar-toggler-icon"></span>
</button>

<style >
.bg-primary {
background: #F0F2F0;  /* fallback for old browsers */
background: -webkit-linear-gradient(to right, #000C40, #F0F2F0);  /* Chrome 10-25, Safari 5.1-6 */
```

```
background: linear-gradient(to right, #000C40, #F0F2F0); /* W3C, IE 10+/ Edge, Firefox 16+, Chrome 26+, Opera 12+, Safari 7+ */
}
.list-group-item.active {
z-index: 2;
color: #fff;
background-color: #342ac1;
border-color: #007bff;
}
.text-primary {
color: #342ac1!important;
}

.btn-primary{
background-color: #3c50c1;
border-color: #3c50c1;
}
</style>
<div class="collapse navbar-collapse" id="navbarSupportedContent">
<ul class="navbar-nav mr-auto">
<li class="nav-item">
<a class="nav-link" href="logout1.php"><i class="fa fa-power-off" aria-hidden="true"></i> Logout</a>
</li>
<li class="nav-item">
<a class="nav-link" href="doctor-panel.php"><i class="fa fa-sign-out" aria-hidden="true"></i>Back</a>
</li>
</ul>
</div>
</nav>

</head>
<style type="text/css">
button:hover{cursor:pointer;}
#inputbtn:hover{cursor:pointer;}
</style>

<body style="padding-top:50px;">
<div class="container-fluid" style="margin-top:50px;">

<h3 style = "margin-left: 40%;  padding-bottom: 20px; font-family: 'IBM Plex Sans', sans-serif;"> Welcome  <?php echo $doctor ?>
</h3>

<div class="tab-pane" id="list-pres" role="tabpanel" aria-labelledby="list-pres-list">
```

```
<form class="form-group" name="prescribeform" method="post" action="prescribe.php">

<div class="row">
<div class="container">
<div class="form-group">
<label>Disease:</label>
<textarea id="disease" class="form-control" rows ="5" name="disease" required></textarea>
</div>
<div class="form-group">
<label>Allergies:</label>
<textarea id="allergy" class="form-control" rows ="5" name="allergy" required></textarea>
</div>
<div class="form-group">
<label>Prescription:</label>
<textarea id="prescription"class="form-control" rows ="5" name="prescription" required></textarea>
</div>
</div><br>
<input type="hidden" name="fname" value="<?php echo $fname ?>" />
<input type="hidden" name="lname" value="<?php echo $lname ?>" />
<input type="hidden" name="appdate" value="<?php echo $appdate ?>" />
<input type="hidden" name="apptime" value="<?php echo $apptime ?>" />
<input type="hidden" name="pid" value="<?php echo $pid ?>" />
<input type="hidden" name="ID" value="<?php echo $ID ?>" />
<br><br>
<input type="submit" name="prescribe" value="Prescribe" class="btn btn-primary" style="margin-
left: 40pc;">
</div>
</div>
</form>
<br>
</div>
</div>
```

SEARCH

```
<?php
session_start();
$con=mysqli_connect("localhost","root","","hospitalms");
if(isset($_POST['search_submit'])){
$contact=$_POST['contact'];
$docname = $_SESSION['dname'];
$query="select * from appointmenttb where contact='$contact' and doctor='$docname';";
$result=mysqli_query($con,$query);
echo '<!DOCTYPE html>
<html lang="en">

<head>
```

```
<!-- Required meta tags -->
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
<!-- Bootstrap CSS -->
<link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0-beta/css/bootstrap.min.css" integrity="sha384-/Y6pD6FV/Vv2HJnA6t+vslU6fwYXjCFtcEpHbNJ0lyAFsXTsjBbfaDjzALeQsN6M" crossorigin="anonymous">
</head>
<body style="background-color:#000C40;color:white;text-align:center;padding-top:50px;">
<div class="container" style="text-align:left;">
<center><h3>Search Results</h3></center><br>
<table class="table table-hover">
<thead>
<tr>
<th>Fullname</th>
<th>Email</th>
<th>Contact</th>
<th>Appointment Date</th>
<th>Appointment Time</th>
</tr>
</thead>
<tbody>
';
while($row=mysqli_fetch_array($result)){
$fname=$row['fname'];
$lname=$row['lname'];
$email=$row['email'];
$contact=$row['contact'];
$appdate=$row['appdate'];
$apptime=$row['apptime'];
echo '<tr>
<td>'.$fname.' '.$lname.'</td>
<td>'.$email.'</td>
<td>'.$contact.'</td>
<td>'.$appdate.'</td>
<td>'.$apptime.'</td>
</tr>';
}
echo '</tbody></table></div>
<div><a href="doctor-panel.php" class="btn btn-light">Go Back</a></div>
<!-- Optional JavaScript -->
<!-- jQuery first, then Popper.js, then Bootstrap JS -->
<script src="https://code.jquery.com/jquery-3.2.1.slim.min.js" integrity="sha384-KJ3o2DKtIkvYIK3UENzmM7KCkRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN" crossorigin="anonymous"></script>
```

```
<script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.11.0/umd/popper.min.js"
integrity="sha384-
b/U6ypiBEHpOf/4+1nzFpr53nxSS+GLCkfwBdFNTxtclqqenISfwAzpKaMNFNmj4"
crossorigin="anonymous"></script>
<script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0-beta/js/bootstrap.min.js"
integrity="sha384-
h0AbiXch4ZDo7tp9hKZ4TsHbi047NrKGLO3SEJAg45jXxnGIfYzk4Si90RDIqNm1"
crossorigin="anonymous"></script>
</body>
</html>';}?>
```

STYLE 1

```
body {
background: #f0f2f0;
background: -webkit-linear-gradient(to bottom, #000c40, #f0f2f0);
background: linear-gradient(to bottom, #000c40, #f0f2f0);
background-size: cover;
}

.register {
margin-top: 3%;
padding: 3%;
}

.register-left {
text-align: center;
color: #fff;
margin-top: 4%;
}
.register-left input {
border: none;
border-radius: 1.5rem;
padding: 2%;
width: 60%;
background: #f8f9fa;
font-weight: bold;
color: #383d41;
margin-top: 30%;
margin-bottom: 3%;
cursor: pointer;
}
.register-right {
background: #f8f9fa;
border-top-left-radius: 10% 50%;
border-bottom-left-radius: 10% 50%;
}
```

```
.register-left img {
margin-top: 15%;
margin-bottom: 5%;
width: 25%;
-webkit-animation: mover 2s infinite alternate;
animation: mover 1s infinite alternate;
}
@-webkit-keyframes mover {

0% {
transform: translateY(0);
}
100% {
transform: translateY(-20px);
}
}
@keyframes mover {
0% {
transform: translateY(0);
}
100% {
transform: translateY(-20px);
}
}
.register-left p {
font-weight: lighter;
padding: 12%;
margin-top: -9%;
}
.register .register-form {
padding: 10%;
margin-top: 10%;
}
.btnRegister {
float: right;
margin-top: 10%;
border: none;
border-radius: 1.5rem;
padding: 2%;
background: #0062cc;
color: #fff;
font-weight: 600;
width: 50%;
cursor: pointer;
}
.register .nav-tabs {
```

```
margin-top: 3%;
border: none;
background: #0062cc;
border-radius: 1.5rem;
width: 28%;
float: right;
}
.register .nav-tabs .nav-link {
padding: 1%;
height: 34px;
font-weight: 600;
color: #fff;
border-top-right-radius: 1.5rem;
border-bottom-right-radius: 1.5rem;
}
.register .nav-tabs .nav-link:hover {
border: none;
}
.register .nav-tabs .nav-link.active {
width: 120px;
color: #0062cc;
border: 2px solid #0062cc;
border-top-left-radius: 1.5rem;
border-bottom-left-radius: 1.5rem;
}
.register-heading {
text-align: center;
margin-top: 8%;
margin-bottom: -15%;
color: #495057;
```

STYLE 2

```
.register-left img{
margin-top: -60%;
margin-left: 35%;
-webkit-animation: mover 2s infinite  alternate;
animation: mover 1s infinite  alternate;
}

.register-left{
text-align: center;
color: #fff;
margin-top: 4%;
}

.register-left input{
```

```
border: none;
border-radius: 1.5rem;
padding: 2%;
width: 60%;
background: #f8f9fa;
font-weight: bold;
color: #383d41;
margin-top: 30%;
margin-bottom: 3%;
cursor: pointer;
}
.register-left p{
font-weight: lighter;
padding: 12%;
margin-top: -9%;
}

@-webkit-keyframes mover {
0% { transform: translateY(0); }
100% { transform: translateY(-20px); }
}
@keyframes mover {
0% { transform: translateY(0); }
100% { transform: translateY(-20px); }
}

.care {
margin-top: -25%;
margin-left: 60%;
color: white;
}
```

SQL CODE

```
-- phpMyAdmin SQL Dump
-- version 4.6.5.2
-- https://www.phpmyadmin.net/
--
-- Host: 127.0.0.1
-- Generation Time: Jul 04, 2021 at 07:04 PM
-- Server version: 5.6.21
-- PHP Version: 5.6.3

SET SQL_MODE = "NO_AUTO_VALUE_ON_ZERO";
SET time_zone = "+00:00"
/*!40101 SET @OLD_CHARACTER_SET_CLIENT=@@CHARACTER_SET_CLIENT */;
/*!40101 SET @OLD_CHARACTER_SET_RESULTS=@@CHARACTER_SET_RESULTS */;
```

```
/*!40101 SET @OLD_COLLATION_CONNECTION=@@COLLATION_CONNECTION */;
/*!40101 SET NAMES utf8mb4 */;

--
-- Database: `hospitalms`
--
-- --------------------------------------------------------
--
-- Table structure for table `admintb`
--

CREATE TABLE `admintb` (
`username` varchar(50) NOT NULL,
`password` varchar(30) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=latin1;

--
-- Dumping data for table `admintb`
--

INSERT INTO `admintb` (`username`, `password`) VALUES
('admin', 'admin123');

-- --------------------------------------------------------

--
-- Table structure for table `appointmenttb`
--
CREATE TABLE `appointmenttb` (
`pid` int(11) NOT NULL,
`ID` int(11) NOT NULL,
`fname` varchar(20) NOT NULL,
`lname` varchar(20) NOT NULL,
`gender` varchar(10) NOT NULL,
`email` varchar(30) NOT NULL,
`contact` varchar(10) NOT NULL,
`doctor` varchar(30) NOT NULL,
`docFees` int(5) NOT NULL,
`appdate` date NOT NULL,
`apptime` time NOT NULL,
`userStatus` int(5) NOT NULL,
`doctorStatus` int(5) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=latin1;

--
-- Dumping data for table `appointmenttb`
```

```
--

INSERT INTO `appointmenttb` (`pid`, `ID`, `fname`, `lname`, `gender`, `email`, `contact`, `doctor`, `docFees`, `appdate`, `apptime`, `userStatus`, `doctorStatus`) VALUES
(12, 14, 'Liam', 'Moore', 'Male', 'liam@gmail.com', '7412225680', 'WillWilliams', 435, '2021-07-06', '10:00:00', 1, 1),
(1, 15, 'Curtis', 'Hicks', 'Male', 'curtis@gmail.com', '7410000010', 'ryan', 440, '2021-07-05', '14:00:00', 0, 1),
(1, 16, 'Curtis', 'Hicks', 'Male', 'curtis@gmail.com', '7410000010', 'ryan', 440, '2021-07-05', '10:00:00', 1, 1),
(11, 17, 'Kathryn', 'Anderson', 'Female', 'kathryn@gmail.com', '7850002580', 'lewis', 280, '2021-07-05', '10:00:00', 1, 1),
(13, 18, 'Brian', 'Rowe', 'Male', 'brian@gmail.com', '7012569999', 'Ralph', 450, '2021-07-06', '08:00:00', 1, 1);

-- --------------------------------------------------------

--
-- Table structure for table `contact`
--
CREATE TABLE `contact` (
`name` varchar(30) NOT NULL,
`email` text NOT NULL,
`contact` varchar(10) NOT NULL,
`message` varchar(200) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=latin1;
-- Dumping data for table `contact`
--

INSERT INTO `contact` (`name`, `email`, `contact`, `message`) VALUES
('Demo', 'demo@demail.com', '7014500000', 'this is a demo test');
-- Table structure for table `doctb`
--

CREATE TABLE `doctb` (
`username` varchar(50) NOT NULL,
`password` varchar(50) NOT NULL,
`doctorname` varchar(255) DEFAULT NULL,
`email` varchar(50) NOT NULL,
`spec` varchar(50) NOT NULL,
`docFees` int(10) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=latin1;
-- Dumping data for table `doctb`
INSERT INTO `doctb` (`username`, `password`, `doctorname`, `email`, `spec`, `docFees`) VALUES
('WillWilliams', 'password', 'Will Williams', 'williams@gmail.com', 'Cardiologist', 435),
('Ralph', 'password', 'Ralphn Bh', 'ralph@gmail.com', 'Neurologist', 450),
```

```
('ryan', 'password', 'Ryan Chandler', 'ryanc@gmail.com', 'Pediatrician', 440),
('lewis', 'password', 'Lou Lewis', 'lewis@gmail.com', 'Gynecologist', 280),
('chris', 'password', 'Chris Olivas', 'chris@gmail.com', 'Oncologist', 580),
('danial', 'password', 'Danial Rivera', 'danial@gmail.com', 'Neurologist', 210);
-- Table structure for table `patreg;
CREATE TABLE `patreg` (
`pid` int(11) NOT NULL,
`fname` varchar(20) NOT NULL,
`lname` varchar(20) NOT NULL,
`gender` varchar(10) NOT NULL,
`email` varchar(30) NOT NULL,
`contact` varchar(10) NOT NULL,
`password` varchar(30) NOT NULL,
`cpassword` varchar(30) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=latin1;
-- Dumping data for table `patreg`
INSERT INTO `patreg` (`pid`, `fname`, `lname`, `gender`, `email`, `contact`, `password`,
`cpassword`) VALUES
(1, 'Curtis', 'Hicks', 'Male', 'curtis@gmail.com', '7410000010', 'pass', 'pass'),
(2, 'Emily', 'Smith', 'Female', 'emily@gmail.com', '7896541222', 'pass', 'pass'),
(3, 'Robert', 'Ray', 'Male', 'robert@gmail.com', '7014744444', 'pass', 'pass'),
(4, 'Michael', 'Foster', 'Male', 'michael@gmail.com', '7023696969', 'pass', 'pass'),
(5, 'Victor', 'Owen', 'Male', 'victor@gmail.com', '7897895500', 'pass', 'pass'),
(6, 'Johnny', 'Collins', 'Male', 'johnny@gmail.com', '7530001250', 'pass', 'pass'),
(7, 'Elsie', 'Meads', 'Female', 'elsie@gmail.com', '7850001250', 'pass', 'pass'),
(8, 'David', 'Fburn', 'Male', 'david@gmail.com', '7301450000', 'pass', 'pass'),
(9, 'Brandon', 'Mckinnon', 'Male', 'brandon@gmail.com', '7026969500', 'pass', 'pass'),
(10, 'Tyler', 'Smith', 'Male', 'tyler@gmail.com', '7900145300', 'pass', 'pass'),
(11, 'Kathryn', 'Anderson', 'Female', 'kathryn@gmail.com', '7850002580', 'pass', 'pass'),
(12, 'Liam', 'Moore', 'Male', 'liam@gmail.com', '7412225680', 'password', 'password'),
(13, 'Brian', 'Rowe', 'Male', 'brian@gmail.com', '7012569999', 'password', 'password');
-- Table structure for table `prestb`
CREATE TABLE `prestb` (
`doctor` varchar(50) NOT NULL,
`pid` int(11) NOT NULL,
`ID` int(11) NOT NULL,
`fname` varchar(50) NOT NULL,
`lname` varchar(50) NOT NULL,
`appdate` date NOT NULL,
`apptime` time NOT NULL,
`disease` varchar(250) NOT NULL,
`allergy` varchar(250) NOT NULL,
`prescription` varchar(1000) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=latin1;
-- Dumping data for table `prestb`
```

```
INSERT INTO `prestb` (`doctor`, `pid`, `ID`, `fname`, `lname`, `appdate`, `apptime`, `disease`, `allergy`, `prescription`) VALUES
('WillWilliams', 12, 14, 'Liam', 'Moore', '2021-07-06', '10:00:00', 'Congenital heart disease', 'rhinoconjunctivitis', 'trandolapril (Mavik)'),('ryan', 1, 16, 'Curtis', 'Hicks', '2021-07-05', '10:00:00', 'Tuberculosis', 'lumpy rash on the legs - or lupus vulgaris which gives lumps or ulcers', 'Isoniazid, Ethambutol (Myambutol), Linezolid (Zyvox)'),
('lewis', 11, 17, 'Kathryn', 'Anderson', '2021-07-05', '10:00:00', 'Ovarian cysts', '00000000', 'Narcotic analgesics and nonsteroidal anti-inflammatory drugs'),
('Ralph', 13, 18, 'Brian', 'Rowe', '2021-07-06', '08:00:00', 'Cerebral Aneurysm', '0000000', 'Nimodipine - empty stomach, at least 1 hour before a meal or 2 hours after a meal');
-- Indexes for dumped tables
-- Indexes for table `appointmenttb`
ALTER TABLE `appointmenttb`
ADD PRIMARY KEY (`ID`);
-- Indexes for table `patreg`
ALTER TABLE `patreg`
ADD PRIMARY KEY (`pid`);
-- AUTO_INCREMENT for dumped tables
-- AUTO_INCREMENT for table `appointmenttb`
--
ALTER TABLE `appointmenttb`
MODIFY `ID` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=19;
--
-- AUTO_INCREMENT for table `patreg`
--
ALTER TABLE `patreg`
MODIFY `pid` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=14;
/*!40101 SET CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;
/*!40101 SET CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS */;
/*!40101 SET COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION */;
```

4.2 Testing Approach

To build up our project we use software testing process for executing a program with the intent of finding errors that is uncovering errors in a program makes it a feasible task and also trying to find the error in a program as it is destructive process .

4.2.1 Type of Testing

Type of testing we use in our project here we just mentioned what how the testing is related to this software and in which way we have test the software? In our project we used 4 types of testing these are listed below.

• Unit testing : unit testing where individual program unit or object classes are tested here by using this testing we have focused on testing the functionality of methods.
• Module testing : where this is the combination of unit is called module. Here we tested the unit program is where the module program have dependency
• Sub- system testing : the we combined some module for the preliminary system testing in our project.
• System testing : where it is the combination of two or more sub- system and then it is tested. Here we tested and entire system as per the requirements .

4.2.2 Use Case

A use case is a methodology used in system analysis to identify, clarify and organize system requirements. The use case is made up of a set possible sequence of interactions between systems and users in a particular environment and realted to a particular goal. Benefits of use case A single use case can benefit development by revaling how a system should behave while also helping identify any errors that could arise in the process.

4.2.3 Test Case

A test case is a set of conditions or variable under which a tester will determine whether a system under test satisfies requirements or works correctly . The process of developing test case can also help find problem in the requirements or design of an application.

Chapter-5

OUTPUT

Home Page- Patient Registration



Patient Login



Patient-Dashboard



Patient Appointment



Appointment History



Appointment Confirmation



Doctor Login



Doctor's-Dashboard



Doctor Appointment



Prescription



Prescribing Process



Admin- Login



Admin-Dashboard



View Doctor List



View Patient List



View Appointment Details



View Prescription List

Admin- Add Doctor



Admin- Delete Doctor



Admin- View Queries



5.2 Future Scope

Hospitals and healthcare centers have undergone a change for its betterment. The administrations of healthcare sector are opting IT solutions for the better management and patient care in their hospital campus. Have a look at some salient features of hospital management software.

Daily functions like patient registration, monitoring blood bank, managing admission and overall management of various departments can be easily performed with higher accuracy after the installation of hospital software.

The modules of hospital management software are user-friendly and easy to access. It has a common user friendly interface having several modules. The officials can utilize these modules in their processes without any hassle and make the best possible use of hospital management system.

Since, every hospital has some or the other points of worth those vary in comparison with to its competitors. Hence, most of the IT companies give on-demand solutions or feature of customization. It further implicates that hospital information management software can be customized by specifying personal requirements of the campus.

Chapter 6

Conclusion

The E- commerce website system has been computed successfully and was also tested successfully by taking " Test Cases " . It is user friendly, and has required options, which can be utilized by the the user to perform the desried operations. E- commerce website system is developed using HTML, CSS, JS as front end and PHP, MYSQL as back end on windows environment.

The goals that are achieved by the software are:-

• User friendly

• Simplification of the operations

• Portable and flexible for further enhancement.

• Less processing time and getting required information.