

A Project Report on

“Car Washing Management System”

*Submitted in partial fulfilment
for the award of the Degree in*

BACHELOR OF COMPUTER APPLICATION

By

“SACHIT KUMAR AGARIYA (AJU/190837)

Under the guidance of

Mrs. SNEHA KASHYAP


ARVIND KUMAR PANDAY(HOD)



ARKA JAIN UNIVERSITY


JAMSHEDPUR, JHARKHAND


**DEPARTMENT OF COMPUTER SCIENCE & INFORMATION TECHNOLOGY
2019-22**



CERTIFICATE

This is to certify that the project entitled "Car Washing Management System", is bona-fide work of SACHIT KUMAR AGARIYA bearing Registration Number: AJU/190837 submitted in partial fulfilment of the requirement for the award of degree in BACHELOR OF COMPUTER APPLICATION from ARKA JAIN UNIVERSITY, JHARKHAND.


Internal Guide



Head of the Department


External Examiner



University Seal

Date: 25/5/22



IT DEVELOPER

IT ENGINEERS

Ref. No: ITD-IP-0322-029

Date: 12-03-2022

PROJECT INTERNSHIP LETTER

TO WHOM IT MAY CONCERN

This is to certify that Mr. **Sachit Kumar Agariya**, a student of ARKA JAIN University, Jharkhand, Jamshedpur has successfully completed his Project Internship/Training (Virtual) with our organization as a **Full Stack Web Developer** during the period of November 2021 to February 2022.

The topic of the project was:

“Car Washing Management System”

The Frontend and backend used for project development was HTML, CSS, Bootstrap, JavaScript, PHP, MYSQL.

During this period of internship/training, he was found to be honest, creative & able to perform all his duties perfectly on the project.

We wish him all the best in all his future accomplishments.

For IT DEVELOPER



(Authorized Signatory)

Address: Rourkela, Odisha, India

Website: itdeveloper.in

E-mail: info@itdeveloper.in

ABSTRACT

It is an Car Washing Management System that enables users to check for different washing points accessible at the online store. The project consists list of car washing Points displayed in various categories. The user may browse through these washing plans as per categories. If the user likes a washing plans he/she may add it to his/her cart. he/she must register on the site first. He/she can then login using same id password next time. In this way, the Car washing Management system project brings a whole Washing Points on the web and makes it simple for both Washing Plans purchaser and dealer.

Advantage and disadvantage of manual system is list below:-

Advantage :-

- 1) There is no requirement of power.
- 2) Helps Car washing shops to automate car washing online.

Disadvantage:-

- 1) Does not keep track of washing point.
- 2) Difficult to generate a report.
- 3) It is very much time consuming.
- 4) Difficult to search a record
- 5) Data may not be perfect human error.

ACKNOWLEDGEMENT

I would like to express my sincere gratitude to several individuals and organization for supporting me throughout the completion of my project.

First, I wish to express my sincere gratitude to my mentor **Ms. Sneha Kashyap** for her enthusiasm patience, insightful comments, helpful information, practical advices and unceasing ideas that have helped me tremendously at all times in my Project and writing of these thesis. Her immense knowledge, profound experience and professional expertise in Backend has enabled me to complete this project successfully. Without her support and guidance, this project would not have been possible.

I am also thankful to our respected H.O.D and all faculty members for loving inspiration and timely guidance. I also wish to express my sincere thanks to the Department of Computer science & Information technology of ARKA JAIN UNIVERSITY for accepting this project.

Thanks for all your encouragement!

DECLARATION

I hereby declare that the Project entitled "Car Washing Management System" done at ABKA JAIN UNIVERSITY has not been in any case duplicated to submit to any other university for the award of any degree. To the best of my knowledge other than me, no one has submitted to any other university.

This project is done in partial fulfilment of the requirement for the award of degree of BACHELOR OF COMPUTER APPLICATION to be submitted as final semester project as part of our curriculum.

Sachit Kumar Agariya

Signature

Sachit Kumar Agariya




TABLE OF CONTENT

Chapter 1

1.Project Overview.....	7
-------------------------	---

Chapter 2

2.Feasibility Report.....	10
---------------------------	----

3.System Analysis.....	12
------------------------	----

Chapter 3

4.Requirement Specification.....	14
----------------------------------	----

5.System Design.....	17
----------------------	----

Chapter 4

6.Data flow diagram.....	18
--------------------------	----

7.E-R Model.....	21
------------------	----

8.Database Implementation.....	22
--------------------------------	----

9.Screenshots.....	25
--------------------	----

Chapter 5

10.Coding.....	39
----------------	----

Chapter 6

11.Conclusion.....	196
--------------------	-----

12.Bibliography.....	197
----------------------	-----

1. Project Overview

We aim to become a pioneer in the car washing industry by completely focusing on customers, our employees, growth, innovation and efficiency. All of these elements will drive us towards success and show us as one company that can perform and give value for money.

When it comes car washing services, Cool Service is the most trusted and reliable name in the car washing business. This system uses large quantity of water, thus water recycling plant is also an integral part of the car washing system but at this level we are only presented the car washing only. And this project continually strive to offer the best of services - both in terms of man and machine, to our clients

Moreover, car washing system is fully automated with different stages of foaming, washing, drying and brushing. And this project claim to offer the best of rates, which are tailor-made depending upon the facilities, availed and offer both intercity and intra-city car washing facilities. In Car Washing System, we performed all the operations needed to clean the car successfully by using highly expert and experience worker, also developed mimic of the whole system and works and checked the overall process step by step by visualization. Car washing workers are educated, polite, and reliable and are trained to handle acute breakdowns. Further, this project's utmost priority is quality. A car wash is a service that cleans both the outside and the inside of a vehicle. Self-serve car washes, fully automated car washes, and full-service car washes with employees are all available options. It simplifies automotive cleaning and washing. Blowers or dryers, brushes, conveyor/tunnel carwash equipment, air compressors, applicator pump stations, conveyors, high-pressure equipment, pump stands/racks, and other things are utilized for car washing. Shampooing, rinsing, washing, and drying are all automated steps of the car wash.

Car Washing Management System is fully automated with different stages of foaming, washing, drying and brushing. In Car Washing System, we performed all the operations needed to clean the car successfully by using highly expert and experience worker, also developed mimic of the whole system and works and checked the overall process step by step by visualization. Authorized person maintains the car washing details in papers, which is a tedious task if any updating or changes need to be done.

- Details are stored in Papers.
- Maintenance is a huge problem.
- Updation, changes in details is a tedious task.
- Performance is not achieved up to the requirements.

Proposed System

In the Previous System, Details are Stored Manually in papers, to share the details between employees was a financial drawback. Updating in the details is a tedious task.

But a new system was proposed to overcome the above drawbacks.

Functionalities and advantages of proposed system are:

- Data is Centralized which has overcome the Sharing problem in previous system.
- As data is Maintained electronically, it's easy for a person to update the details, which has overcome the tedious updation in previous system.
- Maintenance is easy and performance is good.
- Mainly the system has automated the Transportation Process.

2. Feasibility Report

Preliminary investigation examine project feasibility, the likelihood the system will be useful to the organization. The main objective of the feasibility study is to test the Technical, Operational and Economical feasibility for adding new modules and debugging old running system. All system is feasible if they are unlimited resources and infinite time. There are aspects in the feasibility study portion of the preliminary investigation:

- ✓ Technical Feasibility
- ✓ Operation Feasibility
- ✓ Economical Feasibility

2.1. Technical Feasibility

The technical issue usually raised during the feasibility stage of the investigation includes the following:

- ✓ Does the necessary technology exist to do what is suggested?
- ✓ Do the proposed equipments have the technical capacity to hold the data required to use the new system?
- ✓ Will the proposed system provide adequate response to inquiries, regardless of the number or location of users?
- ✓ Can the system be upgraded if developed?
- ✓ Are there technical guarantees of accuracy, reliability, ease of access and data security?
- ✓

Earlier no system existed to cater to the needs of ‘Secure Infrastructure Implementation System’. The current system developed is technically feasible. It is a web based user interface for audit workflow . Thus it provides an easy access to the users. The database’s purpose is to create, establish and maintain a workflow among various entities in order to facilitate all concerned users in their various capacities or roles. Permission to the users would be granted based on the roles specified.

2.2. Operational Feasibility

Proposed projects are beneficial only if they can be turned out into information system. That will meet the organization's operating requirements. Operational feasibility aspects of the project are to be taken as an important part of the project implementation. Some of the important issues raised are to test the operational feasibility of a project includes the following: -

- ✓ Is there sufficient support for the management from the users?
- ✓ Will the system be used and work properly if it is being developed and implemented?
- ✓ Will there be any resistance from the user that will undermine the possible application benefits?

This system is targeted to be in accordance with the above-mentioned issues. Beforehand, the management issues and user requirements have been taken into consideration. So there is no question of resistance from the users that can undermine the possible application benefits.

2.3. Economic Feasibility

A system can be developed technically and that will be used if installed must still be a good investment for the organization. In the economical feasibility, the development cost in creating the system is evaluated against the ultimate benefit derived from the new systems. Financial benefits must equal or exceed the costs.

3. System Analysis

Overview

We aim to become a pioneer in the car washing industry by completely focusing on customers, our employees, growth, innovation and efficiency. All of these elements will drive us towards success and show us as one company that can perform and give value for money. This Service will make A manager to think of whether the transportation is expensive and maintaining quality or not.

In Car Washing Management System, we performed all the operations needed to clean the car successfully by using highly expert and experience worker, also developed mimic of the whole system, works and checked the overall process step by step by visualization.

. In this project, we use PHP and MySQL database. It has two modules.

1. Admin
2. Users

Admin

1. **Dashboard:** In this section, admin can see two wheeler and four wheeler vehicle detail in brief.
2. **Washing Points:** In this section, admin can manage washing location (Add/Update).
3. **Add Car Washing Booking:** In this section, admin add car washing booking on his/her end.
4. **Car Washing Booking:** In this section, admin can view booking details of car washing which is booked by users.
5. **Manage Enquiries:** In this section, admin can read the enquiries of users.
6. **Pages:** In this section, the admin can manage about us and contact us pages.

Admin

can also change the password of his/her account.

Users

1. **Home Page:** Users can see the listed vehicles on the home page.
2. **About Us:** Users can view about us page.
3. **Washing plans:** User can view car washing plans and book that plans.
4. **Washing points:** User can view car washing location.
5. **Contact us:** Users can view the contact us page and do enquiry.

4. Requirement Specification

Hardware Configuration :

Client Side:

RAM	512 MB
Hard disk	10 GB
Processor	1.0 GHz

Server side:

RAM	1 GB
Hard disk	20 GB
Processor	2.0 GHz

Software Requirement:

Client Side:

Web Browser	Google Chrome or any compatible browser
Operating System	Windows or any equivalent OS

Server Side:

Web Server	APACHE
Server side Language	PHP5.6 or above version
Database Server	MYSQL
Web Browser	Google Chrome or any compatible browser
Operating System	Windows or any equivalent OS

APACHE

The Apache HTTP Server Project is an effort to develop and maintain an open-source HTTP server for modern operating systems including UNIX and Windows. The goal of this project is to provide a secure, efficient and extensible server that provides HTTP services in sync with the current HTTP standards.

The Apache HTTP Server ("http") was launched in 1995 and it has been the most popular web server on the Internet since April 1996. It has celebrated its 20th birthday as a project in February 2015.

PHP

- PHP stands for PHP: Hypertext Preprocessor.
- PHP is a server-side scripting language, like ASP.
- PHP scripts are executed on the server.
- PHP supports many databases (MYSQL, Informix, Oracle, Sybase, Solid, Generic ODBC, etc.).

- PHP is open source software.
- PHP is free to download and use.

MYSQL

- MYSQL is a database server
- MYSQL is ideal for both small and large applications
- MYSQL supports standard SQL
- MYSQL compiles on a number of platforms
- MYSQL is free to download and use
- How to access MySQL: <http://localhost/phpmyadmin>

5. System Design

Unified Modeling Language Diagrams (UML):

- The unified modeling language allows the software engineer to express an analysis model using the modeling notation that is governed by a set of syntactic semantic and pragmatic rules.
- A UML system is represented using five different views that describe the system from distinctly different perspective. Each view is defined by a set of diagram, which is as follows.

User Model View

- i. This view represents the system from the users perspective.
- ii. The analysis representation describes a usage scenario from the end-users perspective.

Structural model view

- ◆ In this model the data and functionality are arrived from inside the system.
- ◆ This model view models the static structures.

Behavioral Model View

- ◆ It represents the dynamic of behavioral as parts of the system, depicting the interactions of collection between various structural elements described in the user model and structural model view.

Implementation Model View


- ◆ In this the structural and behavioral as parts of the system are represented as they are to be built.

Environmental Model View


In this the structural and behavioral aspects of the environment in which the system is to be implemented are represented.

UML is specifically constructed through two different domains they are

6. DATA FLOW DIAGRAM LEVEL 1



DATA FLOW DIAGRAM LEVEL 2



7. ENTITY-RELATIONSHIP Diagrams

E-R (Entity-Relationship) Diagram is used to represents the relationship between entities in the table.


The symbols used in E-R diagrams are:

SYMBOL


PURPOSE



Represents Entity sets.



Represent attributes.



Represent Relationship Sets.




Line represents flow

Structured analysis is a set of tools and techniques that the analyst.

To develop a new kind of a system:

The traditional approach focuses on the cost benefit and feasibility analysis, Project management, and hardware and software selection a personal considerations.

E-R DIGARM



8. Database Implementation

MYSQL- MySQL ("My S-Q-L", officially, but also called "My Sequel") is (as of July 2013) the world's second most widely used open-source relational database management system (RDBMS). It is named after co-founder Michael Widenius daughter, My. The SQL phrase stands for Structured Query Language. The MySQL development project has made its source code available under the terms of the GNU General Public License, as well as under a variety of proprietary agreements. MySQL was owned and sponsored by a single for-profit firm, the Swedish company MySQL AB, now owned by Oracle Corporation. MySQL is a popular choice of database for use in web applications, and is a central component of the widely used LAMP open source web application software stack (and other 'AMP' stacks). LAMP is an acronym for "Linux, Apache, MySQL, Perl/PHP/Python." Free-software-open source projects that require a full-featured database management system often use MySQL. For commercial use, several paid editions are available, and offer additional functionality. Applications which use MySQL databases Library Management System include: TYPO3, MODx, Joomla, WordPress, phpBB, MyBB, Drupal and other software. MySQL is also used in many high-profile, large-scale websites, including Wikipedia, Google (though not for searches), Facebook, Twitter, Flickr, and YouTube.

Database tables

In this project various tables used for maintain the information.

admin : This table use to store admin login details.

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra
1	id 	int(11)			No	None		AUTO_INCREMENT
2	UserName	varchar(100)	latin1_swedish_ci		Yes	NULL		
3	Password	varchar(100)	latin1_swedish_ci		Yes	NULL		
4	updatationDate	timestamp			Yes	NULL		

tblenquiry: This table store the enquiry details of users..

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra
1	id 🔑	int(11)			No	None		AUTO_INCREMENT
2	FullName	varchar(100)	latin1_swedish_ci		Yes	NULL		
3	EmailId	varchar(100)	latin1_swedish_ci		Yes	NULL		
4	Subject	varchar(100)	latin1_swedish_ci		Yes	NULL		
5	Description	mediumtext	latin1_swedish_ci		Yes	NULL		
6	PostingDate	timestamp			Yes	current_timestamp()		
7	Status	int(1)			Yes	NULL		

tblwashingpoints: This table use to store location of car washing.

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra
1	id 🔑	int(11)			No	None		AUTO_INCREMENT
2	washingPointName	varchar(255)	latin1_swedish_ci		Yes	NULL		
3	washingPointAddress	varchar(255)	latin1_swedish_ci		Yes	NULL		
4	contactNumber	bigint(20)			Yes	NULL		
5	creationDate	timestamp			No	current_timestamp()		

tblcarwashbooking: This table use to car washing booking details.


#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra
1	id 🔑	int(11)			No	None		AUTO_INCREMENT
2	bookingId	bigint(10)			Yes	NULL		
3	packageType	varchar(120)	latin1_swedish_ci		Yes	NULL		
4	carWashPoint	int(11)			Yes	NULL		
5	fullName	varchar(150)	latin1_swedish_ci		Yes	NULL		
6	mobileNumber	bigint(12)			Yes	NULL		
7	washDate	date			Yes	NULL		
8	washTime	time			Yes	NULL		
9	message	mediumtext	latin1_swedish_ci		Yes	NULL		
10	status	varchar(120)	latin1_swedish_ci		Yes	NULL		
11	adminRemark	mediumtext	latin1_swedish_ci		Yes	NULL		
12	paymentMode	varchar(120)	latin1_swedish_ci		Yes	NULL		
13	txnNumber	varchar(120)	latin1_swedish_ci		Yes	NULL		
14	postingDate	timestamp			Yes	current_timestamp()		
15	lastUpdationDate	timestamp			Yes	NULL		ON UPDATE CURRENT_TIMESTAMP()

tblpage: This table use to store pages info details.

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra
1	id 🔑	int(11)			No	None		AUTO_INCREMENT
2	type	varchar(255)	latin1_swedish_ci		Yes			
3	detail	longtext	latin1_swedish_ci		Yes	NULL		
4	openignHrs	varchar(255)	latin1_swedish_ci		Yes	NULL		
5	phoneNumber	bigint(20)			Yes	NULL		
6	emailId	varchar(120)	latin1_swedish_ci		Yes	NULL		

Class Diagram / Schema:

The class diagram shows a set of classes, interfaces, collaborations and their relationships.



9. Output Screen of Project

Home Page





ABOUT US

Car Washing And Detailing

Lorem ipsum dolor sit amet elit. In vitae turpis. Donec in hendrerit. Ut vestibulum cursus. Cras quis porta nulla. Ut placerat risus. Aliquam nec magna eget velit tuctus dictum

- ⊗ Seat's washing
- ⊗ Vacuum cleaning
- ⊗ Interior wet cleaning
- ⊗ Window wiping

[Learn More](#)



About Us

CAR Wash



Opening Hour
Mon - Fri, 8:00 AM - 9:00 PM



Call Us
+1234567890



Email Us
info@example.com

[Home](#) [About](#) [Washing Plans](#) [Washing Points](#) [Contact](#) [admin](#)

[Get Appointment](#)

About Us

[Home](#) / [About Us](#)



ABOUT US

Car Washing And Detailing

Car Wash Management System is a brand which is literally going to change the way people think about car cleaning. It is a unique mechanized car cleaning concept where cars are getting pampered by the latest equipments including high pressure cleaning machines, spray injection and extraction machines, high powered vacuum cleaners, steam cleaners and so on.

Car Wash Management System is a brand that is literally going to change the way people think about car cleaning. It is a unique mechanized car cleaning concept where cars are getting pampered by the latest equipments including high pressure cleaning machines, spray injection and extraction machines, high powered vacuum cleaners, steam cleaners and so on.

- ✔ Seats washing
- ✔ Vacuum cleaning
- ✔ Interior wet cleaning
- ✔ Window wiping

Get In Touch

📍 123 Street, New York, USA

☎ +1234567890

✉ info@example.com



Popular Links

- [Home](#)
- [About Us](#)
- [Washing Plans](#)
- [Washing Points](#)
- [Contact Us](#)

Car Wash Management System



Washing Points(Locations)

CAR Wash



Opening Hour
Mon - Fri, 8:00 AM - 9:00 PM



Call Us
+1234567890



Email Us
info@example.com

[Home](#) [About](#) [Washing Plans](#) [Washing Points](#) [Contact](#) [admin](#)

[Get Appointment](#)

Washing Points

[Home](#) / [Location](#)

WASHING POINTS

Car Washing & Care Points



XYZ Car Washing Point

ABC Street New Delhi 1110001
Call: 1236547890



ABC Car Washing Point

A3263 Sector 1- Noida 201301
Call: 98745463210



Matrix Car washing Point

H911 Indira Puram Ghaziabad 201017 UP
Call: 4582365419

Get In Touch

123 Street, New York, USA
 +1234567890
 info@example.com



Popular Links

- [Home](#)
- [About Us](#)
- [Washing Plans](#)
- [Washing Points](#)
- [Contact Us](#)

Car Wash Management System



Washing Plans

5/9/22, 3:36 PM

CWMS | Washing Plans



Washing Plan

Home / Price

WASHING PLAN

Choose Your Plan

BASIC CLEANING

Rs. **100**.99

- ✓ Seats Washing
- ✓ Vacuum Cleaning
- ✓ Exterior Cleaning
- ⊗ Interior Wet Cleaning
- ⊗ Window Wiping

[Book Now](#)

PREMIUM CLEANING

Rs **200**.99

- ✓ Seats Washing
- ✓ Vacuum Cleaning
- ✓ Exterior Cleaning
- ✓ Interior Wet Cleaning
- ⊗ Window Wiping

[Book Now](#)

COMPLEX CLEANING

Rs **300**.99

- ✓ Seats Washing
- ✓ Vacuum Cleaning
- ✓ Exterior Cleaning
- ✓ Interior Wet Cleaning
- ✓ Window Wiping

[Book Now](#)

Get In Touch

📍 123 Street, Jemshedpur, Jharkhand, India

☎ +1234567890

✉ info@example.com



Popular Links

- > [Home](#)
- > [About Us](#)
- > [Washing Plans](#)
- > [Washing Points](#)
- > [Contact Us](#)



Contact Us

CAR Wash



Opening Hour
Mon - Fri, 8:00 AM - 9:00 PM



Call Us
+1234567890



Email Us
info@example.com

[Home](#) [About](#) [Washing Plans](#) [Washing Points](#) [Contact](#) [admin](#)

[Get Appointment](#)

Contact Us

[Home](#) / [Contact](#)

GET IN TOUCH

Contact For Any Query

Quick Contact Info



Address
+123 Street, New York, USA



Opening Hour
Mon - Fri, 8:00 AM - 9:00 PM



Call Us
+1234567890



Email Us
info@example.com

[Send Message](#)

Get In Touch

123 Street, New York, USA

+1234567890

info@example.com




Popular Links

- [Home](#)
- [About Us](#)
- [Washing Plans](#)
- [Washing Points](#)
- [Contact Us](#)

Car Wash Management System



Booking



The image shows a web interface for a car wash booking system. At the top, there is a header with the logo "CAR Wash" in red and black. Below the logo, there are navigation links: "Home", "About", and "Washing Plans". To the right of the navigation links, there are contact details: "Opening Hour", "Call Us" with a phone number "84567890", and "Email Us" with an email address "info@example.com". A "Get Appointment" button is also visible. The main content area is a dark blue rectangle. Overlaid on this is a white "Car Wash Booking" form. The form contains the following fields: "Package Type" (a dropdown menu), "Select Washing Point" (a dropdown menu), "Full Name" (a text input field), "Mobile No." (a text input field), "Wash Date" (a date picker showing "dd-mm-yyyy"), "Wash Time" (a time picker showing "--:--"), and "Message if any" (a text area). A red "Book Now" button is located at the bottom of the form.

Car Wash Booking

Package Type

Select Washing Point

Full Name

Mobile No.

Wash Date

dd-mm-yyyy


Wash Time

--:--

Message if any

Book Now

Admin Login Page



The image shows an admin login page with a solid blue background. In the center, there is a white "Sign In" heading. Below the heading, there are two input fields: "Username:" and "Password:". Each field has a red label and a white input box. To the right of the "Password:" field, there is a dark blue "Sign In" button. Below the button, there is a red link that says "Back to home".

Sign In

Username:

Password:

Sign In

[Back to home](#)

Dashboard

Dashboard

Washing Points >

Add Car Wash Booking

Car Washing Booking >

Manage Enquiries

Pages >

CAR WASH MANAGEMENT SYSTEM

Welcome Administrator

Home >

Total Bookings
7

New Bookings
5

Completed Bookings
2

Enquiries
2

Washing Points
3

© 2021 CWMS. All Rights Reserved | CWMS

Change Password

Dashboard

Washing Points >

Add Car Wash Booking

Car Washing Booking >

Manage Enquiries

Pages >

CAR WASH MANAGEMENT SYSTEM

Welcome Administrator

Home > Change Password

Current Password

Current Password

New Password

New Password

Confirm Password

Confirm Password

SUBMIT

RESET

Add Washing Points

Dashboard

Washing Points >

Add Car Wash Booking

Car Washing Booking >

Manage Enquiries

Pages >

CAR WASH MANAGEMENT SYSTEM

Welcome Administrator

Home > Add Washing Point

Add Washing Point

Car Wash Point Name

Washing Point Name

Address

Address

Contact Number

Contact Number

ADD

RESET

© 2021 CWMS. All Rights Reserved | CWMS

Manage Washing Points

Dashboard

Washing Points >

Add Car Wash Booking

Car Washing Booking >

Manage Enquiries

Pages >

CAR WASH MANAGEMENT SYSTEM

Welcome Administrator

Home > Manage Car Washing Points

Manage Car Washing Points

#	WASHING POINT NAME	ADDRESS	CONTACT NUMBER	CREATION DATE	ACTION
1	XYZ Car Washing Point	ABC Street New Delhi 1110001	1236547890	2021-12-13 21:51:20	Edit Delete
2	ABC Car Washing Point	A3263 Sector 1- Noida 201301	98745463210	2021-12-13 21:52:38	Edit Delete
3	Matrix Car washing Point	H911 Indira Puram Ghaziabad 201017 UP	4582365419	2021-12-13 21:54:28	Edit Delete

© 2021 CWMS. All Rights Reserved | CWMS

Update Washing Points

Dashboard

Washing Points >

Add Car Wash Booking

Car Washing Booking >

Manage Enquiries

Pages >

CAR WASH MANAGEMENT SYSTEM

Welcome Administrator

Home > Edit Washing Point

Edit Washing Point

Car Wash Point NameXYZ Car Washing Point

AddressABC Street New Delhi 1110001

Contact Number1236547890

UPDATE

© 2021 CWMS. All Rights Reserved | CWMS

Add Car Washing Booking

Dashboard

Washing Points >

Add Car Wash Booking

Car Washing Booking >

Manage Enquiries

Pages >

CAR WASH MANAGEMENT SYSTEM

Welcome Administrator

Home > Add Car Washing Booking

Add Car Washing Booking

Package TypePACKAGE TYPE

Washing PointSELECT WASHING POINT

Full NameFull Name

Mobile No.Mobile No.

Wash Datedd-mm-yyyy

Wash Time--:--

Message (if any)Message if any

ADDRESET

© 2021 CWMS. All Rights Reserved | CWMS

New Booking

Dashboard

Washing Points

Add Car Wash Booking

Car Washing Booking

Manage Enquiries

Pages

CAR WASH MANAGEMENT SYSTEM

Welcome Administrator

Home > Manage New Bookings

New Bookings

BOOKING NO.	NAME	PACAKGE TYPE	WASHING POINT	WASHING DATE/TIME	POSTING DATE	ACTION
647869499	Anuj kumar	COMPLEX CLEANING (\$30.99)	ABC Car Washing Point A3263 Sector 1- Noida 201301	2021-12-30/15:47:00	2021-12-14 00:44:47	View
215755984	AMit	PREMIUM CLEANING (\$20.99)	Matrix Car washing Point H911 Indira Puram Ghaziabad 201017 UP	2021-12-19/15:05:00	2021-12-14 00:46:19	View
440337019	Sarita	BASIC CLEANING (\$10.99)	ABC Car Washing Point A3263 Sector 1- Noida 201301	2022-01-01/19:37:00	2021-12-14 22:31:55	View
783971257	John Doe	PREMIUM CLEANING (\$20.99)	ABC Car Washing Point A3263 Sector 1- Noida 201301	2021-12-25/13:31:00	2021-12-15 00:30:44	View
328979472	Rahul Yadav	COMPLEX CLEANING (\$30.99)	Matrix Car washing Point H911 Indira Puram Ghaziabad 201017 UP	2021-12-18/10:15:00	2021-12-15 00:42:37	View

© 2021 CWMS. All Rights Reserved | CWMS

View New Booking

Dashboard

Washing Points

Add Car Wash Booking

Car Washing Booking

Manage Enquiries

Pages

Home > Manage New Bookings

Bookings Details

BOOKING ID#	
NAME	
PACKAGE TYPE	
WASHING DATE	
MESSAGE (IF ANY)	na
STATUS	New
TAKE ACTION	

Update Booking #647869499

TRANSACTION TYPE

Transaction Number (if any)

Admin Remark

UPDATE

CLOSE

© 2021 CWMS. All Rights Reserved | CWMS

Completed Booking

Dashboard

Washing Points

Add Car Wash Booking

Car Washing Booking

Manage Enquiries

Pages

CAR WASH MANAGEMENT SYSTEM

Welcome Administrator

Home > Manage Completed Bookings

Completed Bookings

BOOKING NO.	NAME	PACAKGE TYPE	WASHING POINT	WASHING DATE/TIME	POSTING DATE	ACTION
316460298	ANuj kumar	BASIC CLEANING (\$10.99)	XYZ Car Washing Point ABC Street New Delhi 1110001	2021-12-16/11:45:00	2021-12-14 00:44:22	View
151983398	Sanjeev	BASIC CLEANING (\$10.99)	ABC Car Washing Point A3263 Sector 1- Noida 201301	2021-12-15/19:50:00	2021-12-15 00:45:28	View

© 2021 CWMS. All Rights Reserved | CWMS

View Completed Booking

Dashboard

Washing Points

Add Car Wash Booking

Car Washing Booking

Manage Enquiries

Pages

CAR WASH MANAGEMENT SYSTEM

Welcome Administrator

Home > Manage New Bookings

Bookings Details #316460298

BOOKING ID#	316460298	POSTING DATE	2021-12-14 00:44:22
NAME	ANuj kumar	MOBILE NO	1234567890
PACKAGE TYPE	BASIC CLEANING (\$10.99)	WASHING POINT	XYZ Car Washing Point ABC Street New Delhi 1110001
WASHING DATE	2021-12-16	WASHING TIME	11:45:00
MESSAGE (IF ANY)	NA		
STATUS	Completed		

Admin Details

TRANSACTION TYPE	e-Wallet	TRANSACTION NO.(IF ANY)	345345345
ADMIN REMARK	Washing completed		

© 2021 CWMS. All Rights Reserved | CWMS

All Booking

Dashboard

Washing Points >

Add Car Wash Booking

Car Washing Booking >

Manage Enquiries

Pages >

CAR WASH MANAGEMENT SYSTEM

Welcome Administrator

Home > Manage All Bookings

All Bookings

BOOKING NO.	NAME	PACAKGE TYPE	WASHING POINT	WASHING DATE/TIME	POSTING DATE	ACTION
316460298	ANuj kumar	BASIC CLEANING (\$10.99)	XYZ Car Washing Point ABC Street New Delhi 1110001	2021-12-16/11:45:00	2021-12-14 00:44:22	View
647869499	Anuj kumar	COMPLEX CLEANING (\$30.99)	ABC Car Washing Point A3263 Sector 1- Noida 201301	2021-12-30/15:47:00	2021-12-14 00:44:47	View
215755984	AMit	PREMIUM CLEANING (\$20.99)	Matrix Car washing Point H911 Indira Puram Ghaziabad 201017 UP	2021-12-19/15:05:00	2021-12-14 00:46:19	View
440337019	Sarita	BASIC CLEANING (\$10.99)	ABC Car Washing Point A3263 Sector 1- Noida 201301	2022-01-01/19:37:00	2021-12-14 22:31:55	View
783971257	John Doe	PREMIUM CLEANING (\$20.99)	ABC Car Washing Point A3263 Sector 1- Noida 201301	2021-12-25/13:31:00	2021-12-15 00:30:44	View
328979472	Rahul Yadav	COMPLEX CLEANING (\$30.99)	Matrix Car washing Point H911 Indira Puram Ghaziabad 201017 UP	2021-12-18/10:15:00	2021-12-15 00:42:37	View
151983398	Sanjeev	BASIC CLEANING (\$10.99)	ABC Car Washing Point A3263 Sector 1- Noida 201301	2021-12-15/19:50:00	2021-12-15 00:45:28	View

© 2021 CWMS. All Rights Reserved | CWMS

Manage Enquiry

Dashboard

Washing Points >

Add Car Wash Booking

Car Washing Booking >

Manage Enquiries

Pages >

CAR WASH MANAGEMENT SYSTEM

Welcome Administrator

Home > Manage Enquiries

Manage Enquiries

TICKET ID	NAME	EMAIL	SUBJECT	DESCRIPTION	POSTING DATE	ACTION
#TCKT-4	Anuj kumar	anuj@gmail.com	General Enquiry	I want to know the price of car wash	2021-12-13 23:57:53	Read
#TCKT-5	Amit	amit@gmail.com	Test	Test	2021-12-15 00:44:22	Read

© 2021 CWMS. All Rights Reserved | CWMS

Update Page Data

Dashboard

Washing Points

Add Car Wash Booking

Car Washing Booking

Manage Enquiries

Pages

CAR WASH MANAGEMENT SYSTEM

Welcome Administrator

Home > Update Page Data

Update Page Data

Select page

SELECT ONE

Selected Page

Package Details

Font Size

Font Family

Font Format

UPDATE

© 2021 CWMS. All Rights Reserved | CWMS

Update Contact Us Information

Dashboard

Washing Points

Add Car Wash Booking

Car Washing Booking

Manage Enquiries

Pages

CAR WASH MANAGEMENT SYSTEM

Welcome
Administrator

Home > Contact us information

Update Contact Information

Address

123 Street, New York, USA

Opening Hours

Mon - Fri, 8:00 AM - 9:00 PM

Email Id

info@example.com

Contact Number

1234567890

UPDATE

© 2021 CWMS. All Rights Reserved | CWMS

10. CODING

Admin

About

```
<?php
session_start();
error_reporting(0);
include('includes/config.php');
if(strlen($_SESSION['alogin'])==0)
{
header('location:index.php');
}
else{
if($_POST['submit']=="Update")
{
$pagetype=$_GET['type'];
$pagedetails=$_POST['pagedetails'];
$sql = "UPDATE tblpages SET detail=:pagedetails WHERE type=:pagetype";
$query = $dbh->prepare($sql);
$query -> bindParam(':pagetype',$pagetype, PDO::PARAM_STR);
$query-> bindParam(':pagedetails',$pagedetails, PDO::PARAM_STR);
$query -> execute();
$msg="Page data updated successfully";
```

```
}  
?>  
<!DOCTYPE HTML>  
  
<html>  
  
<head>  
  
<title>CWMS | About Us Page</title>  
  
<meta name="viewport" content="width=device-width, initial-scale=1">  
  
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />  
  
<meta name="keywords" content="Pooled Responsive web template, Bootstrap Web Templates, Flat  
Web Templates, Android Compatible web template,  
Smartphone Compatible web template, free webdesigns for Nokia, Samsung, LG, SonyEricsson,  
Motorola web design" />  
  
<script type="application/x-javascript"> addEventListener("load", function() { setTimeout(hideURLbar,  
0); }, false); function hideURLbar(){ window.scrollTo(0,1); } </script>  
  
<link href="css/bootstrap.min.css" rel='stylesheet' type='text/css' />  
  
<link href="css/style.css" rel='stylesheet' type='text/css' />  
  
<link rel="stylesheet" href="css/morris.css" type="text/css"/>  
  
<link href="css/font-awesome.css" rel="stylesheet">  
  
<script src="js/jquery-2.1.4.min.js"></script>  
  
<link href='//fonts.googleapis.com/css?family=Roboto:700,500,300,100italic,100,400' rel='stylesheet'  
type='text/css'/>  
  
<link href='//fonts.googleapis.com/css?family=Montserrat:400,700' rel='stylesheet' type='text/css'>  
  
<link rel="stylesheet" href="css/icon-font.min.css" type='text/css' />  
  
<style>  
  
.errorWrap {  
  
padding: 10px;  
  
margin: 0 0 20px 0;
```

```

background: #fff;
border-left: 4px solid #dd3d36;
-webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
}

.succWrap{
padding: 10px;
margin: 0 0 20px 0;
background: #fff;
border-left: 4px solid #5cb85c;
-webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
}

</style>

<script type="text/JavaScript">

<!--

function MM_findObj(n, d) { //v4.01
var p,i,x; if(!d) d=document; if((p=n.indexOf("?"))>0&&parent.frames.length) {
d=parent.frames[n.substring(p+1)].document; n=n.substring(0,p);}
if(!(x=d[n])&&d.all) x=d.all[n]; for (i=0;!x&&i<d.forms.length;i++) x=d.forms[i][n];
for(i=0;!x&&d.layers&&i<d.layers.length;i++) x=MM_findObj(n,d.layers[i].document);
if(!x && d.getElementById) x=d.getElementById(n); return x;
}

function MM_validateForm() { //v4.0
var i,p,q,nm,test,num,min,max,errors="",args=MM_validateForm.arguments;

```

```

for (i=0; i<(args.length-2); i+=3) { test=args[i+2]; val=MM_findObj(args[i]);
if (val) { nm=val.name; if ((val=val.value)!="") {
if (test.indexOf('isEmail')!=-1) { p=val.indexOf('@');
if (p<1 || p==(val.length-1)) errors+="- "+nm+" must contain an e-mail address.\n";
} else if (test!='R') { num = parseFloat(val);
if (isNaN(val)) errors+="- "+nm+" must contain a number.\n";
if (test.indexOf('inRange') != -1) { p=test.indexOf(':');
min=test.substring(8,p); max=test.substring(p+1);
if (num<min || max<num) errors+="- "+nm+" must contain a number between '"+min+"' and '"+max+"'\n";
} } } else if (test.charAt(0) == 'R') errors += "- "+nm+" is required.\n"; }
} if (errors) alert("The following error(s) occurred:\n"+errors);
document.MM_returnValue = (errors == "");
}

function MM_jumpMenu(targ,selObj,restore){ //v3.0
eval(targ+".location='"+selObj.options[selObj.selectedIndex].value+"'");
if (restore) selObj.selectedIndex=0;
}

//-->

</script>

<script type="text/javascript" src="nicEdit.js"></script>
<script type="text/javascript">
bkLib.onDomLoaded(function() { nicEditors.allTextAreas() });
</script>
</head>
<body>

```

```
<div class="page-container">
<!--/content-inner-->
<div class="left-content">
<div class="mother-grid-inner">
<!--header start here-->
<?php include('includes/header.php');?>
<div class="clearfix"> </div>
</div>
<!--heder end here-->
<ol class="breadcrumb">
<li class="breadcrumb-item"><a href="dashboard.php">Home</a><i class="fa fa-angle-
right"></i>Update Page Data </li>
</ol>
<!--grid-->
<div class="grid-form">
<!------>
<div class="grid-form1">
<h3>Update Page Data</h3>
<?php if($error){?><div class="errorWrap"><strong>ERROR</strong><?php echo
htmlentities($error); ?> </div><?php }
else if($msg){?><div class="succWrap"><strong>SUCCESS</strong><?php echo htmlentities($msg);
?> </div><?php }?>
<div class="tab-content">
<div class="tab-pane active" id="horizontal-form">
<form class="form-horizontal" name="package" method="post" enctype="multipart/form-data">
<div class="form-group">
```

```
<label for="focusedinput" class="col-sm-2 control-label">Select page</label>

<div class="col-sm-8">

<select name="menu1" onChange="MM_jumpMenu('parent',this,0)">

<option value="" selected="selected" class="form-control">***Select One***</option>

<option value="about.php?type=aboutus">aboutus</option>

</select>

</div>

</div>

<div class="form-group">

<label for="focusedinput" class="col-sm-2 control-label">Selected Page</label>

<div class="col-sm-8">

<?php

switch($_GET['type'])

{

case "aboutus" :

echo "About US";

break;

default :

echo "";

break;

}

?>

</div>

</div>

<div class="form-group">
```

```
<label for="focusedinput" class="col-sm-2 control-label">Package Details</label>

<div class="col-sm-8">

<textarea class="form-control" rows="5" cols="50" name="pgedetails" id="pgedetails"
placeholder="Package Details" required>

<?php

$pagetype=$_GET['type'];

$sql = "SELECT detail from tblpages where type=:pagetype";

$query = $dbh -> prepare($sql);

$query->bindParam(':pagetype',$pagetype,PDO::PARAM_STR);

$query->execute();

$results=$query->fetchAll(PDO::FETCH_OBJ);

$cnt=1;

if($query->rowCount() > 0)

{

foreach($results as $result)

{

echo htmlentities($result->detail);

}}

?>

</textarea>

</div>

</div>

<div class="row">

<div class="col-sm-8 col-sm-offset-2">

<button type="submit" name="submit" value="Update" id="submit" class="btn-primary
btn">Update</button>
```

</div>

</div>

</div>

</form>

<div class="panel-footer">

</div>

</form>

</div>

</div>

<!--//grid-->

<!-- script-for sticky-nav -->

<script>

\$(document).ready(function() {

var navoffset=\$(".header-main").offset().top;

\$(window).scroll(function(){

var scrollpos=\$(window).scrollTop();

if(scrollpos >=navoffset){

\$(".header-main").addClass("fixed");

}else{

\$(".header-main").removeClass("fixed");

}

});

});

</script>

<!-- /script-for sticky-nav -->


```
<!--inner block start here-->
<div class="inner-block">
</div>
<!--inner block end here-->
<!--copy rights start here-->
<?php include('includes/footer.php');?>
<!--COPY rights end here-->
</div>
</div>
<!--//content-inner-->
<!--/sidebar-menu-->
<?php include('includes/sidebarmenu.php');?>
<div class="clearfix"></div>
</div>
<script>
var toggle = true;
$(".sidebar-icon").click(function() {
if (toggle)
{
$(".page-container").addClass("sidebar-collapsed").removeClass("sidebar-collapsed-back");
$("#menu span").css({"position":"absolute"});
}
else
{
$(".page-container").removeClass("sidebar-collapsed").addClass("sidebar-collapsed-back");
```

```
setTimeout(function() {  
    $("#menu span").css({"position":"relative"});  
    }, 400);  
}  
toggle = !toggle;  
});  
</script>  
<!--js -->  
<script src="js/jquery.nicescroll.js"></script>  
<script src="js/scripts.js"></script>  
<!-- Bootstrap Core JavaScript -->  
<script src="js/bootstrap.min.js"></script>  
<!-- /Bootstrap Core JavaScript -->  
</body>  
</html>  
<?php } ?>
```

ADD BOOKING

```
<?php
session_start();
error_reporting(0);
include('includes/config.php');
if(strlen($_SESSION['alogin'])==0)
    {
header('location:index.php');
    }
else{
        // Code for Booking
if(isset($_POST['book']))
    {
$type=$_POST['packagetype'];
$wpoint=$_POST['washingpoint'];
$fname=$_POST['fname'];
$mobile=$_POST['contactno'];
$date=$_POST['washdate'];
$time=$_POST['washtime'];
$message=$_POST['message'];
$status='New';
$bno=mt_rand(100000000, 999999999);
$sql="INSERT INTO
tblcarwashbooking(bookingId,packageType,carWashPoint,fullName,mobileNumber,washDate,washTime,message,status) VALUES(:bno,:ptype,:wpoint,:fname,:mobile,:date,:time,:message,:status)";
```

```
$query = $dbh->prepare($sql);
$query->bindParam(':bno',$bno,PDO::PARAM_STR);
$query->bindParam(':ptype',$ptype,PDO::PARAM_STR);
$query->bindParam(':wpoint',$wpoint,PDO::PARAM_STR);
$query->bindParam(':fname',$fname,PDO::PARAM_STR);
$query->bindParam(':mobile',$mobile,PDO::PARAM_STR);
$query->bindParam(':date',$date,PDO::PARAM_STR);
$query->bindParam(':time',$time,PDO::PARAM_STR);
$query->bindParam(':message',$message,PDO::PARAM_STR);
$query->bindParam(':status',$status,PDO::PARAM_STR);
$query->execute();
$lastInsertId = $dbh->lastInsertId();
if($lastInsertId)
{
    echo '<script>alert("Your booking done successfully. Booking number is "+".$bno."")</script>';
    echo "<script>window.location.href='new-booking.php'</script>";
}
else
{
    echo "<script>alert('Something went wrong. Please try again.');"</script>";
}
}

?>

<!DOCTYPE HTML>

<html>
```

```
<head>
```

```
<title>CWMS | Add Car Washing Booking</title>
```

```
<script type="application/x-javascript"> addEventListener("load", function() { setTimeout(hideURLbar, 0); }, false); function hideURLbar(){ window.scrollTo(0,1); } </script>
```

```
<link href="css/bootstrap.min.css" rel='stylesheet' type='text/css' />
```

```
<link href="css/style.css" rel='stylesheet' type='text/css' />
```

```
<link rel="stylesheet" href="css/morris.css" type="text/css"/>
```

```
<link href="css/font-awesome.css" rel="stylesheet">
```

```
<script src="js/jquery-2.1.4.min.js"></script>
```

```
<link href='//fonts.googleapis.com/css?family=Roboto:700,500,300,100italic,100,400' rel='stylesheet' type='text/css'/>
```

```
<link href='//fonts.googleapis.com/css?family=Montserrat:400,700' rel='stylesheet' type='text/css'>
```

```
<link rel="stylesheet" href="css/icon-font.min.css" type='text/css' />
```

```
<style>
```

```
        .errorWrap {
```

```
            padding: 10px;
```

```
            margin: 0 0 20px 0;
```

```
            background: #fff;
```

```
            border-left: 4px solid #dd3d36;
```

```
            -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
```

```
            box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
```

```
        }
```

```
.succWrap{
```

```
    padding: 10px;
```

```
    margin: 0 0 20px 0;
```

```
    background: #fff;
```

```
border-left: 4px solid #5cb85c;

-webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);

box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);

}

</style>

</head>

<body>

    <div class="page-container">

        <!--/content-inner-->

<div class="left-content">

    <div class="mother-grid-inner">

        <!--header start here-->

<?php include('includes/header.php');?>

        <div class="clearfix"> </div>

</div>

<!--heder end here-->

<ol class="breadcrumb">

    <li class="breadcrumb-item"><a href="dashboard.php">Home</a><i class="fa fa-angle-
right"></i>Add Car Washing Booking </li>

    </ol>

<!--grid-->

<div class="grid-form">

<!--<div class="grid-form1">
```

<h3>Add Car Washing Booking</h3>

<div class="tab-content">

<div class="tab-pane active" id="horizontal-form">

<form class="form-horizontal" name="washingpoint" method="post" enctype="multipart/form-data">

<div class="form-group">

<label for="focusedinput" class="col-sm-2 control-label">Package Type</label>

<div class="col-sm-8">

<select name="packagetype" required class="form-control">

<option value="">Package Type</option>

<option value="1">BASIC CLEANING (\$10.99)</option>

<option value="2">PREMIUM CLEANING (\$20.99)</option>

<option value="3 ">COMPLEX CLEANING(\$30.99)</option>

</select>

</div>

</div>

<div class="form-group">

<label for="focusedinput" class="col-sm-2 control-label">Washing Point</label>

<div class="col-sm-8">

<select name="washingpoint" required class="form-co

<option value="">Select Washing Point</option>

<?php \$sql = "SELECT * from tblwashingpoints";

\$query = \$dbh -> prepare(\$sql);

\$query->execute();

\$results=\$query->fetchAll(PDO::FETCH_OBJ);

```

foreach($results as $result)
{
    ?>
    <option value="<?php echo htmlentities($result->id);?>"><?php echo htmlentities($result-
    >washingPointName);?> (<?php echo htmlentities($result->washingPointAddress);?>)</option>
    <?php } ?>
    </select>
    </div>
    </div>
    <div class="form-group">
    <label for="focusedinput" class="col-sm-2 control-label">Full Name</label>
    <div class="col-sm-8">
    <input type="text" name="fname" class="form-control" required placeholder="Full Name">
    </div>
    </div>
    <div class="form-group">
    <label for="focusedinput" class="col-sm-2 control-label">Mobile No</label>
    <div class="col-sm-8">
    <input type="text" name="contactno" class="form-control" pattern="[0-9]{10}" title="10 numeric
    characters only" required placeholder="Mobile No.">
    </div>
    </div>
    <div class="form-group">
    <label for="focusedinput" class="col-sm-2 control-label">Wash Date</label>
    <div class="col-sm-8">
    <input type="date" name="washdate" required class="form-control">
    </div>

```


</div>

<div class="form-group">

<label for="focusedinput" class="col-sm-2 control-label">Wash Time</label>

<div class="col-sm-8">

<input type="time" name="washtime" required class="form-control">

</div>

</div>

<div class="form-group">

<label for="focusedinput" class="col-sm-2 control-label">Message (if any)</label>

<div class="col-sm-8">

<textarea name="message" class="form-control" placeholder="Message if any"></textarea>

</div>

</div>

<div class="row">

<div class="col-sm-8 col-sm-offset-2">

<button type="submit" name="book" class="btn-primary btn">Add</button>

<button type="reset" class="btn-inverse btn">Reset</button>

</div>

</div>

</div>

</form>

<div class="panel-footer">

</div>

</form>

</div>

</div>

<!--//grid-->

<!-- script-for sticky-nav -->

<script>

\$(document).ready(function() {

var navoffset=\$(".header-main").offset().top;

\$(window).scroll(function(){

var scrollpos=\$(window).scrollTop();

if(scrollpos >=navoffset){

\$(".header-main").addClass("fixed");

}else{

\$(".header-main").removeClass("fixed");

}

});

});

</script>

<!-- /script-for sticky-nav -->

<!--inner block start here-->

<div class="inner-block">

</div>

<!--inner block end here-->

<!--copy rights start here-->

```
<?php include('includes/footer.php');?>
```

<!--COPY rights end here-->

<!--//content-inner-->

<!--/sidebar-menu-->

```
<?php include('includes/sidebarmenu.php');?>
```

<div class="clearfix"></div>

<script>

```
var toggle = true;
```

```
$(".sidebar-icon").click(function() {
```

```
if (toggle)
```

$$\{$$

```
$(".page-container").addClass("sidebar-collapsed").removeClass("sidebar-collapsed-back");
```

```
$("#menu span").css({"position":"absolute"});
```

$$\}$$

else

$$\{$$

```
$(".page-container").removeClass("sidebar-collapsed").addClass("sidebar-collapsed-back");
```

```
setTimeout(function() {
```

```
$("#menu span").css({ "position": "relative" });
```

 $\}, 400);$
$$\}$$

```
toggle = !toggle;
```

```
});  
</script>  
<!--js -->  
<script src="js/jquery.nicescroll.js"></script>  
<script src="js/scripts.js"></script>  
<!-- Bootstrap Core JavaScript -->  
    <script src="js/bootstrap.min.js"></script>  
    <!-- /Bootstrap Core JavaScript -->  
</body>  
</html>  
<?php } ?>
```

ADD CAR-WASHPOINT

```
<?php
session_start();
error_reporting(0);
include('includes/config.php');
if(strlen($_SESSION['alogin'])==0)
{
header('location:index.php');
}
else{
if(isset($_POST['submit']))
{
$wpname=$_POST['washingpointname'];
$wpaddress=$_POST['address'];
$wpcnumber=$_POST['contactno'];
$sql="INSERT INTO tblwashingpoints(washingPointName,washingPointAddress,contactNumber)
VALUES(:wpname,:wpaddress,:wpcnumber)";
$query = $dbh->prepare($sql);
$query->bindParam(':wpname',$wpname,PDO::PARAM_STR);
$query->bindParam(':wpaddress',$wpaddress,PDO::PARAM_STR);
$query->bindParam(':wpcnumber',$wpcnumber,PDO::PARAM_STR);
$query->execute();
$lastInsertId = $dbh->lastInsertId();
if($lastInsertId)
```

```

{
    echo "<script>alert('Car wash point added successfully');</script>";
    echo "<script>>window.location.href='addcar-washpoint.php'</script>";
}

else

{
    echo "<script>alert('Something went wrong. Please try again.');"</script>";
}

?>

<!DOCTYPE HTML>

<html>

<head>

<title>CWMS | Add Washing Point</title>

<script type="application/x-javascript"> addEventListener("load", function() { setTimeout(hideURLbar,
0); }, false); function hideURLbar(){ window.scrollTo(0,1); } </script>

<link href="css/bootstrap.min.css" rel='stylesheet' type='text/css' />

<link href="css/style.css" rel='stylesheet' type='text/css' />

<link rel="stylesheet" href="css/morris.css" type="text/css"/>

<link href="css/font-awesome.css" rel="stylesheet">

<script src="js/jquery-2.1.4.min.js"></script>

<link href="//fonts.googleapis.com/css?family=Roboto:700,500,300,100italic,100,400' rel='stylesheet'
type='text/css'/>

<link href="//fonts.googleapis.com/css?family=Montserrat:400,700' rel='stylesheet' type='text/css'>

<link rel="stylesheet" href="css/icon-font.min.css" type='text/css' />

<style>

.errorWrap {

```

```
padding: 10px;
margin: 0 0 20px 0;
background: #fff;
border-left: 4px solid #dd3d36;
-webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
}
```

```
.succWrap{
padding: 10px;
margin: 0 0 20px 0;
background: #fff;
border-left: 4px solid #5cb85c;
-webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<div class="page-container">
```

```
<!--/content-inner-->
```

```
<div class="left-content">
```

```
<div class="mother-grid-inner">
```

```
<!--header start here-->
```

```
<?php include('includes/header.php');?>
```

```
<div class="clearfix"> </div>

</div>

<!--heder end here-->

<ol class="breadcrumb">

  <li class="breadcrumb-item"><a href="dashboard.php">Home</a><i class="fa fa-angle-
right"></i>Add Washing Point </li>

</ol>

<!--grid-->

<div class="grid-form">

  <!------>

  <div class="grid-form1">

    <h3>Add Washing Point</h3>

    <div class="tab-content">

      <div class="tab-pane active" id="horizontal-form">

        <form class="form-horizontal" name="washingpoint" method="post" enctype="multipart/form-data">

          <div class="form-group">

            <label for="focusedinput" class="col-sm-2 control-label">Car Wash Point Name</label>

            <div class="col-sm-8">

              <input type="text" class="form-control" name="washingpointname" id="washingpointname"
placeholder="Washing Point Name" required>

            </div>

          </div>

          </div>

          <div class="form-group">

            <label for="focusedinput" class="col-sm-2 control-label">Adress</label>

            <div class="col-sm-8">
```



```
<textarea class="form-control" name="address" id="address" placeholder="Address" required
rows="4"></textarea>
```

```
</div>
```

```
</div>
```

```
<div class="form-group">
```

```
<label for="focusedinput" class="col-sm-2 control-label">Contact Number</label>
```

```
<div class="col-sm-8">
```

```
<input type="text" class="form-control" name="contactno" id="contactno" placeholder="Contact
Number" required>
```

```
</div>
```

```
</div>
```

```
<div class="row">
```

```
<div class="col-sm-8 col-sm-offset-2">
```

```
<button type="submit" name="submit" class="btn-primary btn">Add</button>
```

```
<button type="reset" class="btn-inverse btn">Reset</button>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</form>
```

```
<div class="panel-footer">
```

```
</div>
```

```
</form>
```

```
</div>
```

```
</div>
```

```
<!--//grid-->
```

```
<!-- script-for sticky-nav -->
<script>
$(document).ready(function() {
var navoffset=$(".header-main").offset().top;
$(window).scroll(function(){
var scrollpos=$(window).scrollTop();
if(scrollpos >=navoffset){
$(".header-main").addClass("fixed");
}else{
$(".header-main").removeClass("fixed");
}
});
});
</script>
<!-- /script-for sticky-nav -->
<!--inner block start here-->
<div class="inner-block">
</div>
<!--inner block end here-->
<!--copy rights start here-->
<?php include('includes/footer.php');?>
<!--COPY rights end here-->
</div>
</div>
<!--//content-inner-->
```

```
<!--/sidebar-menu-->

<?php include('includes/sidebarmenu.php');?>

<div class="clearfix"></div>

</div>

<script>

var toggle = true;

$(".sidebar-icon").click(function() {

    if (toggle)

    {

        $(".page-container").addClass("sidebar-collapsed").removeClass("sidebar-collapsed-back");

        $("#menu span").css({"position":"absolue

    }

    else

    {

        $(".page-container").removeClass("sidebar-collapsed").addClass("sidebar-collapsed-back");

        setTimeout(function() {

            $("#menu span").css({"position":"relative"});

        }, 400);

    }

    toggle = !toggle;

});

</script>

<!--js -->

<script src="js/jquery.nicescroll.js"></script>

<script src="js/scripts.js"></script>
```

```
<!-- Bootstrap Core JavaScript -->
```

```
<script src="js/bootstrap.min.js"></script>
```

```
<!-- /Bootstrap Core JavaScript -->
```

```
</body>
```

```
</html>
```

```
<?php } ?>
```

ALL-BOOKING

```
<?php
session_start();
error_reporting(0);
include('includes/config.php');
if(strlen($_SESSION['alogin'])==0)
{
header('location:index.php');
}
else{

?>
<!DOCTYPE HTML>
<html>
<head>
<title>CWMS | All Bookings</title>
<meta name="viewport" content="width=device-width, initial-scale=1">
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<script type="application/x-javascript"> addEventListener("load", function() { setTimeout(hideURLbar,
0); }, false); function hideURLbar(){ window.scrollTo(0,1); } </script>
<link href="css/bootstrap.min.css" rel='stylesheet' type='text/css' />
<link href="css/style.css" rel='stylesheet' type='text/css' />
```

```
<link rel="stylesheet" href="css/morris.css" type="text/css"/>
<link href="css/font-awesome.css" rel="stylesheet">
<script src="js/jquery-2.1.4.min.js"></script>
<link rel="stylesheet" type="text/css" href="css/table-style.css" />
<link rel="stylesheet" type="text/css" href="css/basictable.css" />
<script type="text/javascript" src="js/jquery.basictable.min.js"></script>
<script type="text/javascript">
$(document).ready(function() {
$('#table').basictable();
$('#table-breakpoint').basictable({
    breakpoint: 768
});
$('#table-swap-axis').basictable({
    swapAxis: true
});
$('#table-force-off').basictable({
    forceResponsive: false
});
$('#table-no-resize').basictable({
    noResize: true
});
$('#table-two-axis').basictable();
$('#table-max-height').basictable({
    tableWrapper: true
});
```

```
});  
</script>  
  
<link href="//fonts.googleapis.com/css?family=Roboto:700,500,300,100italic,100,400' rel='stylesheet'  
type='text/css'/>  
  
<link href="//fonts.googleapis.com/css?family=Montserrat:400,700' rel='stylesheet' type='text/css'>  
  
<link rel="stylesheet" href="css/icon-font.min.css" type='text/css' />  
  
<style>  
.errorWrap {  
    padding: 10px;  
    margin: 0 0 20px 0;  
    background: #fff;  
    border-left: 4px solid #dd3d36;  
    -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);  
    box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);  
}  
.succWrap{  
    padding: 10px;  
    margin: 0 0 20px 0;  
    background: #fff;  
    border-left: 4px solid #5cb85c;  
    -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);  
    box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);  
}  
</style>  
</head>
```

```
<body>

  <div class="page-container">

    <!--/content-inner-->

    <div class="left-content">

      <div class="mother-grid-inner">

        <!--header start here-->

        <?php include('includes/header.php');?>

        <div class="clearfix"> </div>

      </div>

      <!--heder end here-->

      <ol class="breadcrumb">

        <li class="breadcrumb-item"><a href="dashboard.php">Home</a><i class="fa fa-angle-
right"></i>Manage All Bookings</li>

      </ol>

      <div class="agile-grids">

        <!-- tables -->

        <div class="agile-tables">

          <div class="w3l-table-info">

            <h2>All Bookings</h2>

            <table id="table">

              <thead>

                <tr>

                  <th>Booking No.</th>

                  <th>Name</th>

                  <th width="200">Pacakge Type</th>
```



```

<th>Washing Point </th>
<th>Washing Date/Time </th>
<th width="200">Posting date </th>
<th>Action </th>
</tr>
</thead>
<tbody>
<?php $sql = "SELECT *,tblcarwashbooking.id as bid from tblcarwashbooking
join tblwashingpoints on tblwashingpoints.id=tblcarwashbooking.carWashPoint";
$query = $dbh -> prepare($sql);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);
if($query->rowCount() > 0)
{
foreach($results as $result)
{
?>
<tr>
<td><?php echo htmlentities($result->bookingId);?></td>
<td><?php echo htmlentities($result->fullName);?></td>
<td width="50">
<?php $ptype=$result->packageType;
if($ptype==1): echo "BASIC CLEANING ($10.99)";endif;
if($ptype==2): echo "PREMIUM CLEANING ($20.99)";endif;
if($ptype==3): echo "COMPLEX CLEANING ($30.99)";endif;

```

```

?></td>

<td><?php echo htmlentities($result->washingPointName );?><br />

<?php echo htmlentities($result->washingPointAddress);?></td>

<td><?php echo htmlentities($result->washDate."/".$result->washTime);?></td>

<td><?php echo htmlentities($result->postingDate);?></td>

<td><a href="booking-details.php?bid=<?php echo htmlentities($result->bid);?>&&bookingid=<?php
echo htmlentities($result->bookingId);?>">View</a>

</td>

<?php } ?>

</tr>

<?php } else { ?>

<tr>

<td colspan="6" style="color:red;">No Record found</td>

</tr>

<?php } ?>

</tbody>

</table>

</div>

</table>

</div>

<!-- script-for sticky-nav -->

<script>

$(document).ready(function() {

var navoffset=$(".header-main").offset().top;

$(window).scroll(function(){

```

```
var scrollpos=$(window).scrollTop();
if(scrollpos >=navoffset){
$(".header-main").addClass("fixed");
}else{
$(".header-main").removeClass("fixed");
}
});
});
</script>
<!-- /script-for sticky-nav -->
<!--inner block start here-->
<div class="inner-block">
</div>
<!--inner block end here-->
<!--copy rights start here-->
<?php include('includes/footer.php');?>
<!--COPY rights end here-->
</div>
</div>
<!--//content-inner-->
<!--/sidebar-menu-->
<?php include('includes/sidebarmenu.php');?>
<div class="clearfix"></div>
</div>
<script>
```

```
var toggle = true;

$(".sidebar-icon").click(function() {
    if (toggle)
    {
        $(".page-container").addClass("sidebar-collapsed").removeClass("sidebar-collapsed-back");
        $("#menu span").css({"position":"absolute"});
    }
    else
    {
        $(".page-container").removeClass("sidebar-collapsed").addClass("sidebar-collapsed-back");
        setTimeout(function() {
            $("#menu span").css({"position":"relative"});
        }, 400);
    }

    toggle = !toggle;
});

</script>

<!--js -->

<script src="js/jquery.nicescroll.js"></script>
<script src="js/scripts.js"></script>

<!-- Bootstrap Core JavaScript -->

    <script src="js/bootstrap.min.js"></script>

    <!-- /Bootstrap Core JavaScript -->

</body>
```

BOOKING-DETAILS

```
<?php
session_start();
error_reporting(0);
include('includes/config.php');
if(strlen($_SESSION['alogin'])==0)
{
header('location:index.php');
}
else{
if(isset($_POST['update']))
{
$id=$_GET['bid'];
$type=$_POST['txntype'];
$transactionno=$_POST['transactionno'];
$message=$_POST['message'];

$sql="update tblcarwashbooking set
adminRemark=:message,paymentMode=:ttype,txnNumber=:transactionno,status='Completed' where
id=:id";

$query = $dbh->prepare($sql);
$query->bindParam(':ttype',$type,PDO::PARAM_STR);
$query->bindParam(':transactionno',$transactionno,PDO::PARAM_STR);
$query->bindParam(':message',$message,PDO::PARAM_STR);
$query->bindParam(':id',$id,PDO::PARAM_STR);

$query->execute();
```

```
echo "<script>alert('Booking Details updated successfully');</script>";

//echo "<script>window.location.href ='managecar-washingpoints.php'</script>";

}

?>

<!DOCTYPE HTML>

<html>

<head>

<title>CWMS | New Bookings</title>

<meta name="viewport" content="width=device-width, initial-scale=1">

<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />

<script type="application/x-javascript"> addEventListener("load", function() { setTimeout(hideURLbar,
0); }, false); function hideURLbar(){ window.scrollTo(0,1); } </script>

<link href="css/bootstrap.min.css" rel='stylesheet' type='text/css' />

<link href="css/style.css" rel='stylesheet' type='text/css' />

<link rel="stylesheet" href="css/morris.css" type="text/css"/>

<link href="css/font-awesome.css" rel="stylesheet">

<script src="js/jquery-2.1.4.min.js"></script>

<link rel="stylesheet" type="text/css" href="css/table-style.css" />

<link rel="stylesheet" type="text/css" href="css/basictable.css" />

<script type="text/javascript" src="js/jquery.basictable.min.js"></script>

<script type="text/javascript">

$(document).ready(function() {

$('#table').basictable();

$('#table-breakpoint').basictable({

breakpoint: 768
```

```
});  
$('#table-swap-axis').basictable({  
  swapAxis: true  
});  
$('#table-force-off').basictable({  
  forceResponsive: false  
});  
$('#table-no-resize').basictable({  
  noResize: true  
});  
$('#table-two-axis').basictable();  
$('#table-max-height').basictable({  
  tableWrapper: true  
});  
});  
</script>  
  
<link href='//fonts.googleapis.com/css?family=Roboto:700,500,300,100italic,100,400' rel='stylesheet'  
type='text/css'/>  
  
<link href='//fonts.googleapis.com/css?family=Montserrat:400,700' rel='stylesheet' type='text/css'>  
  
<link rel="stylesheet" href="css/icon-font.min.css" type='text/css' />  
  
<style>  
.errorWrap {  
  padding: 10px;  
  margin: 0 0 20px 0;  
  background: #fff;
```

```
border-left: 4px solid #dd3d36;

-webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);

box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);

}
```

```
.succWrap{

padding: 10px;

margin: 0 0 20px 0;

background: #fff;

border-left: 4px solid #5cb85c;

-webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);

box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);

}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<div class="page-container">
```

```
<!--/content-inner-->
```

```
<div class="left-content">
```

```
<div class="mother-grid-inner">
```

```
<!--header start here-->
```

```
<?php include('includes/header.php');?>
```

```
<div class="clearfix"> </div>
```

```
</div>
```

```
<!--heder end here-->
```

```
<ol class="breadcrumb">
```



```
<li class="breadcrumb-item"><a href="dashboard.php">Home</a><i class="fa fa-angle-right"></i>Manage New Bookings</li>
```

```
</ol>
```

```
<div class="agile-grids">
```

```
<!-- tables -->
```

```
<div class="agile-tables">
```

```
<div class="w3l-table-info">
```

```
<h2>Bookings Details #<?php echo $_GET['bookingid'];?></h2>
```

```
<table id="table">
```

```
</thead
```

```
<tbody>
```

```
<?php
```

```
$bid=$_GET['bid'];
```

```
$sql = "SELECT * from tblcarwashbooking
```

```
join tblwashingpoints on tblwashingpoints.id=tblcarwashbooking.carWashPoint
```

```
where tblcarwashbooking.id='$bid'";
```

```
$query = $dbh -> prepare($sql);
```

```
$query->execute();
```

```
$results=$query->fetchAll(PDO::FETCH_OBJ);
```

```
if($query->rowCount() > 0)
```

```
{
```

```
foreach($results as $result)
```

```
{?>
```

```
<tr>
```

```
<th width="200">Booking Id#</th>
```

```

<td><?php echo htmlentities($result->bookingId);?></td>

<th>Posting Date</th>

<td><?php echo htmlentities($result->postingDate);?></td>

</tr>

<tr>

<th>Name</th>

<td width="300"><?php echo htmlentities($result->fullName);?></td>

<th>Mobile No</th>

<td><?php echo htmlentities($result->mobileNumber);?></td>

</tr>

<tr>

<th>Package Type</th>

<td>

<?php $stype=$result->packageType;

if($stype==1): echo "BASIC CLEANING ($10.99)";endif;

if($stype==2): echo "PREMIUM CLEANING ($20.99)";endif;

if($stype==3): echo "COMPLEX CLEANING ($30.99)";endif;

?></td>

<th>Washing Point</th>

<td><?php echo htmlentities($result->washingPointName );?>

<br />

<?php echo htmlentities($result->washingPointAddress);?></td>

</tr>

<tr>

<th>Washing Date</th>

```

```

<td><?php echo htmlentities($result->washDate);?></td>
<th>Washing Time</th>
<td><?php echo htmlentities($result->washTime);?></td>
</tr>
<tr>
<th>Message (if Any)</th>
<td colspan="3"><?php echo htmlentities($result->message);?></td>
</tr>

<tr>
<th>Status</th>
<td colspan="3"><?php echo htmlentities($result->status);?></td>
</tr>
<?php if($result->adminRemark==""): ?>
<tr>
<td colspan="3">
<button data-toggle="modal" data-target="#myModal" class="btn-primary btn">Take Action</button>
</td>
</tr>
<?php else:?>
<tr>
<td colspan="4" style="color:blue; font-size:22px; text-align:center; font-weight:bold;">Admin
Details</td>
</tr>
<tr>

```

```

<th>Transaction Type</th>
<td><?php echo htmlentities($result->paymentMode);?></td>
<th>Transaction No.(if any)</th>
<td><?php echo htmlentities($result->txnNumber);?></td>
</tr>

<tr>
<th>Admin Remark</th>
<td colspan="3"><?php echo htmlentities($result->adminRemark);?></td>
</tr>

<?php endif;?>

<?php } } ?>
</tbody>
</table>
</div>
</table>
</div>

<!--Model-->

<div class="modal fade" id="myModal" role="dialog">
<div class="modal-dialog">
<!-- Modal content-->
<div class="modal-content">
<div class="modal-header">
<h4 class="modal-title">Update Booking #<?php echo $_GET['bookingid'];?></h4>
</div>
<div class="modal-body">

```

```
<form method="post">

  <p>

    <select name="txntype" required class="form-control">

      <option value="">Transaction Type</option>

      <option value="e-Wallet">e-Wallet</option>

      <option value="UPI">UPI</option>

      <option value="Debit/Credit Card">Debit/Credit Card</option>

      <option value="Cash">Cash</option>

      <option value="Other">Other</option>

    </select>

    <p><input type="text" name="transactionno" class="form-control" placeholder="Transaction Number
(if any)"></p>

    <p><textarea name="message" class="form-control" placeholder="Admin Remark"
required></textarea></p>

    <p><input type="submit" class="btn btn-custom" name="update" value="Update"></p>

  </form>

</div>

<div class="modal-footer">

  <button type="button" class="btn btn-default" data-dismiss="modal">Close</button>

</div>

</div>

</div>

</div>

<!-- script-for sticky-nav -->

<script>

$(document).ready(function() {
```

```
var navoffset=$(".header-main").offset().top;

$(window).scroll(function(){
var scrollpos=$(window).scrollTop();
if(scrollpos >=navoffset){
$(".header-main").addClass("fixed");
}else{
$(".header-main").removeClass("fixed");
}
});
});
</script>

<!-- /script-for sticky-nav -->

<!--inner block start here-->

<div class="inner-block">

</div>

<!--inner block end here-->

<!--copy rights start here-->

<?php include('includes/footer.php');?>

<!--COPY rights end here-->

</div>

</div>

<!--//content-inner-->

<!--/sidebar-menu-->

<?php include('includes/sidebarmenu.php');

<div class="clearfix"></div>
```

```
</div>
<script>
var toggle = true;
$(".sidebar-icon").click(function() {
  if (toggle)
  {
    $(".page-container").addClass("sidebar-collapsed").removeClass("sidebar-collapsed-back");
    $("#menu span").css({"position":"absolute"} }
  else
  {
    $(".page-container").removeClass("sidebar-collapsed").addClass("sidebar-collapsed-back");
    setTimeout(function() {
      $("#menu span").css({"position":"relative"});
    }, 400);
  }
  toggle = !toggle;
});
</script>
```

CHANGE-PASSWORD

```
<?php
session_start();
error_reporting(0);
include('includes/config.php');
if(strlen($_SESSION['alogin'])==0)
{
header('location:index.php');
}
else{
// Code for change password
if(isset($_POST['submit']))
{
$password=md5($_POST['password']);
$newpassword=md5($_POST['newpassword']);
$username=$_SESSION['alogin'];
$sql ="SELECT Password FROM admin WHERE UserName=:username and Password=:password";
$query= $dbh -> prepare($sql);
$query-> bindParam(':username', $username, PDO::PARAM_STR);
$query-> bindParam(':password', $password, PDO::PARAM_STR);
$query-> execute();
$results = $query -> fetchAll(PDO::FETCH_OBJ);
if($query -> rowCount() > 0)
```



```
{
$con="update admin set Password=:newpassword where UserName=:username";
$chngpwd1 = $dbh->prepare($con);
$chngpwd1->bindParam(':username', $username, PDO::PARAM_STR);
$chngpwd1->bindParam(':newpassword', $newpassword, PDO::PARAM_STR);
$chngpwd1->execute();

$msg="Your Password succesfully changed";
}

else {
$error="Your current password is wrong";
}

}

?>

<!DOCTYPE HTML>

<html>

<head>

<title>CWMS | Admin Change Password</title>

<script type="application/x-javascript"> addEventListener("load", function() { setTimeout(hideURLbar,
0); }, false); function hideURLbar(){ window.scrollTo(0,1); } </script>

<link href="css/bootstrap.min.css" rel='stylesheet' type='text/css' />

<link href="css/style.css" rel='stylesheet' type='text/css' />

<link rel="stylesheet" href="css/morris.css" type="text/css"/>

<link href="css/font-awesome.css" rel="stylesheet">

<script src="js/jquery-2.1.4.min.js"></script>

<link href="//fonts.googleapis.com/css?family=Roboto:700,500,300,100italic,100,400" rel='stylesheet'
type='text/css'/>
```

```
<link href='//fonts.googleapis.com/css?family=Montserrat:400,700' rel='stylesheet' type='text/css'>
```

```
<link rel="stylesheet" href="css/icon-font.min.css" type='text/css' />
```

```
<script type="text/javascript">
```

```
function valid()
```

```
{
```

```
if(document.chngpwd.newpassword.value!= document.chngpwd.confirmpassword.value)
```

```
{
```

```
alert("New Password and Confirm Password Field do not match !!");
```

```
document.chngpwd.confirmpassword.focus();
```

```
return false;
```

```
}
```

```
return true;
```

```
}
```

```
</script>
```

```
<style>
```

```
.errorWrap {
```

```
padding: 10px;
```

```
margin: 0 0 20px 0;
```

```
background: #fff;
```

```
border-left: 4px solid #dd3d36;
```

```
-webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
```

```
box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
```

```
}
```

```
.succWrap{
```

```
padding: 10px;
```

```

margin: 0 0 20px 0;
background: #fff;
border-left: 4px solid #5cb85c;
-webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
}
</style>
</head>
<body>
  <div class="page-container">
    <!--/content-inner-->
<div class="left-content"> <div class="mother-grid-inner">
  <!--header start here-->
  <?php include('includes/header.php');?>
  <div class="clearfix"> </div>
</div>
  <!--heder end here-->
  <ol class="breadcrumb">
    <li class="breadcrumb-item"><a href="dashboard.php">Home</a><i class="fa fa-angle-right"></i>Change Password</li>
  </ol>
  <!--grid-->
  <div class="grid-form">
    <div class="grid-form1">
  <?php if($error){?><div class="errorWrap"><strong>ERROR</strong>:<?php echo
htmlentities($error); ?> </div><?php }

```

```
else if($msg){?><div class="succWrap"><strong>SUCCESS</strong>:<?php echo htmlentities($msg);
?> </div><?php }?>
```

```
<div class="panel-body">
```

```
<form name="chngpwd" method="post" class="form-horizontal" onSubmit="return valid();">
```

```
<div class="form-group">
```

```
<label class="col-md-2 control-label">Current Password</label>
```

```
<div class="col-md-8">
```

```
<div class="input-group">
```

```
<span class="input-group-addon">
```

```
<i class="fa fa-key"></i>
```

```
</span>
```

```
<input type="password" name="password" class="form-control" id="exampleInputPassword1"
placeholder="Current Password" required="">
```

```
</div>
```

```
</div>
```

```
</div><div class="form-group">
```

```
<label class="col-md-2 control-label">New Password</label>
```

```
<div class="col-md-8">
```

```
<div class="input-group">
```

```
<span class="input-group-addon">
```

```
<i class="fa fa-key"></i>
```

```
</span>
```

```
<input type="password" class="form-control" name="newpassword" id="newpassword"
placeholder="New Password" required="">
```

```
</div>
```

</div>

</div>

<div class="form-group">

<label class="col-md-2 control-label">Confirm Password</label>

<div class="col-md-8">

<div class="input-group">

<i class="fa fa-key"></i>

<input type="password" class="form-control" name="confirmpassword" id="confirmpassword"
placeholder="Confrim Password" required="">

</div>

</div>

</div>

<div class="col-sm-8 col-sm-offset-2">

<button type="submit" name="submit" class="btn-primary btn">Submit</button>

<button type="reset" class="btn-inverse btn">Reset</button>

</div>

</div>

</form>

</div>

</div>

</div>

</div>

<!--//grid-->

```
<!-- script-for sticky-nav -->
<script>
$(document).ready(function() {
var navoffset=$(".header-main").offset().top;

$(window).scroll(function(){
var scrollpos=$(window).scrollTop();

if(scrollpos >=navoffset){
$(".header-main").addClass("fixed");
}else{
$(".header-main").removeClass("fixed");
}

});

});
</script>
<!-- /script-for sticky-nav -->

<!--inner block start here-->
<div class="inner-block">

</div>


<!--inner block end here-->

<!--copy rights start here-->
<?php include('includes/footer.php');?>
<!--COPY rights end here-->

</div>

</div>
```

```
<!--//content-inner-->
<!--/sidebar-menu-->
<?php include('includes/sidebarmenu.php');?>
<div class="clearfix"></div>
</div>
<script>
var toggle = true;
$(".sidebar-icon").click(function() {    if (toggle)
    {$(".page-container").addClass("sidebar-collapsed").removeClass("sidebar-collapsed-back");
    $("#menu span").css({"position":"absolute"});
    }
    else
    {
    $(".page-container").removeClass("sidebar-collapsed").addClass("sidebar-collapsed-back");
    setTimeout(function() {
        $("#menu span").css({"position":"relative"});
    }, 400);
    }
    toggle = !toggle;
});
</script>
<script src="js/jquery.nicescroll.js"></script>
<script src="js/scripts.js"></script>
<script src="js/bootstrap.min.js"></script>
</body>
```



COMPLETED-BOOKING

```
<?php
session_start();
error_reporting(0);
include('includes/config.php');
if(strlen($_SESSION['alogin'])==0)
{
header('location:index.php');
}
else{
?>

<!DOCTYPE HTML>

<html>

<head>

<title>CWMS | Completed Bookings</title>

<meta name="viewport" content="width=device-width, initial-scale=1">

<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />

<script type="application/x-javascript"> addEventListener("load", function() { setTimeout(hideURLbar,
0); }, false); function hideURLbar(){ window.scrollTo(0,1); } </script>

<link href="css/bootstrap.min.css" rel='stylesheet' type='text/css' />

<link href="css/style.css" rel='stylesheet' type='text/css' />

<link rel="stylesheet" href="css/morris.css" type="text/css"/>

<link href="css/font-awesome.css" rel="stylesheet">

<script src="js/jquery-2.1.4.min.js"></script>
```

```
<link rel="stylesheet" type="text/css" href="css/table-style.css" />
<link rel="stylesheet" type="text/css" href="css/basictable.css" />
<script type="text/javascript" src="js/jquery.basictable.min.js"></script>
<script type="text/javascript">
    $(document).ready(function() {
        $('#table').basictable();
        $('#table-breakpoint').basictable({
            breakpoint: 768
        });
        $('#table-swap-axis').basictable({
            swapAxis: true
        });
        $('#table-force-off').basictable({
            forceResponsive: false
        });
        $('#table-no-resize').basictable({
            noResize: true
        });
        $('#table-two-axis').basictable();
        $('#table-max-height').basictable({
            tableWrapper: true
        });
    });
</script>
```

```
<link href='//fonts.googleapis.com/css?family=Roboto:700,500,300,100italic,100,400' rel='stylesheet' type='text/css'/>
```

```
<link href='//fonts.googleapis.com/css?family=Montserrat:400,700' rel='stylesheet' type='text/css'/>
```

```
<link rel="stylesheet" href="css/icon-font.min.css" type='text/css' />
```

```
<style>
```

```
    .errorWrap {
```

```
        padding: 10px;
```

```
        margin: 0 0 20px 0;
```

```
        background: #fff;
```

```
        border-left: 4px solid #dd3d36;
```

```
        -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
```

```
        box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
```

```
    }
```

```
    .succWrap{
```

```
        padding: 10px;
```

```
        margin: 0 0 20px 0;
```

```
        background: #fff;
```

```
        border-left: 4px solid #5cb85c;
```

```
        -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
```

```
        box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
```

```
    }
```

```
</style>
```

```
</head>
```

```
<body>
```

```
    <div class="page-container">
```

```
<!--/content-inner-->
<div class="left-content"> <div class="mother-grid-inner">
    <!--header start here-->
    <?php include('includes/header.php');?>
    <div class="clearfix"> </div>
</div>
<!--heder end here-->
<ol class="breadcrumb">
    <li class="breadcrumb-item"><a href="dashboard.php">Home</a><i class="fa fa-angle-right"></i>Manage Completed Bookings</li>
</ol>
<div class="agile-grids">
<!-- tables -->
<div class="agile-tables">
<div class="w3l-table-info">
    <h2>Completed Bookings</h2>
    <table id="table">
<thead>
    <tr> <th>Booking No.</th>
    <th>Name</th>
    <th width="200">Pacakge Type</th>
    <th>Washing Point </th>
    <th>Washing Date/Time </th>
    <th width="200">Posting date </th>
    <th>Action </th>
```

```

</tr>
</thead>
<tbody>
<?php $sql = "SELECT *,tblcarwashbooking.id as bid from tblcarwashbooking
join tblwashingpoints on tblwashingpoints.id=tblcarwashbooking.carWashPoint
where status='Completed'";
$query = $dbh -> prepare($sql);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);
if($query->rowCount() > 0)
{
foreach($results as $result)
{
?>          <tr>
<td><?php echo htmlentities($result->bookingId);?></td>
<td><?php echo htmlentities($result->fullName);?></td>
<td width="50">
<?php $ptype=$result->packageType;
if($ptype==1): echo "BASIC CLEANING ($10.99)";endif;
if($ptype==2): echo "PREMIUM CLEANING ($20.99)";endif;
if($ptype==3): echo "COMPLEX CLEANING ($30.99)";endif;
?></td>
<td><?php echo htmlentities($result->washingPointName );?><br />
<?php echo htmlentities($result->washingPointAddress);?></td>
<td><?php echo htmlentities($result->washDate."/".$result->washTime);?></td>
<td><?php echo htmlentities($result->postingDate);?></td>

```

```
<td><a href="booking-details.php?bid=?php echo htmlentities($result->bid);?>&&bookingid=?php  
echo htmlentities($result->bookingId);?>">View</a>
```

```
</td>
```

```
<?php } ?>
```

```
</tr>
```

```
<?php } else { ?>
```

```
<tr>
```

```
<td colspan="6" style="color:red;">No Record found</td>
```

```
</tr>
```

```
<?php } ?>
```

```
</tbody>
```

```
</table>
```

```
</div>
```

```
</table>
```

```
</div>
```

```
<!-- script-for sticky-nav -->
```

```
<script>
```

```
$(document).ready(function() {
```

```
    var navoffset=$(".header-main").offset().top;
```

```
    $(window).scroll(function() {
```

```
        var scrollpos=$(window).scrollTop();
```

```
        if(scrollpos >=navoffset){
```

```
            $(".header-main").addClass("fixed");
```

```
        }else{
```

```
            $(".header-main").removeClass("fixed");
```

```
}

});

});

</script>

<!-- /script-for sticky-nav -->

<!--inner block start here-->

<div class="inner-block">

</div>

<!--inner block end here-->

<!--copy rights start here-->

<?php include('includes/footer.php');?>

<!--COPY rights end here-->

</div>

</div>

<!--//content-inner-->

<!--/sidebar-menu-->

<?php include('includes/sidebarmenu.php');?>

<div class="clearfix"></div>

</div>

<script>

var toggle = true;

$(".sidebar-icon").click(function() {

if (toggle)

{

$(".page-container").addClass("sidebar-collapsed").removeClass("sidebar-collapsed-back");
```

```
$("#menu span").css({"position":"absolute"}); }

else

{

$(".page-container").removeClass("sidebar-collapsed").addClass("sidebar-collapsed-back");

setTimeout(function() {

$("#menu span").css({"position":"relative"});

}, 400);

}

toggle = !toggle;

});</script>

<!--js -->

<script src="js/jquery.nicescroll.js"></script>

<script src="js/scripts.js"></script>

<!-- Bootstrap Core JavaScript -->

<script src="js/bootstrap.min.js"></script>

<!-- /Bootstrap Core JavaScript -->

</body>

</html>

<?php } ?>
```


CONTACT

```
<?php
session_start();
//error_reporting(0);
include('includes/config.php');
if(strlen($_SESSION['alogin'])==0)
{
header('location:index.php');
}
else{
if(isset($_POST['update']))
{
$wpaddress=$_POST['address'];
$wpcnumber=$_POST['contactno'];
$ophrs=$_POST['openinghrs'];
$email=$_POST['emailid'];

$sql="update tblpages set
detail=:wpaddress,openignHrs=:ophrs,phoneNumber=:wpcnumber,emailId=:email where
type='contact'";

$query = $dbh->prepare($sql);
$query->bindParam(':ophrs',$ophrs,PDO::PARAM_STR);
$query->bindParam(':wpaddress',$wpaddress,PDO::PARAM_STR);
$query->bindParam(':wpcnumber',$wpcnumber,PDO::PARAM_STR);
$query->bindParam(':email',$email,PDO::PARAM_STR);

$query->execute();
```

```
echo "<script>alert('Details updates successfully');</script>";
echo "<script>window.location.href='contact.php'</script>";
}

?>

<!DOCTYPE HTML>

<html>

<head>

<title>CWMS | Contact Us info</title>

<script type="application/x-javascript"> addEventListener("load", function() { setTimeout(hideURLbar,
0); }, false); function hideURLbar(){ window.scrollTo(0,1); } </script>

<link href="css/bootstrap.min.css" rel='stylesheet' type='text/css' />

<link href="css/style.css" rel='stylesheet' type='text/css' />

<link rel="stylesheet" href="css/morris.css" type="text/css"/>

<link href="css/font-awesome.css" rel="stylesheet">

<script src="js/jquery-2.1.4.min.js"></script>

<link href='//fonts.googleapis.com/css?family=Roboto:700,500,300,100italic,100,400' rel='stylesheet'
type='text/css'/>

<link href='//fonts.googleapis.com/css?family=Montserrat:400,700' rel='stylesheet' type='text/css'>

<link rel="stylesheet" href="css/icon-font.min.css" type='text/css' />

<style>

.errorWrap {
    padding: 10px;
    margin: 0 0 20px 0;
    background: #fff;
    border-left: 4px solid #dd3d36;
    -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
```

```

    box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
}
.succWrap{
    padding: 10px;
    margin: 0 0 20px 0;
    background: #fff;
    border-left: 4px solid #5cb85c;
    -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
    box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
}
</style>
</head>
<body>
    <div class="page-container">
        <!--/content-inner-->
<div class="left-content">
    <div class="mother-grid-inner">
        <!--header start here-->
<?php include('includes/header.php');?>
        <div class="clearfix"> </div>
    </div>
    <!--heder end here--><ol class="breadcrumb"> <li class="breadcrumb-item"><a
href="dashboard.php">Home</a><i class="fa fa-angle-right"></i>Contact us information</li>
</ol>
    <!--grid-->

```

```
<div class="grid-form">

<!-->

<div class="grid-form1">

<h3>Update Contact Information</h3>

<?php

$sql = "SELECT * from tblpages where type='contact'";

$query = $dbh -> prepare($sql);

$query->execute();

$results=$query->fetchAll(PDO::FETCH_OBJ);

foreach($results as $result)

{

?>

<div class="tab-content"><div class="tab-pane active" id="horizontal-form">

<form class="form-horizontal" name="washingpoint" method="post" enctype="multipart/form-data">

<div class="form-group">

<label for="focusedinput" class="col-sm-2 control-label">Adress</label>

<div class="col-sm-8">

<textarea class="form-control" name="address" id="address" placeholder="Address" required

rows="4"><?php echo $result->detail; ?></textarea>

</div>

</div>

<div class="form-group">

<label for="focusedinput" class="col-sm-2 control-label">Opening Hours</label>

<div class="col-sm-8">

<input type="text" class="form-control" name="openinghrs" id="openinghrs" placeholder="Opening

Hour" value="<?php echo $result->openignHrs; ?>" required>
```

</div>

</div>

<div class="form-group">

<label for="focusedinput" class="col-sm-2 control-label">Email Id</label>

<div class="col-sm-8">

<input type="email" class="form-control" name="emailid" id="emailid" placeholder="Email Id" required value="<?php echo \$result->emailId; ?>">

</div>

</div>

<div class="form-group">

<label for="focusedinput" class="col-sm-2 control-label">Contact Number</label>

<div class="col-sm-8">

<input type="text" class="form-control" name="contactno" id="contactno" placeholder="Contact Number" required value="<?php echo \$result->phoneNumber; ?>">

</div>

</div>

<div class="row">

<div class="col-sm-8 col-sm-offset-2">

<button type="submit" name="update" class="btn-primary btn">Update</button>

</div>

</div>

</div>

</form>

<?php } ?>

<div class="panel-footer">

</div>

```
</form>

</div>

</div>

<!--//grid-->

<!-- script-for sticky-nav -->

<script>

$(document).ready(function() {

    var navoffset=$(".header-main").offset().top;

    $(window).scroll(function(){

var scrollpos=$(window).scrollTop();

if(scrollpos >=navoffset){$(".header-main").addClass("fixed");

    }else{

$(".header-main").removeClass("fixed");

    }

    });

    });

</script>

<!-- /script-for sticky-nav -->

<!--inner block start here-->

<div class="inner-block">

</div>

<!--inner block end here-->

<!--copy rights start here-->

<?php include('includes/footer.php');?>

<!--COPY rights end here-->
```

```
</div>
```

```
</div>
```

```
<!--//content-inner-->
```

```
<!--/sidebar-menu-->
```

```
<?php include('includes/sidebarmenu.php');?>
```

```
<div class="clearfix"></div>
```

```
</div>
```

```
<script>
```

```
var toggle = true;
```

```
$(".sidebar-icon").click(function() {
```

```
    if (toggle) {
```

```
        $(".page-container").addClass("sidebar-collapsed").removeClass("sidebar-collapsed-back");
```

```
        $("#menu span").css({"position":"absolute"});
```

```
    }
```

```
    else
```

```
    {
```

```
        $(".page-container").removeClass("sidebar-collapsed").addClass("sidebar-collapsed-back");
```

```
        setTimeout(function() {
```

```
            $("#menu span").css({"position":"relative"});
```

```
        }, 400); }
```

```
toggle = !toggle;
```

```
});
```

```
</script>
```

```
<!--js -->
```

```
<script src="js/jquery.nicescroll.js"></script>
```

DASHBOARD

```
<?php
session_start();
include('includes/config.php');
if(strlen($_SESSION['alogin'])==0)
{
header('location:index.php');
}
else{
?>

<!DOCTYPE HTML>

<html>

<head>

<title>CWMS | Admin Dashboard</title>

<meta name="viewport" content="width=device-width, initial-scale=1">

<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />

<script type="application/x-javascript"> addEventListener("load", function() { setTimeout(hideURLbar,
0); }, false); function hideURLbar(){ window.scrollTo(0,1); } </script>

<!-- Bootstrap Core CSS -->

<link href="css/bootstrap.min.css" rel='stylesheet' type='text/css' />

<!-- Custom CSS -->

<link href="css/style.css" rel='stylesheet' type='text/css' />

<link rel="stylesheet" href="css/morris.css" type="text/css"/>

<!-- Graph CSS -->

<link href="css/font-awesome.css" rel="stylesheet">
```



```
<!-- jQuery -->
<script src="js/jquery-2.1.4.min.js"></script>
<!-- //jQuery -->

<link href='//fonts.googleapis.com/css?family=Roboto:700,500,300,100italic,100,400' rel='stylesheet'
type='text/css'/>

<link href='//fonts.googleapis.com/css?family=Montserrat:400,700' rel='stylesheet' type='text/css'>

<!-- lined-icons -->

<link rel="stylesheet" href="css/icon-font.min.css" type='text/css' />

<!-- //lined-icons -->

</head>

<body>

    <div class="page-container">

        <!--/content-inner-->

        <div class="left-content"> <div class="mother-grid-inner">

            <!--header start here-->

            <?php include('includes/header.php');?>

            <!--header end here-->

            <ol class="breadcrumb">

                <li class="breadcrumb-item"><a href="dashboard.php">Home</a> <i class="fa fa-angle-
right"></i></li>

            </ol>

            <!--four-grids here-->

            <div class="four-grids">

                <a href="all-bookings.php" target="_blank">

                <div class="col-md-3 four-grid">

                <div class="four-agileits">
```

```
<div class="icon">
<i class="glyphicon glyphicon-list-alt" aria-hidden="true"></i>
</div>

<div class="four-text">
<h3>Total Bookings</h3>
<?php $sql = "SELECT id from tblcarwashbooking";
$query = $dbh -> prepare($sql);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);
$cnt=$query->rowCount();
<h4> <?php echo htmlentities($cnt);?> </h4>
</div>

</div>

</div>

</div>

</a>

<a href="new-booking.php" target="_blank">
<div class="col-md-3 four-grid">
<div class="four-agileinfo">
<div class="icon">
<i class="glyphicon glyphicon-list-alt" aria-hidden="true"></i>
</div>
<div class="four-text">
<h3>New Bookings</h3>
<?php $sql1 = "SELECT id from tblcarwashbooking where status='New'";
$query1 = $dbh -> prepare($sql1);
```

```

$query1->execute();
$results1=$query1->fetchAll(PDO::FETCH_OBJ);
$newbookings=$query1->rowCount();    ?>

<h4><?php echo htmlentities($newbookings);?></h4>

</div>

</div>

</div>

</a>

<a href="completed-booking.php" target="_blank">

<div class="col-md-3 four-grid">

<div class="four-wthree">

<div class="icon">

<i class="glyphicon glyphicon-list-alt" aria-hidden="true"></i>

</div>

<div class="four-text">

<h3>Completed Bookings</h3>

<?php $sql3 = "SELECT id from tblcarwashbooking where status='Completed'";

$query3= $dbh -> prepare($sql3);

$query3->execute();

$results3=$query3->fetchAll(PDO::FETCH_OBJ);

$completedbookings=$query3->rowCount();

    ?>

<h4><?php echo htmlentities($completedbookings);?></h4>

</div>

</div>

```

</div>

<div class="col-md-3 four-grid">

<div class="four-w3ls">

<div class="icon">

<i class="glyphicon glyphicon-folder-open" aria-hidden="true"></i>

</div>

<div class="four-text">

<h3>Enquiries</h3>

<?php \$sql2 = "SELECT id from tblequiry";

\$query2= \$dbh -> prepare(\$sql2);

\$query2->execute();

\$results2=\$query2->fetchAll(PDO::FETCH_OBJ);

\$cnt2=\$query2->rowCount();

?>

<h4><?php echo htmlentities(\$cnt2);?></h4>

</div>

</div>

</div>

<div class="clearfix"></div>

</div>

div class="four-grids">

<div class="col-md-3 four-grid">

<div class="four-w3ls">

```
<div class="icon">
<i class="glyphicon glyphicon-folder-open" aria-hidden="true"></i>
</div>

<div class="four-text">
<h3>Washing Points</h3>
<?php $sql5 = "SELECT id from tblwashingpoints";
$query5= $dbh -> prepare($sql5);
$query5->execute();
$results5=$query5->fetchAll(PDO::FETCH_OBJ);
$washingpoints=$query5->rowCount();
?>
<h4><?php echo htmlentities($washingpoints);?></h4>
</div>
</div>
</div>
</a>
<div class="clearfix"></div>
</div>
<!--//four-grids here-->
<div class="inner-block">
</div>
<!--inner block end here-->
<!--copy rights start here-->
<?php include('includes/footer.php');?>
</div>
```

```
</div>
<!--/sidebar-menu-->
<?php include('includes/sidebarmenu.php');?>
<div class="clearfix"></div></div>
<script>
var toggle = true;
$(".sidebar-icon").click(function() {
    if (toggle)
    {
        $(".page-container").addClass("sidebar-collapsed").removeClass("sidebar-collapsed-back");
        $("#menu span").css({"position":"absolute"}); } else
    {
        $(".page-container").removeClass("sidebar-collapsed").addClass("sidebar-collapsed-back");
        setTimeout(function() {
            $("#menu span").css({"position":"relative"});
        }, 400); }
    toggle = !toggle;
});</script>
<!--js -->
<script src="js/jquery.nicescroll.js"></script>
<script src="js/scripts.js"></script>
<!-- Bootstrap Core JavaScript -->
<script src="js/bootstrap.min.js"></script>
<!-- /Bootstrap Core JavaScript -->
<!-- morris JavaScript -->
```

```
<script src="js/raphael-min.js"></script>
<script src="js/morris.js"></script>
<script>
$(document).ready(function() {
//BOX BUTTON SHOW AND CLOSEjQuery('.small-graph-box').hover(function() {
jQuery(this).find('.box-button').fadeIn('fast'); }, function() {
    jQuery(this).find('.box-button').fadeOut('fast');
});
jQuery('.small-graph-box .box-close').click(function() {
    jQuery(this).closest('.small-graph-box').fadeOut(200);
    return false; });
//CHARTS  function gd(year, day, month) {
return new Date(year, month - 1, day).getTime();
}
graphArea2 = Morris.Area({
element: 'hero-area',
padding: 10,
behaveLikeLine: true,
gridEnabled: false,  gridLineColor: '#dddddd',
axes: true, resize: true, smooth:true,
pointSize: 0, lineWidth: 0, fillOpacity:0.85,
data: [
{period: '2014 Q1', iphone: 2668, ipad: null, itouch: 2649},
{period: '2014 Q2', iphone: 15780, ipad: 13799, itouch: 12051},
{period: '2014 Q3', iphone: 12920, ipad: 10975, itouch: 9910},
```

```
{period: '2014 Q4', iphone: 8770, ipad: 6600, itouch: 6695},
{period: '2015 Q1', iphone: 10820, ipad: 10924, itouch: 12300},
{period: '2015 Q2', iphone: 9680, ipad: 9010, itouch: 7891},
{period: '2015 Q3', iphone: 4830, ipad: 3805, itouch: 1598},
{period: '2015 Q4', iphone: 15083, ipad: 8977, itouch: 5185},
{period: '2016 Q1', iphone: 10697, ipad: 4470, itouch: 2038},
{period: '2016 Q2', iphone: 8442, ipad: 5723, itouch: 1801}
lineColors:['#ff4a43','#a2d200','#22beef'],xkey: 'period', redraw: true,
  ykeys: ['iphone', 'ipad', 'itouch'],
  labels: ['All Visitors', 'Returning Visitors', 'Unique Visitors'],
  pointSize: 2,
  hideHover: 'auto',
  resize: true
});
});
</script>
</body>
</html>
<?php } ?>
```


EDITCAR-WASHPOINT

```
<?php
session_start();
error_reporting(0);
include('includes/config.php');
if(strlen($_SESSION['alogin'])==0)
    {
header('location:index.php');
    }
else{
if(isset($_POST['submit']))
    {
$id=$_GET['wpid'];
$wpname=$_POST['washingpointname'];
$wpaddress=$_POST['address'];
$wpcnumber=$_POST['contactno'];

$sql="update tblwashingpoints set
washingPointName=:wpname,washingPointAddress=:wpaddress,contactNumber=:wpcnumber where
id=:id";

$query = $dbh->prepare($sql);
$query->bindParam(':wpname',$wpname,PDO::PARAM_STR);
$query->bindParam(':wpaddress',$wpaddress,PDO::PARAM_STR);
$query->bindParam(':wpcnumber',$wpcnumber,PDO::PARAM_STR);
$query->bindParam(':id',$id,PDO::PARAM_STR);
$query->execute();
```

```
echo "<script>alert('Car wash point updated successfully');</script>";
echo "<script>window.location.href='managecar-washingpoints.php'</script>";
}

?>

<!DOCTYPE HTML>

<html>

<head>

<title>CWMS | Edit Washing Point</title>

<script type="application/x-javascript"> addEventListener("load", function() { setTimeout(hideURLbar,
0); }, false); function hideURLbar(){ window.scrollTo(0,1); } </script>

<link href="css/bootstrap.min.css" rel='stylesheet' type='text/css' />

<link href="css/style.css" rel='stylesheet' type='text/css' />

<link rel="stylesheet" href="css/morris.css" type="text/css"/>

<link href="css/font-awesome.css" rel="stylesheet">

<script src="js/jquery-2.1.4.min.js"></script>

<link href='//fonts.googleapis.com/css?family=Roboto:700,500,300,100italic,100,400' rel='stylesheet'
type='text/css'/>

<link href='//fonts.googleapis.com/css?family=Montserrat:400,700' rel='stylesheet' type='text/css'>

<link rel="stylesheet" href="css/icon-font.min.css" type='text/css' />

<style>

.errorWrap {
    padding: 10px;
    margin: 0 0 20px 0;
    background: #fff;
    border-left: 4px solid #dd3d36;
    -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
```

```

    box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
}
.succWrap{
    padding: 10px;
    margin: 0 0 20px 0;
    background: #fff;
    border-left: 4px solid #5cb85c;
    -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
    box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
}
</style>
</head>
<body>
    <div class="page-container">
        <!--/content-inner-->
<div class="left-content">
    <div class="mother-grid-inner">
        <!--header start here-->
<?php include('includes/header.php');?>
        <div class="clearfix"> </div>
    </div>
    <!--heder end here-->
    <ol class="breadcrumb"> <li class="breadcrumb-item"><a href="dashboard.php">Home</a><i
class="fa fa-angle-right"></i>Edit Washing Point </li </ol><!--grid-->
    <div class="grid-form">

```

```
<!-->

<div class="grid-form1">

<h3>Edit Washing Point</h3>

<?php
$id=$_GET['wpid'];

$sql = "SELECT * from tblwashingpoints where id='$id'";

$query = $dbh -> prepare($sql);

$query->execute();

$results=$query->fetchAll(PDO::FETCH_OBJ);

foreach($results as $result)
{?>

<div class="tab-content">

<div class="tab-pane active" id="horizontal-form">

<form class="form-horizontal" name="washingpoint" method="post" enctype="multipart/form-data">

<div class="form-group">

<label for="focusedinput" class="col-sm-2 control-label">Car Wash Point Name</label>

<div class="col-sm-8">

<input type="text" class="form-control" name="washingpointname" id="washingpointname"
value="<?php echo htmlentities($result->washingPointName);?>" required>

</div>

</div>

<div class="form-group">

<label for="focusedinput" class="col-sm-2 control-label">Adress</label>

<div class="col-sm-8">

<textarea class="form-control" name="address" id="address" placeholder="Address" required
rows="4"><?php echo htmlentities($result->washingPointAddress);?></textarea>


```

</div>

</div>

<div class="form-group">

<label for="focusedinput" class="col-sm-2 control-label">Contact Number</label>

<div class="col-sm-8">

<input type="text" class="form-control" name="contactno" id="contactno" value="<?php echo htmlentities(\$result->contactNumber);?>" required>

</div>

</div><div class="row">

<div class="col-sm-8 col-sm-offset-2">

<button type="submit" name="submit" class="btn-primary btn">update</button>

</div>

</div>

</div>

</form>

<?php } ?> <div class="panel-footer">

</div>

</form>

</div>

<!--//grid-->

<!-- script-for sticky-nav -->

<script>

\$(document).ready(function() {

var navoffset=\$(".header-main").offset().top;

\$(window).scroll(function(){

```
var scrollpos=$(window).scrollTop();
if(scrollpos >=navoffset){
$(".header-main").addClass("fixed");
}else{
$(".header-main").removeClass("fixed");
}
});
});
</script>
<!-- /script-for sticky-nav -->
<!--inner block start here-->
<div class="inner-block">
</div>
<!--inner block end here-->
<!--copy rights start here-->
<?php include('includes/footer.php');?>
<!--COPY rights end here-->
</div>
</div>
<!--//content-inner-->
<!--/sidebar-menu-->
<?php include('includes/sidebarmenu.php');?>
<div class="clearfix"></div>
</div>
<script>var toggle = true;
```

```
$(".sidebar-icon").click(function() {  
    if (toggle)  
    {  
        $(".page-container").addClass("sidebar-collapsed").removeClass("sidebar-collapsed-back");  
        $("#menu span").css({"position":"absolute"});  
    } else {  
        $(".page-container").removeClass("sidebar-collapsed").addClass("sidebar-collapsed-back");  
        setTimeout(function() {  
            $("#menu span").css({"position":"relative"});  
        }, 400);  
    }  
    toggle = !toggle;});  
</script>  
<!--js -->  
<script src="js/jquery.nicescroll.js"></script>  
<script src="js/scripts.js"></script>  
<!-- Bootstrap Core JavaScript -->  
    <script src="js/bootstrap.min.js"></script>  
    <!-- /Bootstrap Core JavaScript -->  
</body>  
</html>  
<?php } ?>
```

INDEX

```
<?php
session_start();

include('includes/config.php');

if(isset($_POST['login']))
{
$username=$_POST['username'];

$password=md5($_POST['password']);

$sql ="SELECT UserName,Password FROM admin WHERE UserName=:uname and
Password=:password";

$query= $dbh -> prepare($sql);

$query-> bindParam(':uname', $uname, PDO::PARAM_STR);

$query-> bindParam(':password', $password, PDO::PARAM_STR);

$query-> execute();

$results=$query->fetchAll(PDO::FETCH_OBJ);

if($query->rowCount() > 0)
{
$_SESSION['alogin']=$_POST['username'];

echo "<script type='text/javascript'> document.location = 'dashboard.php'; </script>";

} else{echo "<script>alert('Invalid Details');</script>";

}

}

?>

<!DOCTYPE HTML>
```



```
<html>

<head>

<title>CWMS | Admin Sign in</title>

<meta name="viewport" content="width=device-width, initial-scale=1">

<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />

<script type="application/x-javascript"> addEventListener("load", function() { setTimeout(hideURLbar,
0); }, false); function hideURLbar(){ window.scrollTo(0,1); } </script>

<!-- Bootstrap Core CSS -->

<link href="css/bootstrap.min.css" rel='stylesheet' type='text/css' />

<!-- Custom CSS -->

<link href="css/style.css" rel='stylesheet' type='text/css' />

<link rel="stylesheet" href="css/morris.css" type="text/css"/>

<!-- Graph CSS -->

<link href="css/font-awesome.css" rel="stylesheet">

<link rel="stylesheet" href="css/jquery-ui.css">

<!-- jQuery -->

<script src="js/jquery-2.1.4.min.js"></script>

<!-- //jQuery -->

<link href="//fonts.googleapis.com/css?family=Roboto:700,500,300,100italic,100,400" rel='stylesheet'
type='text/css'/>

<link href="//fonts.googleapis.com/css?family=Montserrat:400,700" rel='stylesheet' type='text/css'>

<!-- lined-icons -->

<link rel="stylesheet" href="css/icon-font.min.css" type='text/css' />

<!-- //lined-icons -->

</head>

<body>
```

```
<div class="main-wthree">
<div class="container">
<div class="sin-w3-agile">
<h2>Sign In</h2>
<form method="post">
<div class="username">
<span class="username">Username:</span>
<input type="text" name="username" class="name" placeholder="" required="">
<div class="clearfix"></div>
</div>
<div class="password-agileits">
<span class="username">Password:</span>
<input type="password" name="password" class="password" placeholder="" required="">
<div class="clearfix"></div>
</div>
<div class="login-w3">
<input type="submit" class="login" name="login" value="Sign In">
</div>
<div class="clearfix"></div>
</form>
<div class="back"><a href="../index.php">Back to home</a>
</div>
</div>
</div>
</div>
```

LOGOUT

```
<?php
session_start();

$_SESSION = array();

if (ini_get("session.use_cookies")) {
    $params = session_get_cookie_params();
    setcookie(session_name(), "", time() - 60*60,
        $params["path"], $params["domain"],
        $params["secure"], $params["httponly"]
    );
}

unset($_SESSION['alogin']);

session_destroy(); // destroy session

header("location:index.php");

?>
```

MANAGE CAR-WASHINGPOINT

```
<?php

session_start();

error_reporting(0);

include('includes/config.php');

if(strlen($_SESSION['alogin'])==0)
    {
header('location:index.php');
    }
else{
//Code for Deletion
if($_GET['rid']){
$id=$_GET['rid'];
$sql="delete from tblwashingpoints where id=:id";
$query = $dbh->prepare($sql);
$query->bindParam(':id',$id,PDO::PARAM_STR);
$query->execute();

echo "<script>alert('Record Deleted');</script>";

echo "<script>window.location.href ='managecar-washingpoints.php'</script>";
}

?>

<!DOCTYPE HTML>

<html>

<head>
```

```
<title>CWMS | Manage Car Wash Point</title>

<meta name="viewport" content="width=device-width, initial-scale=1">

<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />

<script type="application/x-javascript"> addEventListener("load", function() { setTimeout(hideURLbar,
0); }, false); function hideURLbar(){ window.scrollTo(0,1); } </script>

<!-- Bootstrap Core CSS -->

<link href="css/bootstrap.min.css" rel='stylesheet' type='text/css' />

<!-- Custom CSS -->

<link href="css/style.css" rel='stylesheet' type='text/css' />

<link rel="stylesheet" href="css/morris.css" type="text/css"/>

<!-- Graph CSS -->

<link href="css/font-awesome.css" rel="stylesheet">

<!-- jQuery -->

<script src="js/jquery-2.1.4.min.js"></script>

<!-- //jQuery -->

<!-- tables -->

<link rel="stylesheet" type="text/css" href="css/table-style.css" />

<link rel="stylesheet" type="text/css" href="css/basictable.css" />

<script type="text/javascript" src="js/jquery.basictable.min.js"></script>

<script type="text/javascript">

    $(document).ready(function() {

        $('#table').basictable();

        $('#table-breakpoint').basictable({

            breakpoint: 768

        });

    });
```

```
$('#table-swap-axis').basictable({
    swapAxis: true
});

$('#table-force-off').basictable({
    forceResponsive: false
});

$('#table-no-resize').basictable({
    noResize: true
});

$('#table-two-axis').basictable();

$('#table-max-height').basictable({
    tableWrapper: true
});

});

</script>

<!-- //tables -->

<link href="//fonts.googleapis.com/css?family=Roboto:700,500,300,100italic,100,400" rel='stylesheet'
type='text/css'/>

<link href="//fonts.googleapis.com/css?family=Montserrat:400,700" rel='stylesheet' type='text/css'>

<!-- lined-icons -->

<link rel="stylesheet" href="css/icon-font.min.css" type='text/css' />

<!-- //lined-icons -->

</head>

<body>
```

```
<div class="page-container">

<!--/content-inner-->

<div class="left-content"

<div class="mother-grid-inner">

<!--header start here-->

<?php include('includes/header.php');?>

<div class="clearfix"> </div>

</div>

<!--heder end here-->

<ol class="breadcrumb">

<li class="breadcrumb-item"><a href="dashboard.php">Home</a><i class="fa fa-angle-
right"></i>Manage Car Washing Points</li>

</ol><div class="agile-grids">

<!-- tables -->

<div class="agile-tables">

<div class="w3l-table-info">

<h2>Manage Car Washing Points</h2>

<table id="table">

<thead>

<tr>

<th>#</th>

<th>Washing Point Name</th><th>Address</th><th>Contact Number</th><th>Creation Date</th>

<th>Action</th>

</tr>

</thead>
```

```

<tbody>

<?php $sql = "SELECT * from tblwashingpoints";

$query = $dbh -> prepare($sql);

$query->execute();

$results=$query->fetchAll(PDO::FETCH_OBJ);

$cnt=1;

if($query->rowCount() > 0)

{

foreach($results as $result)

{

                                ?>                                <tr>

<td><?php echo htmlentities($cnt);?></td><td><?php echo htmlentities($result-
>washingPointName);?></td>

<td><?php echo htmlentities($result->washingPointAddress);?></td>

<td><?php echo htmlentities($result->contactNumber);?></td>

<td><?php echo htmlentities($result->creationDate);?></td>

<td>

<a href="editcar-washpoint.php?wpid=<?php echo htmlentities($result->id);?>">Edit</a> | <a
href="managecar-washingpoints.php?rid=<?php echo htmlentities($result->id);?>" style="color:red;"
onClick="return confirm('Do you really want to delete');">Delete</a></td></tr><?php $cnt=$cnt+1;}
}?>

</tbody>

</table>

</div> </table>

</div>

<!-- script-for sticky-nav -->

<script>

$(document).ready(function() {

```



```
var navoffset=$(".header-main").offset().top;

$(window).scroll(function(){
var scrollpos=$(window).scrollTop();
if(scrollpos >=navoffset){
$(".header-main").addClass("fixed");
}else{
$(".header-main").removeClass("fixed");
}
});
});
</script>

<!-- /script-for sticky-nav -->

<!--inner block start here-->
<div class="inner-block">
</div>

<!--inner block end here-->

<!--copy rights start here-->
<?php include('includes/footer.php');?>
<!--COPY rights end here-->

</div>

</div>

<!--//content-inner-->

<!--/sidebar-menu-->

<?php include('includes/sidebarmenu.php');?>

<div class="clearfix"></div>
```

```
</div>

<script>

var toggle = true;

$(".sidebar-icon").click(function() {

if (toggle)

{

$(".page-container").addClass("sidebar-collapsed").removeClass("sidebar-collapsed-back");

$("#menu span").css({"position":"absolute"});

}

else

{

$(".page-container").removeClass("sidebar-collapsed").addClass("sidebar-collapsed-back");

setTimeout(function() { $("#menu span").css({"position":"relative"});

}, 400);

}

toggle = !toggle);

</script>

<!--js -->

<script src="js/jquery.nicescroll.js"></script>

<script src="js/scripts.js"></script>

<!-- Bootstrap Core JavaScript -->

<script src="js/bootstrap.min.js"></script>

<!-- /Bootstrap Core JavaScript -->

</body>

</html>

<?php } ?>
```

MANAGE-ENQUIRES

```
<?php
session_start();
error_reporting(0);
include('includes/config.php');
if(strlen($_SESSION['alogin'])==0)
    {
header('location:index.php');
    }
else{
    // code for cancel
    if(isset($_REQUEST['eid']))
    {
        $eid=intval($_GET['eid']);
        $status=1;
        $sql = "UPDATE tblenquiry SET Status=:status WHERE id=:eid";
        $query = $dbh->prepare($sql);
        $query -> bindParam(':status',$status, PDO::PARAM_STR);
        $query-> bindParam(':eid',$eid, PDO::PARAM_STR);
        $query -> execute();
        $msg="Enquiry successfully read";
    }

    ?>

<!DOCTYPE HTML>

<html>
```

```
<head>
<title>CWMS | Manage Enquiry</title>
<meta name="viewport" content="width=device-width, initial-scale=1">
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<script type="application/x-javascript"> addEventListener("load", function() { setTimeout(hideURLbar,
0); }, false); function hideURLbar(){ window.scrollTo(0,1); } </script>
<link href="css/bootstrap.min.css" rel='stylesheet' type='text/css' />
<link href="css/style.css" rel='stylesheet' type='text/css' />
<link rel="stylesheet" href="css/morris.css" type="text/css"/>
<link href="css/font-awesome.css" rel="stylesheet">
<script src="js/jquery-2.1.4.min.js"></script>
<link rel="stylesheet" type="text/css" href="css/table-style.css" />
<link rel="stylesheet" type="text/css" href="css/basictable.css" />
<script type="text/javascript" src="js/jquery.basictable.min.js"></script>
<script type="text/javascript">
    $(document).ready(function() {
        $('#table').basictable();
        $('#table-breakpoint').basictable({
            breakpoint: 768
        });
        $('#table-swap-axis').basictable({
            swapAxis: true
        });
        $('#table-force-off').basictable({
            forceResponsive: false
        });
    });
</script>
```

```
});  
$('#table-no-resize').basictable({  
  noResize: true  
});  
$('#table-two-axis').basictable();  
$('#table-max-height').basictable({  
  tableWrapper: true  
});  
});  
</script>  
  
<link href="//fonts.googleapis.com/css?family=Roboto:700,500,300,100italic,100,400" rel='stylesheet'  
type='text/css'/><link href="//fonts.googleapis.com/css?family=Montserrat:400,700" rel='stylesheet'  
type='text/css'>  
  
<link rel="stylesheet" href="css/icon-font.min.css" type='text/css' />  
  
<style>  
  .errorWrap {  
    padding: 10px;  
    margin: 0 0 20px 0;  
    background: #fff;  
    border-left: 4px solid #dd3d36;  
    -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);  
    box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);  
  }  
  .succWrap{  
    padding: 10px;  
    margin: 0 0 20px 0;
```

```

background: #fff;
border-left: 4px solid #5cb85c;
-webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
}

</style>

</head>

<body>

<div class="page-container">

<!--/content-inner-->

<div class="left-content">

<div class="mother-grid-inner">

<!--header start here--><?php include('includes/header.php');?>

<div class="clearfix"> </div>

</div>

<!--heder end here-->

<ol class="breadcrumb">

<li class="breadcrumb-item"><a href="dashboard.php">Home</a><i class="fa fa-angle-right"></i>Manage Enquiries</li>

</ol>

<div class="agile-grids">

<!-- tables -->

<?php if($error){?><div class="errorWrap"><strong>ERROR</strong>:<?php echo
htmlentities($error); ?> </div><?php }

else if($msg){?><div class="succWrap"><strong>SUCCESS</strong>:<?php echo htmlentities($msg);
?> </div><?php }?>

```

```

<div class="agile-tables">
<div class="w3l-table-info">
    <h2>Manage Enquiries</h2><table id="table">
<thead> <tr>
<th>Ticket id</th>
<th width="200">Name</th>
<th>Email</th>
<th>Subject </th>
<th>Description </th>
<th width="200">Posting date </th>
<th>Action </th>
</tr>
</thead>
<tbody>
<?php $sql = "SELECT * from tblenquiry";
$query = $dbh -> prepare($sql);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);
if($query->rowCount() > 0)
{
foreach($results as $result)
{?>    <tr>
<td width="120">#TCKT-<?php echo htmlentities($result->id);?></td>
<td width="50"><?php echo htmlentities($result->FullName);?></td>
<td width="50">

```

```
<?php echo $result->EmailId;?></td>
```

```
<td width="200"><?php echo htmlentities($result->Subject);?></a></td>
```

```
<td width="400"><?php echo htmlentities($result->Description);?></td>
```

```
<td width="50"><?php echo htmlentities($result->PostingDate);?></td>
```

```
<?php if($result->Status==1)
```

```
{?><td>Read</td>
```

```
<?php } else {?>
```

```
<td><a href="manage-enquires.php?eid=<?php echo htmlentities($result->id);?>" onclick="return confirm('Do you really want to read')">Pending</a>
```

```
</td>
```

```
<?php } ?>
```

```
</tr>
```

```
<?php } }?>
```

```
</tbody>
```

```
</table>
```

```
</div>
```

```
</table>
```

```
</div>
```

```
<!-- script-for sticky-nav --><script>
```

```
$(document).ready(function() {
```

```
var navoffset=$("#header-main").offset().top;
```

```
$(window).scroll(function(){
```

```
var scrollpos=$(window).scrollTop();
```



```
if(scrollpos >=navoffset){
$(".header-main").addClass("fixed");
}else{
$(".header-main").removeClass("fixed");
}
});
});
</script>
<!-- /script-for sticky-nav -->
<!--inner block start here-->
<div class="inner-block">
</div>
<!--inner block end here-->
<!--copy rights start here-->
<?php include('includes/footer.php');?>
<!--COPY rights end here-->
</div>
</div>
<!--//content-inner-->
<!--/sidebar-menu-->
<?php include('includes/sidebarmenu.php');?>
<div class="clearfix"></div>
</div>
<script>
var toggle = true;
```

```
$(".sidebar-icon").click(function() {  
    if (toggle){  
        $(".page-container").addClass("sidebar-collapsed").removeClass("sidebar-collapsed-back");  
        $("#menu span").css({"position":"absolute"});  
    }  
    else  
    {  
        $(".page-container").removeClass("sidebar-collapsed").addClass("sidebar-collapsed-back");  
        setTimeout(function() {  
            $("#menu span").css({"position":"relative"});  
        }, 400);  
    }  
    toggle = !toggle;  
});  
</script>  
<!--js -->  
<script src="js/jquery.nicescroll.js"></script>  
<script src="js/scripts.js"></script>  
<!-- Bootstrap Core JavaScript -->  
    <script src="js/bootstrap.min.js"></script>  
    <!-- /Bootstrap Core JavaScript -->  
</body>  
</html>  
<?php } ?>
```

NEW-BOOKING

```
<?php
session_start();
error_reporting(0);
include('includes/config.php');
if(strlen($_SESSION['alogin'])==0)
{
header('location:index.php');
}
else{
?>

<!DOCTYPE HTML>

<html>

<head>

<title>CWMS | New Bookings</title>

<meta name="viewport" content="width=device-width, initial-scale=1">

<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />

<script type="application/x-javascript"> addEventListener("load", function() { setTimeout(hideURLbar,
0); }, false); function hideURLbar(){ window.scrollTo(0,1); } </script>

<link href="css/bootstrap.min.css" rel='stylesheet' type='text/css' />

<link href="css/style.css" rel='stylesheet' type='text/css' />

<link rel="stylesheet" href="css/morris.css" type="text/css"/>

<link href="css/font-awesome.css" rel="stylesheet">

<script src="js/jquery-2.1.4.min.js"></script>
```

```
<link rel="stylesheet" type="text/css" href="css/table-style.css" />
<link rel="stylesheet" type="text/css" href="css/basictable.css" />
<script type="text/javascript" src="js/jquery.basictable.min.js"></script>
<script type="text/javascript">$(document).ready(function() {
    $('#table').basictable(); $('#table-breakpoint').basictable({
        breakpoint: 768
    });
    $('#table-swap-axis').basictable({
        swapAxis: true
    });
    $('#table-force-off').basictable({ forceResponsive: false
    });
    $('#table-no-resize').basictable({
        noResize: true
    });
    $('#table-two-axis').basictable();
    $('#table-max-height').basictable({
        tableWrapper: true
    });
});
</script>
<link href="//fonts.googleapis.com/css?family=Roboto:700,500,300,100italic,100,400" rel='stylesheet'
type='text/css'/>
<link href="//fonts.googleapis.com/css?family=Montserrat:400,700" rel='stylesheet' type='text/css'>
<link rel="stylesheet" href="css/icon-font.min.css" type='text/css' />
```

```
<style>
```

```
    .errorWrap {
```

```
padding: 10px;
```

```
margin: 0 0 20px 0;
```

```
background: #fff;
```

```
border-left: 4px solid #dd3d36;
```

```
-webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
```

```
box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
```

```
}
```

```
.succWrap{
```

```
padding: 10px;
```

```
margin: 0 0 20px 0;
```

```
background: #fff;
```

```
border-left: 4px solid #5cb85c;
```

```
-webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
```

```
box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
```

```
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<div class="page-container">
```

```
<!--/content-inner-->
```

```
<div class="left-content">
```

```
    <div class="mother-grid-inner">
```

```
    <!--header start here--><?php include('includes/header.php');?>
```

```

<div class="clearfix"> </div>

</div>

<!--heder end here--><ol class="breadcru <li class="breadcrumb-item"><a
href="dashboard.php">Home</a><i class="fa fa-angle-right"></i>Manage New Bookings</li> </ol>

<div class="agile-grids">    <!-- tables --<div class="agile-tables">

<div class="w3l-table-info"><h2>New Bookings</h2>

    <table id="table">

<thead>

    <tr>

<th>Booking No.</th>

<th>Name</th>

<th width="200">Pacakge Type</th>

<th>Washing Point </th>

<th>Washing Date/Time </th>

<th width="200">Posting date </th>

<th>Action </th>

    </tr>

</thead>

<tbody>

<?php $sql = "SELECT *,tblcarwashbooking.id as bid from tblcarwashbooking
join tblwashingpoints on tblwashingpoints.id=tblcarwashbooking.carWashPoint
where status='New'";

$query = $dbh -> prepare($sql);

$query->execute();

$results=$query->fetchAll(PDO::FETCH_OBJ);

```

```

if($query->rowCount() > 0)
{
foreach($results as $result)
{?> <tr>

<td><?php echo htmlentities($result->bookingId);?></td>

<td><?php echo htmlentities($result->fullName);?></td>

<td width="50">

<?php $stype=$result->packageType;

if($stype==1): echo "BASIC CLEANING ($10.99)";endif;

if($stype==2): echo "PREMIUM CLEANING ($20.99)";endif;

if($stype==3): echo "COMPLEX CLEANING ($30.99)";endif;

?></td>


<td><?php echo htmlentities($result->washingPointName );?><br />

<?php echo htmlentities($result->washingPointAddress);?></td><td><?php echo htmlentities($result->washDate."/".$result->washTime);?></td>

<td><?php echo htmlentities($result->postingDate);?></td>

<td><a href="booking-details.php?bid=<?php echo htmlentities($result->bid);?>&&bookingid=<?php echo htmlentities($result->bookingId);?>">View</a>

</td>

<?php } ?>

</tr> <?php } else { ?><tr>

<td colspan="6" style="color:red;">No Record found</td>

</tr><?php } ?></tbody></table></div> </table></div>

<!-- script-for sticky-nav -->

```

```
<script>
$(document).ready(function() { var navoffset=$(".header-main").offset().top;
$(window).scroll(function(){
var scrollpos=$(window).scrollTop();
if(scrollpos >=navoffset){
$(".header-main").addClass("fixed");
}else{
$(".header-main").removeClass("fixed");
}
});
});
</script>

<!-- /script-for sticky-nav -->

<!--inner block start here-->
<div class="inner-block">
</div>

<!--inner block end here-->

<!--copy rights start here-->
<?php include('includes/footer.php');?>
<!--COPY rights end here-->
</div>
</div>

<!--//content-inner-->
<!--/sidebar-menu-->
<?php include('includes/sidebarmenu.php');?>
```



```
<div class="clearfix"></div>

</div>

<script>

var toggle = true;

$(".sidebar-icon").click(function() {

    if (toggle) {

        $(".page-container").addClass("sidebar-collapsed").removeClass("sidebar-collapsed-back");

        $("#menu span").css({"position":"absolute"});

    }

    else

    {

        $(".page-container").removeClass("sidebar-collapsed").addClass("sidebar-collapsed-back");

        setTimeout(function() {

            $("#menu span").css({"position":"relative"});

        }, 400);

    }

    toggle = !toggle;

});

</script>


<!--js -->

<script src="js/jquery.nicescroll.js"></script>

<script src="js/scripts.js"></script>

<!-- Bootstrap Core JavaScript -->

<script src="js/bootstrap.min.js"></script>
```



INDEX

```
<?php //error_reporting(0);

include('includes/config.php');

if(isset($_POST['book']))
{
    $ptype=$_POST['packagetype'];
    $wpoint=$_POST['washingpoint'];
    $fname=$_POST['fname'];
    $mobile=$_POST['contactno'];
    $date=$_POST['washdate'];
    $time=$_POST['washtime'];
    $message=$_POST['message'];
    $status='New';

    $bno=mt_rand(100000000, 999999999);

    $sql="INSERT INTO
tblcarwashbooking(bookingId,packageType,carWashPoint,fullName,mobileNumber,washDate,washTime,message,status) VALUES(:bno,:ptype,:wpoint,:fname,:mobile,:date,:time,:message,:status)";

    $query = $dbh->prepare($sql);

    $query->bindParam(':bno',$bno,PDO::PARAM_STR);

    $query->bindParam(':ptype',$ptype,PDO::PARAM_STR);

    $query->bindParam(':wpoint',$wpoint,PDO::PARAM_STR);

    $query->bindParam(':fname',$fname,PDO::PARAM_STR);

    $query->bindParam(':mobile',$mobile,PDO::PARAM_STR);

    $query->bindParam(':date',$date,PDO::PARAM_STR);

    $query->bindParam(':time',$time,PDO::PARAM_STR);
```

```
$query->bindParam(':message',$message,PDO::PARAM_STR);
$query->bindParam(':status',$status,PDO::PARAM_STR);
$query->execute();
$lastInsertId = $dbh->lastInsertId();
if($lastInsertId)
{
    echo '<script>alert("Your booking done successfully. Booking number is "+".$bno.")</script>';
    echo "<script>window.location.href='washing-plans'</script>";
}
else
{
    echo "<script>alert('Something went wrong. Please try again.');"</script>";
}
}
?>

<!DOCTYPE html>

<html lang="en">

    <head>

        <meta charset="utf-8">

        <title>Car Wash management System | Home Page</title>

        <!-- Favicon -->

        <link href="img/favicon.ico" rel="icon">

        <!-- Google Font -->

        <link
href="https://fonts.googleapis.com/css2?family=Barlow:wght@400;500;600;700;800;900&display=swa
p" rel="stylesheet">
```

```
<!-- CSS Libraries -->

<link href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css"
rel="stylesheet">

<link href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/5.10.0/css/all.min.css"
rel="stylesheet">

<link href="lib/flaticon/font/flaticon.css" rel="stylesheet">

<link href="lib/animate/animate.min.css" rel="stylesheet">

<link href="lib/owlcarousel/assets/owl.carousel.min.css" rel="stylesheet">

<!-- Template Stylesheet -->

<link href="css/style.css" rel="stylesheet">

</head>

<body>

<?php include_once('includes/header.php');?>

<!-- Carousel Start -->

<div class="carousel">

    <div class="container-fluid">

        <div class="owl-carousel">

            <div class="carousel-item">

                <div class="carousel-img">

                </div>

                <div class="carousel-text">

                    <h3>Washing & Detailing</h3>

                    <h1>Keep your Car Newer</h1>

                </div>

            </div>

        </div>

    </div>

</div>
```

```
<div class="carousel-item">
  <div class="carousel-img">
    
  </div>
  <div class="carousel-text">
    <h3>Washing & Detailing</h3>
    <h1>Quality service for you</h1>
  </div>
</div>
```

```
<div class="carousel-item">
  <div class="carousel-img">
    
  </div>
  <div class="carousel-text">
    <h3>Washing & Detailing</h3>
    <h1>Exterior & Interior Washing</h1>
  </div>
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<!-- Carousel End -->
```

```
<!-- About Start -->
```

```
<div class="about">
```

```
  <div class="container">
```

```
<div class="row align-items-center">
```

```
<div class="col-lg-6">
```

```
<div class="about-img">
```

```

```

```
</div>
```

```
</div>
```

```
<div class="col-lg-6">
```

```
<div class="section-header text-left">
```

```
<p>About Us</p>
```

```
<h2>car washing and detailing</h2>
```

```
</div>
```

```
<div class="about-content">
```

```
<p>
```

Lorem ipsum dolor sit amet elit. In vitae turpis. Donec in hendre dui, vel blandit massa. Ut vestibulum suscipi cursus. Cras quis porta nulla, ut placerat risus. Aliquam nec magna eget velit luctus dictum

```
</p>
```

```
<ul>
```

```
<li><i class="far fa-check-circle"></i>Seats washing</li>
```

```
<li><i class="far fa-check-circle"></i>Vacuum cleaning</li>
```

```
<li><i class="far fa-check-circle"></i>Interior wet cleaning</li>
```

```
<li><i class="far fa-check-circle"></i>Window wiping</li>
```

```
</ul>
```

```
<a class="btn btn-custom" href="about.php">Learn More</a>
```

```
</div>
```

```
</div>
```

</div>

</div>

</div>

<!-- About End -->

<!-- Service Start -->

<div class="service">

<div class="container">

<div class="section-header text-center">

<p>What We Do?</p>

<h2>Premium Washing Services</h2>

</div>

<div class="row">

<div class="col-lg-3 col-md-6">

<div class="service-item">

<i class="flaticon-car-wash-1"></i>

<h3>Exterior Washing</h3>

</div>

</div>

<div class="col-lg-3 col-md-6">

<div class="service-item">

<i class="flaticon-car-wash"></i>

<h3>Interior Washing</h3>

</div>

</div>

<div class="col-lg-3 col-md-6">


```
<div class="service-item">

  <i class="flaticon-vacuum-cleaner"></i>

  <h3>Vacuum Cleaning</h3>

</div>

</div>

<div class="col-lg-3 col-md-6">

  <div class="service-item">

    <i class="flaticon-seat"></i>

    <h3>Seats Washing</h3>

  </div>

</div>

<div class="col-lg-3 col-md-6">

  <div class="service-item">

    <i class="flaticon-car-service"></i>

    <h3>Window Wiping</h3>

  </div>

</div>

<div class="col-lg-3 col-md-6">

  <div class="service-item">

    <i class="flaticon-car-service-2"></i>

    <h3>Wet Cleaning</h3>
```

LOCATION

```
<div class="col-lg-12">

    <div class="section-header text-left">

        <p>Washing Points</p>

        <h2>Car Washing & Care Points</h2>

    </div>

    <div class="row">

        <?php $sql = "SELECT * from tblwashingpoints";

$query = $dbh -> prepare($sql);

$query->execute();

$results=$query->fetchAll(PDO::FETCH_OBJ);

foreach($results as $result)

{
    ?>

    <div class="col-md-6">

        <div class="location-item">

            <i class="fa fa-map-marker-alt"></i>

            <div class="location-text">

                <h3><?php echo htmlentities($result->washingPointName);?></h3>

                <p><?php echo htmlentities($result->washingPointAddress);?></p>

                <p><strong>Call:</strong><?php echo htmlentities($result->contactNumber);?></p>

            </div>

        </div>

    </div>

    <?php } ?>
```

</div>

</div>

</div>

</div>

</div>

<!-- Location End -->

<?php include_once('includes/footer.php');?>

<!-- JavaScript Libraries -->

<script src="https://code.jquery.com/jquery-3.4.1.min.js"></script>

<script
src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.bundle.min.js"></script>

<script src="lib/easing/easing.min.js"></script>

<script src="lib/owlcarousel/owl.carousel.min.js"></script>

<script src="lib/waypoints/waypoints.min.js"></script>

<script src="lib/counterup/counterup.min.js"></script>

<!-- Contact Javascript File -->

<script src="mail/jqBootstrapValidation.min.js"></script>

<script src="mail/contact.js"></script>

<!-- Template Javascript -->

<script src="js/main.js"></script>

</body>

</html>

WASHING-PIANS

```
<?php //error_reporting(0);

include('includes/config.php');

if(isset($_POST['book']))

{

$type=$_POST['packagetype'];

$wpoint=$_POST['washingpoint'];

$name=$_POST['fname'];

$mobile=$_POST['contactno'];

$date=$_POST['washdate'];

$time=$_POST['washtime'];

$message=$_POST['message'];

$status='New';

$bno=mt_rand(100000000, 999999999);

$sql="INSERT INTO
tblcarwashbooking(bookingId,packageType,carWashPoint,fullName,mobileNumber,washDate,washTime,message,status) VALUES(:bno,:ptype,:wpoint,:fname,:mobile,:date,:time,:message,:status)";

$query = $dbh->prepare($sql);

$query->bindParam(':bno',$bno,PDO::PARAM_STR);

$query->bindParam(':ptype',$type,PDO::PARAM_STR);

$query->bindParam(':wpoint',$wpoint,PDO::PARAM_STR);

$query->bindParam(':fname',$name,PDO::PARAM_STR);

$query->bindParam(':mobile',$mobile,PDO::PARAM_STR);

$query->bindParam(':date',$date,PDO::PARAM_STR);

$query->bindParam(':time',$time,PDO::PARAM_STR);
```

```
$query->bindParam(':message',$message,PDO::PARAM_STR);
$query->bindParam(':status',$status,PDO::PARAM_STR);
$query->execute();
$lastInsertId = $dbh->lastInsertId();
if($lastInsertId)
{
    echo '<script>alert("Your booking done successfully. Booking number is "+".$bno."")</script>';
    echo "<script>window.location.href='printbill'</script>";
}
else
{
    echo "<script>alert('Something went wrong. Please try again.');"</script>";
}
}

?>

<!DOCTYPE html>

<html lang="en">

    <head>

        <meta charset="utf-8">

        <title>CWMS | Washing Plans</title>

        <meta content="width=device-width, initial-scale=1.0" name="viewport">

        <meta content="Free Website Template" name="keywords">

        <meta content="Free Website Template" name="description">

        <!-- Favicon -->
```

```
<link href="img/favicon.ico" rel="icon">
```

```
<!-- Google Font -->
```

```
<link  
href="https://fonts.googleapis.com/css2?family=Barlow:wght@400;500;600;700;800;900&display=swa  
p" rel="stylesheet">
```

```
<!-- CSS Libraries -->
```

```
<link href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css"  
rel="stylesheet">
```

```
<link href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/5.10.0/css/all.min.css"  
rel="stylesheet">
```

```
<link href="lib/flaticon/font/flaticon.css" rel="stylesheet">
```

```
<link href="lib/animate/animate.min.css" rel="stylesheet">
```

```
<link href="lib/owlcarousel/assets/owl.carousel.min.css" rel="stylesheet">
```

```
<!-- Template Stylesheet -->
```

```
<link href="css/style.css" rel="stylesheet">
```

```
</head>
```

```
<body>
```

```
<?php include_once('includes/header.php');?>
```

```
<!-- Page Header Start -->
```

```
<div class="page-header">
```

```
<div class="container">
```

```
<div class="row">
```

```
<div class="col-12">
```

```
<h2>Washing Plan</h2>
```

```
</div>
```

```
<div class="col-12">
```

Home

Price

</div>

</div>

</div>

</div>

<!-- Page Header End -->

<!-- Price Start -->

<div class="price">

<div class="container">

<div class="section-header text-center">

<p>Washing Plan</p>

<h2>Choose Your Plan</h2>

</div>

<div class="row">

<div class="col-md-4">

<div class="price-item">

<div class="price-header">

<h3>Basic Cleaning</h3>

<h2>Rs.100.99</h2>

</div>

<div class="price-body">

<i class="far fa-check-circle"></i>Seats Washing

<i class="far fa-check-circle"></i>Vacuum Cleaning

<i class="far fa-check-circle"></i>Exterior Cleaning

<i class="far fa-times-circle"></i>Interior Wet Cleaning

<i class="far fa-times-circle"></i>Window Wiping

</div>

<div class="price-footer">

Book

Now

</div>

</div>

</div>

<div class="col-md-4">

<div class="price-item featured-item">

<div class="price-header">

<h3>Premium Cleaning</h3>

<h2>Rs200.99</h2>

</div>

<div class="price-body">

<i class="far fa-check-circle"></i>Seats Washing

<i class="far fa-check-circle"></i>Vacuum Cleaning

<i class="far fa-check-circle"></i>Exterior Cleaning

<i class="far fa-check-circle"></i>Interior Wet Cleaning

<i class="far fa-times-circle"></i>Window Wiping

</div>

<div class="price-footer">

Book

Now

</div>

</div>

</div>

<div class="col-md-4">

<div class="price-item">

<div class="price-header">

<h3>Complex Cleaning</h3>

<h2>Rs300.99</h2>

</div>

<div class="price-body">

<i class="far fa-check-circle"></i>Seats Washing

<i class="far fa-check-circle"></i>Vacuum Cleaning

<i class="far fa-check-circle"></i>Exterior Cleaning

<i class="far fa-check-circle"></i>Interior Wet Cleaning

<i class="far fa-check-circle"></i>Window Wiping

</div>

<div class="price-footer">

Book

Now

</div>

</div>

</div>

</div>

</div>

</div>

<!-- Price End -->

<?php include_once('includes/footer.php');?>

<!--Model-->

<div class="modal fade" id="myModal" role="dialog">

<div class="modal-dialog">

<!-- Modal content-->

<div class="modal-content">

<div class="modal-header">

<h4 class="modal-title">Car Wash Booking</h4>

</div>

<div class="modal-body">

<form method="post">

<p>

<select name="packagetype" required class="form-control">

<option value="">Package Type</option>

<option value="1">BASIC CLEANING (Rs100.99)</option>

<option value="2">PREMIUM CLEANING (Rs200.99)</option>

<option value="3 ">COMPLEX CLEANING(Rs300.99)</option>

</select>

<p>

<select name="washingpoint" required class="form-control">

<option value="">Select Washing Point</option>

<?php \$sql = "SELECT * from tblwashingpoints";

\$query = \$dbh -> prepare(\$sql);

\$query->execute();

\$results=\$query->fetchAll(PDO::FETCH_OBJ);

foreach(\$results as \$result)

{ ?>

<option value="<?php echo htmlentities(\$result->id);?>"><?php echo htmlentities(\$result->washingPointName);?> (<?php echo htmlentities(\$result->washingPointAddress);?>)</option>

<?php } ?>

</select></p>

<p><input type="text" name="fname" class="form-control" required placeholder="Full Name"></p>

<p><input type="text" name="contactno" class="form-control" pattern="[0-9]{10}" title="10 numeric characters only" required placeholder="Mobile No."></p>

<p>Wash Date
<input type="date" name="washdate" required class="form-control"></p>

<p>Wash Time
<input type="time" name="washtime" required class="form-control"></p>

<p><textarea name="message" class="form-control" placeholder="Message if any"></textarea></p>

<p><input type="submit" class="btn btn-custom" name="book" value="Book Now"></p>

</form>

</div>

<div class="modal-footer">

<button type="button" class="btn btn-default" data-dismiss="modal">Close</button>

</div>

</div>

</div>

</div>

<!-- JavaScript Libraries -->

<script src="https://code.jquery.com/jquery-3.4.1.min.js"></script>

<script
src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.bundle.min.js"></script>

<script src="lib/easing/easing.min.js"></script>

<script src="lib/owlcarousel/owl.carousel.min.js"></script>

<script src="lib/waypoints/waypoints.min.js"></script>

<script src="lib/counterup/counterup.min.js"></script>

<!-- Contact Javascript File -->

<script src="mail/jqBootstrapValidation.min.js"></script>

<script src="mail/contact.js"></script>

<!-- Template Javascript -->

<script src="js/main.js"></script>

</body>

</html>

11. Conclusion

The project titled as “**Car Washing Management System**” was deeply studied and analyzed to design the code and implement. It was done under the guidance of the experienced project guide. All the current requirements and possibilities have been taken care during the project time.

Car Washing Management System is used for maintain the car washing booking systems. This web application will help to perform car washing results in high quality end product. Thus it will be User-friendly and capable to wash multiple cars at a time.

12.Bibliography

For PHP

<https://www.w3schools.com/php/default.asp>

<https://www.sitepoint.com/php/>

<https://www.php.net/>

For MySQL

<https://www.mysql.com/>

<http://www.mysqltutorial.org>

For XAMPP

<https://www.apachefriends.org/download.html>